



# CK24 - Price update: Mark and Release Standard Price

## STEP 1

Start the transaction using the menu path or transaction code




Price Update: Mark Standard Price : initial screen



## STEP 2

1. Enter the period
2. Enter the company code
3. Enter the plant code
4. Enter the material code to be costed
5. Untick "Test Run"



## STEP 3


Make sure that the cost estimate was updated successfully

Of 1 materials, 1 cost estimates were updated successfully

If there is a message:

0 materials, 0 cost estimates were updated successfully

the error must be solved before going to the next step



Usually the error is related with the periods closed and it's just necessary to go back and open them:


[blocked URL](#)

[blocked URL](#)

STEP 4

Go back 

The detail of the calculation is displayed


Go back again 

**Price Update: Mark Standard Price**

Test run

Ex. Material	Costn...	Description	Plant	Fut. plnd price	Standard price	Price Unit	Curre
33082	VO	TY C 216 V40 B.	7822	2,014.08	2,014.08	1,000	EUR

STEP 5

Click on  Release

**Price Update: Mark Standard Price**

Release Other Prices Log

Posting Period/Fiscal Year: 9 / 2015 Marking Allowance

Company Code: zfc3 to

Plant: 7822 to

Material: 33082 to

Processing Options

Test Run


With Lat. Output

Parallel Processing

Background Processing

STEP 6

A message informs that the cost estimate was updated successfully

Go back  to leave the transaction

**Price Update**

Log created on 09.09.2015

Information: 3

Warnings: 0

Error: 0

Total: 3

Material	Plant	Appar	MsgNo	Message Text	TrasNo
COB 1		CFRCS	019	Price change document 3001096407 posted	
COB 1		CK	790	***** Summary : *****	
COB 1		CK	795	of 3 materials, 1 cost estimates were updated successfully	

blocked URL

STEP 7

 Note

The release can only be done if the material has no movements for the respective month. Meaning if you try to release the price and you have an error, you should check if the material has movements.

Go to MB51, execute and see if you have items. If so, the price can be released only for the following month (you should repeat everything with date of September):

STEP 8

When the release is correctly done without any error, you can already see the new price in the master data of the material (MM03, tab Costing 2):

**Display Material 30156 (Z700-Chemicals (trade))**

Additional Data Org. Levels Other Prices (Shift+F9)  
Costing 1 Costing 2 Plant:  SLVQ-ES / TORRELAVEGA (SOD)

Material:  ID:    
Plant:  SLVQ-ES / TORRELAVEGA (SOD)

Standard Cost Estimate

Cost Estimate	Future	Current	Previous
Period / Fiscal Year	0	7   2018	4   2018
Planned price	0,00	98,95	98,91
Standard price		98,95	
Planned price			