


CK24 - Price update: Mark and Release Standard Price


STEP 1

Start the transaction using the menu path or transaction code

 **CK24 - Price Update**




Price Update: Mark Standard Price : initial screen



The screenshot shows the initial screen of the 'Price Update: Mark Standard Price' transaction. It includes fields for Posting Period/Fiscal Year (9/2015), Marking Allowance (1), Company Code, Plant, and Material. There are also checkboxes for Processing Options: Test Run (checked), With List Output (checked), Parallel Processing (unchecked), and Background Processing (unchecked).

STEP 2

1. Enter the period
2. Enter the company code
3. Enter the plant code
4. Enter the material code to be costed
5. Untick "Test Run"



The screenshot shows the 'Price Update: Mark Standard Price' screen with input fields. The fields are: Posting Period/Fiscal Year (9/2015), Marking Allowance (1), Company Code (1490), Plant (1422), and Material (33082). The checkboxes for Processing Options are: Test Run (unchecked), With List Output (checked), Parallel Processing (unchecked), and Background Processing (unchecked). The numbers 1 through 5 are circled around the respective fields and checkboxes.

STEP 3


Make sure that the cost estimate was updated successfully

Of 1 materials, 1 cost estimates were updated successfully

If there is a message:

0 materials, 0 cost estimates were updated successfully

the error must be solved before going to the next step



The screenshot shows the 'Price Update' summary screen. It displays the log created on 09.09.2015. The summary table shows:

Material	Plant	Appar	MsgNo	Message Text	Info
CK	CK	CK	790	***** Summary Test run: *****	
CK	CK	CK	795	Of 1 materials, 1 cost estimates were updated successfully	

Usually the error is related with the periods closed and it's just necessary to go back and open them:

[blocked URL](#)

[blocked URL](#)

STEP 4

Go back 

The detail of the calculation is displayed


Go back again 

Price Update: Mark Standard Price

Test run

Ex.	Material	Costin...	Description	Plant	Fut. plnd price	Standard price	Price Unit	Curre
	33082	VO	TY C 216 V40 B	7822	2,014.08	2,014.08	1,000	EUR

STEP 5

Click on 

Price Update: Mark Standard Price

Posting Period/Fiscal Year: 9/2015 Marking Allowance

Company Code: zfc3 to Plant: 7822 to Material: 33082 to

Processing Options

- ☐ Test Run
- ☒ With List Output
- ☐ Parallel Processing
- ☐ Background Processing

STEP 6

A message informs that the cost estimate was updated successfully

Go back  to leave the transaction

Price Update

Log created on 09.09.2015

Information: 3
Warnings: 0
Errors: 0
Total: 3

Material	Plant	Appar	MsgNo	Message Text	Info
33082	7822	CK	790	Price change document 3001096487 posted	
33082	7822	CK	790	Summary: 1 cost estimates were updated successfully	

blocked URL

STEP 7



Note

The release can only be done if the material has no movements for the respective month. Meaning if you try to release the price and you have an error, you should check if the material has movements.

Go to MB51, execute and see if you have items. If so, the price can be released only for the following month (you should repeat everything with date of September):

STEP 8

When the release is correctly done without any error, you can already see the new price in the master data of the material (MM03, tab Costing 2):

Display Material 30156 (Z700-Chemicals (trade))

Additional Data Org. Levels Other Prices (Shift+F9)

Costing 1 Costing 2 Plant: 2000 Currency: USD

Material: 30156 ID: Plant: 2000 SLVQ-ES /TORRELAVEGA (SOD)

Standard Cost Estimate

	Future	Current	Previous
Cost Estimate			
Period / Fiscal Year	0 2018	7 2018	4 2018
Planned price	0,00	98,95	98,91
Standard price		98,95	
Planned price			