



99. (do not use) JIRA Issues - Workflows (for Salesforce)

Issue type	Workflow name in Jira	Workflow	Description
User Story	US: Basic SAFe team workflow_Salesforce v1.0	<pre>graph TD Start(()) --> ToDo[To Do] ToDo --> InRef[In Refinement] InRef --> ReadySprint[Ready for Sprint] ReadySprint --> InDev[In Development] InDev --> ReadyTest[Ready for Testing] ReadyTest --> InTest[In Testing] InTest --> ReadyINT[Ready for INT] ReadyINT --> INTTest[INT Testing] INTTest --> ReadyUAT[Ready for UAT] ReadyUAT --> InUAT[In UAT] InUAT --> ReadyRelease[Ready for Release] ReadyRelease --> Released[Released] Released --> Closed[Closed] Closed --> Rejected[Rejected] Rejected --> All[All] All --> ToDo InTest -- PO validates --> ReadyINT InUAT -- PO test --> ReadyRelease Released -- PO validate --> Closed Closed -- resolutions list --> ToDo</pre>	User stories are a simple, concise method for defining pieces of functionality from the user's perspective. To Do - User story was created and is part of the backlog In Refinement - Functional and technical analyses should be done during this stage in order to prepare to the next step Ready for Sprint - All requirements are clear and user story is ready to planning. The definition of ready needs to be met on this stage. In Development - User story was planned and is in process of development by team Ready for testing - Development of User story is finished and its ready to be tested. In Testing - User story in process of testing by team and validated by PO Ready for INT - User story is ready for testing in INT sandbox Int testing - User story is in testing in INT sandbox during the release cycle

			Ready for UAT - User story is in sandbox and ready for the start of User Acceptance Testing In UAT - User story is in testing by business /users and PO Ready for release - User story passed UAT and ready to be released. The definition of Done needs to be met. Released - User story was released to Production Closed - Final validation of delivered user story by PO Rejected - If user story in not relevant anymore it should be Rejected. More information about User story can be found here.
Task	US: Basic SAFe team workflow_Salesforce v1.0	<pre>graph TD Start(()) --> ToDo[To Do] ToDo --> InRef[In Refinement] InRef --> ReadySprint[Ready for Sprint] ReadySprint --> InDev[In Development] InDev --> ReadyTest[Ready for Testing] ReadyTest --> InTest[In Testing] InTest --> ReadyINT[Ready for INT] ReadyINT --> INTTest[INT Testing] INTTest --> ReadyUAT[Ready for UAT] ReadyUAT --> InUAT[In UAT] InUAT --> ReadyRelease[Ready for Release] ReadyRelease --> Released[Released] Released -- "PO validate" --> Closed[Closed] Closed -- "resolutions list" --> Closed Closed -- "Reopen" --> ToDo InTest --> Rejected[Rejected] Rejected --> All[All] InTest --> InDev Closed --> ToDo</pre>	Technical request such as data upload, devops activities etc

Sub task	Software Simplified Workflow	 <pre>graph TD; Start(()) --> ToDo[To Do]; ToDo --> InProgress[In Progress]; InProgress --> Done[Done]; ToDoAll[All] --> ToDo; InProgressAll[All] --> InProgress; DoneAll[All] --> Done;</pre>	Small parts of work separated from User Stories or larger Task.
Spike	Software Simplified Workflow	 <pre>graph TD; Start(()) --> ToDo[To Do]; ToDo --> InProgress[In Progress]; InProgress --> Done[Done]; ToDoAll[All] --> ToDo; InProgressAll[All] --> InProgress; DoneAll[All] --> Done;</pre>	Research or exploration effort aimed at addressing a specific technical challenge or uncertainty.

