

Follow-up of the PS modifications /\ Obsolete /\

- General presentation
 - Objective of the document
 - Usage information
- List of modifications
 - Loading of infocube CUB_PS004 layed aside
 - Status Before
 - In PC 03a AP Complete Transactional - RPC_FI_AP
 - In PC 03a GL Complete Transactional - RSP_FIGL_DAILY_DELTA
 - Status After
 - In PC 03a AP Complete Transactional - RPC_FI_AP
 - In PC 03a GL Complete Transactional - RSP_FIGL_DAILY_DELTA
 - Points of Caution

General presentation

Objective of the document

The objective of this document is to identify the modifications made on the PS dataflow

Usage information


This document list the status before and after the modifications

List of modifications

Loading of infocube CUB_PS004 layed aside

Status Before


In PC 03a AP Complete Transactional - RPC_FI_AP



Loading of the infocube CUB_PS004 through the following steps:

- Deletion of Indexes: ZDELETE_CUB_PS004
- DTP : DTP_4EUSDTXRCVI8VGHUKUHF42GJ0
- Creation of Indexes: ZDELETE_CUB_PS004
- DB Statistics STAT_CUB_PS004_10
- Adjust of BWA indexes: ZPV_ROLLUP_PS004
- Adjust of BWA indexes: ROLL_UP_CUB_PS004_2ND

In PC 03a GL Complete Transactional - RSP_FIGL_DAILY_DELTA




Loading of the infocube CUB_PS004 through the following steps:

- Deletion of Indexes: ZDELETE_CUB_PS004
- DTP : DTP_4EUS18GXV8VMIPPM87MTC6CS
- Creation of Indexes: ZDELETE_CUB_PS004
- DB Statistics STAT_CUB_PS004_10
- Adjust of BWA indexes: ZPV_ROLLUP_PS004
- Adjust of BWA indexes: ROLL_UP_CUB_PS004_2ND
- Abap Program (on KO):
 - Variant RSV_FIGL_LOADE100
 - Program Name: ZWBWD_APPLOADSTATUS
 - Program Variant: V_FIGL_E25
- Abap Program (on OK):
 - Variant RSV_FIGL_LOADS100
 - Program Name: ZWBWD_APPLOADSTATUS
 - Program Variant: V_FIGL_S25


Status After

In PC 03a AP Complete Transactional - RPC_FI_AP



Deletion of the processes associated with the loading of the infocube

In PC 03a GL Complete Transactional - RSP_FIGL_DAILY_DELTA



Deletion of the processes associated with the loading of the infocube

Points of Caution

The variant for Creation of indexes creates indexes for both infocube CUB_PS004 and CUB_PS007. However the cube CUB_PS007 is not used in these PC.