


BW RTR - Model S (MS) /\ Obsolete /\



The new wiki link for this data flow is here:

[Technical Documentation - Stock Margin elimination \(Model S\)](#)

Please update the doc there and no longer here.



- General presentation
 - Objective of the application
 - Usage information
 - History
- Roles & Access
 - Roles and access
 - Authorization objects
- Dataflow overview
 - Functional and Technical rules on Workbench + Reporting
 - Rules & Explanations
 - Main steps:
 - Particular shift of month definition:
 - Dependencies with other applications
- Data loadings
 - Info providers and objects loaded
 - Loading frequency
 - Points to be careful during the loading:
 - Average performance
 - Give details if any historisation is done, example: keep only data greater than beginning of Y-3 Record Keeping
- Reporting
 - Queries End User Documentation
 - Main queries
 - Main functionalities
 - Broadcast
- Maintenance
 - Known bugs
 - Recurring procedure
 - Planned Evolution

General presentation

Objective of the application

Functional Specification Document:

Training:

Tool Leader + IT leader of the application:

Usage information

History

Roles & Access

Roles and access

List of application role + menu role and explanation if we have several applications role with specials rules.

Role Code	Role Description	Explanation
ZR_RCS_CA_M69	MS - Model S	Role for queries and workbook

Authorization objects

List of autorisation objects mandatory for the application.

Authorization object	Explanation
C_COMPCDE__C_AUTHMA	Query authorization object
CPFCTR1_2	Query authorization object
C_COMPCDE__C_MNGAREA	Query authorization object
C_COMPPRS	Query authorization object

Dataflow overview

Material stock - ABMMIC01 (WP1_400) data flow - **Be carrefull ABCOMMIC01 has key figure in summation mode.**

Model S data flow

Functional and Technical rules on Workbench + Reporting

Rules & Explanations

Main steps:

1. Extract quantity total stock from ADSO ABMMIC01 in ADSO APCOMS01 with help of query BW_QRY_ABMMIC01_0001.

The principal thing to know here it's about the way to extract the data.

The goal is to extract and stock in APCOMS01 "Quantity Total Stock" 0TOTALSTCK from ABMMIC01. Info object 0TOTALSTCK is not physically stored in invenotry DSO. The only way to extract the key figure is to use a query as datasource (BW_QRY_ABMMIC01_0001).

In query BW_QRY_ABMMIC01_0001 we used a variable "V_CALMONTH11" based on class ZCL_BIU001_V_0CALMONTH_0031.

The class determine the month to load from current date and more or less x month(s). To know the number of months to add or removre from current date, the class read master data global filter (C_GLBFLT) on stream "STOCK_LOG":

Data Browser: Table /BIC/PC_GLBFLT Select Entries 1									
Stream	Rule	Counter	V	Change flag (I inserted / D deleted)	Global Filter Descri	Sign	Option	Low	High
STOCK_LOG	MONTH_VAR	001	A		Month operator to have filter on BW_QRY_ABMMIC01_0001	I	EQ	-	1
								Y	

Normally, by default the month to load in ADSO APCOMS01 is current month - 1. To load other month it's necessary to change fields "low" and / or "high" in master data.

It's in ADSO APCOMS01 where we define by default C_SOURCE = LOGISTIC. We will use this field in filters to extract data from caclulation views to separate LOGISTIC data and WORKING CAPITAL (equal TRANSIT) data.

2. Use calculation views to consolidate the different data sources.

- a. See details on calculation views here.

To use calculation views to load ADSO APCOMS04 we have eleven infopackages:

MS: Model S from Calc View	APCOMS04
TRSF DTS_CV_FMCO_CO_MS_IM_FINAL_01 (WBD_HANAIV) -> APCOMS04	0QQE5G02GEN8F3KA5UAYJKHRXMW537AQ
DTS_CV_FMCO_CO_MS_IM_FINAL_01	DTS_CV_FMCO_CO_MS_IM_FINAL_01
IP: DTS_CV_FMCO_CO_MS_IM_FINAL - Full - Logistic - Manual	ZPAK_5K2KJZY732211KS0PF7BNOKQ
IP: DTS_CV_FMCO_CO_MS_IM_FINAL - Full - WC - Manual	ZPAK_5K2JNCQBZFG24G14XFUF5115M
IP: DTS_CV_FMCO_CO_MS_IM_FINAL - Full -Logistic-Prev Month	ZPAK_5K0FTPY40VE83RCUVPCY1XRMY
IP: DTS_CV_FMCO_CO_MS_IM_FINAL - Full -WC-LastDayPrevMonth	ZPAK_5K2J771DFNWTLL19ZVWF2VT4A
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant 0k-1k - PrevM	ZPAK_5KW2059Y32Q36CKIDOHFD525M
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant >9k - PrevM	ZPAK_5KT6AN6M4JD52Y4W7LOZ6OL62
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant repai - PrevM	ZPAK_5L2XG8IPUGTLDLP5BQIEM2TZ3
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant1k->2k - PrevM	ZPAK_5KSZU83EW5XZQ2R5ABTJSS8Q2
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant2k->3k - PrevM	ZPAK_5KSF2110XSL2DU49BKMEJBGH6
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant3k->4k - PrevM	ZPAK_5KSP01LY8H6X4ZLQV5ID7YJOQ
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant4k->5k - PrevM	ZPAK_5KSP03QRI380B908155S016UI
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant5k->6k - PrevM	ZPAK_5KSZURAO75AFDJVHO8XP162
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant6k->7k - PrevM	ZPAK_5KVR9BW6NTXC7RFYEXBLE4KKQ
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant7k->8k - PrevM	ZPAK_5KVHDTBCNNI1VGXUB7IRKUHBE
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant8k->9k - PrevM	ZPAK_5KSF29KY08PF2VQ75Z81P114A
Data Transfer Processes	APCOMS04

- Ten infopackages to extract "logistic" data (filter on field C_SOURCE = LOGISTIC), each IP are in full mode for previous current month and splitted by plant range ([0-1000] - [1001-2000] - [2001-3000] etc...).
- IP: DTS_CV_FMCO_CO_MS_IM_FINAL - Full -WC-LastDayPrevMonth filter on posting date to have by default the last day of previous month and filter on C_SOURCE to have only "WORKING CAPITAL" data (equal TRANSIT data, from DBFIGL13).

3. Cross System Material definition

We can have some cases called "cross system" when for a batch his source system is different of the source system from his manufacturing plant.

The goal is to determine the batch concerned and then for each material associated, find the associated material from the other system.

a. C_BATCH2 cross system

We determine if a batch is cross system or not.

We compare manufacturing plant from c_batch2 with plant "of c_plant and if we found a different source system, the batch is considered like a source system and we fill object **C_FLGCROS** "Flag Cross System" with X.

The definition of batch cross system is done during the daily delta loading for PF1 and WP1 system.

There is also a transformation from c_batch2 to c_batch2 to reload all batch2 and define the cross system (using only for historical batch).

Batch number	C_BATCH2
Batch number (Attributes)	ATTRIBUTES C_BATCH2
IOBJ C_BATCH -> IOBJ C_BATCH2	075DR3ORBYZIOJJWNO0PDZ0MZRB3JHFD
ODSO DBMMIC07 -> IOBJ C_BATCH2	0RFYIPO2NQ5YR8NJZOIP7OE4MRYAOJYA
TRCS IFS_2LIS_03_BF -> IOBJ C_BATCH2	0RJLJ9GAAPUIB03I8BTLA1PBMF8G5YN2
TRSF: 2LIS_03_BF -> C_BATCH2 (Solvay)	08E8U6KSOJOCJY8NRPAD4FPSDXG18JIH
TRSF: C_BATCH2 -> C_BATCH2	0IR58D9AEQM63TRYEYRKXFCAMFUVJ5B
TRSF: DPMMIC03 -> C_BATCH2 (Solvay)	0QWFFVNV07DWKQERGR03TEUNT8WYXT0J
TRSF: DTS_C_BATCH2 -> C_BATCH2 (Solvay)	0ED6F0523YWB038SLKMT2ZUIT6YZM5WT
Transformation: DTS_C_BATCH -> C_BATCH2	0DUTQWB6ROPERUF1ETS2A7P8SMCERZ3L

Manufacturing plant were we force the flag cross system for the associated batch:

In the transformations to fill the cross system in the master data C_BATCH2, there is a rule to force for specifics manufacturing plant the cross system associated (defined in global filter master data):

Data Browser: Table /BIC/PC_GLBFLT Select Entries 6						
/BIC/C_STRE	/BIC/C_RULE	/BIC/C_GLBFLT	OBJVE	CHANGED	/BIC/C_DESC	/BIC/C_SIGN/BIC/C_OPTIO /BIC/C_LOW/BIC/C_HIG
MODEL S	CROSSSYS_P	001 A	Exception	PLANT	cross system FOR C_BATCH2	I EQ 7897 WP1_400
	CROSSSYS_P	002 A	Exception	PLANT	cross system FOR C_BATCH2	I EQ 8575 WP1_400
	CROSSSYS_P	003 A	Exception	PLANT	cross system FOR C_BATCH2	I EQ 8585 WP1_400

When we have defined which batch are cross system, we can use the following rules to find the material cross system associated.

b. aDSO cross system

After to have identified the C_BATCH2 with a cross system (C_FLGCROS = X), we can load the material associated in a

aDSO ABMD001 to have the correspondence / conversion of materials between the systems.

In aDSO - "Material Cross System" there is the list of all materials with a cross system.

To find the conversion for a material we have two solutions, using a table from MPG system and use the old material attribute from master data c_matnr2.

The result found with the MPG table has priority over the result founded with old material number. It's why during the loadings it's **important to load (and activate) before the data from master data c_matnr2 and then the data from MPG system**, like that the MPG cross system will be the last "vision" of cross system.

- i. Rule with old material (from master data c_matnr2).

The idea here is to find all material with an old material number who starts with "PF1" or "WP1".

Data Browser: Table /BIC/PC_MATNR2			
LOGSYS	/BIC/C_MATNR2	OBJVE	/BIC/C_BISMT
WP1_400	139669	A	PF1_167181

If we found a result and if the source system from material is different from the start of old material number, it's a cross system, so the material cross system for material WP1_400/139669 is PF1_020/167181.
And it means also the cross system for material PF1_020/167181 it's WP1_400/139669 (if the reverse (old material number not filled for example) is not directly present in master data c_matnr2, we need to calculate it during the transformation between c_matnr2 and ABMD001).
Result in ABMD001:

"ABMD001", List output				
OLOGSYS	C_MATNR2	C_CROSSYS	C_FLGBISM	Old Material Target
WP1_400	000000000000139669	PF1_020	X	000000000000167181
PF1_020	000000000000167181	WP1_400	X	000000000000139669

ii. Rule with MPG data.

We extract table Z4R_MDG_T_TARSYS from MPG system in propagation aDSO APMD001 In this table there is the conversion of the material by system.
[blocked URL](#)

In This exemple PF1(ERSOLV) 00000000000030156 is related to WP1 (ERPRCS) 000000000000139212 material code because both are link to the same MPG material code 000000000000300001
For MPG material code it's a perfect exemple, it means the material 30156 from PF1 has as cross system material 139212 from WP1 and vice versa, 139212 from WP1 has as cross system metrial 20156 from PF1.
In business aDSO ABMD001 we will have this result:

"ABMD001", List output					
OLOGSYS	C_MATNR2	C_FLGM	Material MPG	C_CROSSYS	Material Target MPG
PF1_020	00000000000030156	X	000000000000300001	WP1_400	000000000000139212
WP1_400	000000000000139212	X	000000000000300001	PF1_020	00000000000030156

When in table table Z4R_MDG_T_TARSYS from MPG system we have only one line by MPG Material, it means there is no cross system.

i. Flat file for manual update.

It's possible to update directly data in aDSO ABMD001 to force some cross system. It may be necessary in cases where master data c_batch2 is not well completed.
For that it's necessary to create a flat file (xls format) with this columns:

A	B	C	D
Source system	Material	Target ERP System	Target ERP Material Number
PF1_020	30156	WP1_400	139212
WP1_400	139212	PF1_020	139212

Load the file in aDSO APMD002 with help of Infopackage IP: DTS_APMD002_0001 - PC_FILE. Then load aDSO ABMD01.

c. Module Function

A module function exists to know if a material is cross system or not:

Z_CROSS_SYSTEM_MATERIAL

It's necessary to have in enter parameters the logsys and material and also the target system of the cross system. needed.

If there is a cross system associatem, the module function will find it and tell us the origin of the cross system (MPG, old material or flat file).

Test for function group ZBW_CROSS_SYSTEM
Function module Z_CROSS_SYSTEM_MATERIAL
Uppercase/Lowercase ☐

Runtime: 3.996 Microseconds

Import parameters	Value
I_P_LOGSYS	QF1_020
I_P_MATNR2	15589
I_P_LOGSYS_TARGET	WQ1_400

Export parameters	Value
LOGSYS_CROSS_SYST	WQ1_400
MATNR2_CROSS_SYST	139179
ORIGIN_CROSS_SYST	MPG

In case of multiple "origin" and the multiple cross system result, the priority is cross system from flat file, then from MPG system and at the end the cross system from old material number.

4. Load PF1 (UPIS) Data - Propagation - aDSO APCOMS02

MS: UPIS Stock Valuation (PF1)	APCOMS02
TRSF: DTS_Z1K_BATCH3 (PF1) -> APCOMS02	0SPFOBZXFGU7ZX80KEVFXAHTFIN12HI2
UPIS Stock Valuation	DTS_Z1K_BATCH3
• UPIS Stock Valuation - Full	ZPAK_5KY9PQR49SOJC3Q5QHXRQ00Q2
• UPIS Stock Valuation - Full - M-1	ZPAK_5LUKOR2PSKBMV4IYOXNNCPYJU
• UPIS Stock Valuation - Init -> delta	ZPAK_5JCN9K8AMXQI34HKL8ZS7XLPM

Extraction from PF1 system table Z1K_BATCH3 (normally once a month, extraction of previous month in full mode).

5. Calculate the cross sytem Model S - PF1 (UPIS data) - aDSO ABCOMS03

MS: UPIS Stock Valuation (PF1) Cross System	ABCOMS03
TRSF: IFS_APCOMS02_ABCOMS03 -> ABCOMS03	0T3JTC2GVIDGATAZYWFN4CY0EXG2RJFV
Infosource APCOMS02 -> ABCOMS03	IFS_APCOMS02_ABCOMS03
TRSF: APCOMS02 -> IFS_APCOMS02_ABCOMS03	0KS08P2JNH8BEW3VXU2P0MSNGMTVD3YC
MS: UPIS Stock Valuation (PF1)	APCOMS02

The goal in this aDSO is to have the data considered as cross system. If a line is cross system, it means we need to take the cost unit not from the source (PF1) but from the cross system source system, so WP1 (ODS_PCP4).

In transformation before the infosource, we will extract from aDSO APCOMS02 the data where the C_BATCH2 is considered like cross system (C_FLGCROS = X), and where the module function Z_CROSS_SYSTEM_MATERIAL find a cross system material in result.

At this step, we have only data considered as cross system, we do a lookup in ods ODS_PCP4 with links:

WP1 data (ods_pcp4)		PF1 data (APCOMS02)
material	=	material cross system
plant	=	manufacturing plant cross system
costing date	=	first day calmonth UPIS
cost var	<>	ZIP

If we found a correspondance in ODS_PCP4 we can continue, if not, the records will be not loaded in this aDSO.

In the second transformation (after the infosource) we will convert in EUR the cost units WP1 collected from ODS_PCP4. And then we can calculate the Integrated Margin (CP, CNP, AMO, Duty and Freight):

IM = Sotck from PF1 * cost unit from WP1.

Example File.

6. Calculate the cross sytem Model S - WP1 (Logistic and Transit data) - aDSO ABCOMS04

MS: Model S - Business - Cross System	ABCOMS04
TRSF: APCOMS04 -> ABCOMS04 (cross system logistic)	0EHJ6ELADWTWL7J1D4A5B9GFOE5V2I67
MS: Model S from Calc View	APCOMS04

First, we need to define the records from APCOMS04 considered like cross system in function of C_BATCH2 (C_FLGCROS = X) and where the module function Z_CROSS_SYSTEM_MATERIAL return a valid result.
When we have a valid material cross system (PF1) we do a lookup in aDSO ABCOMS2 with links:

PF1 data (ABCOMS02)		WP1 data (APCOMS04)
material	=	material cross system
PLANT	=	manufacturing plant cross system
calmonth	=	Calmonth - 1

To take the stock and cost unit KPI from ABCOMS02 aggregated by Material, Plant and Month (if we don't find result, we don't load the record in ABCOMS04).

When it's done, we calculate the Integrated Margin KPI from PF1:

PF1_CP_IM = EUR_CONSO_VAR/ TOTQTY

PF1_CNP_IM =EUR_CONSO_FIX/TOTQTY

PF1_AMO_IM =eur_CONSO_DEP/ TOTQTY

PF1_FREIGHT_IM =EUR_DUTY / TOTQTY

PF1_DUTY_IM =EUR_TST/ TOTQTY

Then, we can take the sotck from WP1 associated (with help of material cross system and manufacturing plant associated) to calculate the IM valuation:

Sotck from WP1 * IM from PF1.

Example file.

7. Load and calculate key figuress for Model S - WP1 (Logistic and Transit data) - ADSO ABCOMS01 .

Last step is to caculate all key figures for Model S report, It's done in transformation TRSF: APCOMS04 -> ADSO ABCOMS01.

Controlling - Model S: Business Transformation	IA_FMCO_CO_MS_BUSINESS_TRSF
MS: Model S - Business	ABCOMS01
TRSF: APCOMS04 -> ADSO ABCOMS01	0DHFH7ZIH1SF093UX54B9I7PIFG5VAE
Data Transfer Processes	ABCOMS01
DTP: APCOMS04 -> ABCOMS01 - Delta	DTP_B1FNYSNDTMCTIA531QF3TZ2MX

In start routine, we delete some lines according to their company code or plant. Company code and plant to exclude are defined in master data global filter (C_GLBFLT) in stream "MODEL S" and rule "PLANT" or "COMPCDE":

Data Browser: Table /BIC/PC_GLBFLT Select Entries 2									
Stream	Rule	Counter	V	Change flag (I inserted / D deleted)	Global Filter Descri	Sign	Option	Low	Hight Active
MODEL S	COMPCDE	001	A		Company code to exclude for model s (ABCOMS01)	I	EQ	7735	Y
MODEL S	PLANT	001	A		Plant to exclude for model s (ABCOMS01)	I	EQ	7991	Y

During the loading, the transformation will convert the unit and currencies key figures with help of conversion type UOM_MATNR2 (units) and CTK_MODELS (currencies).

The important point here is to normally, the cross system data (calculated in ABCOMS04) will be not loaded in this aDSO.

8. Load and calculate key figuress for Model S - PF1 - ADSO ABCOMS02 .

MS: UPIS Stock Valuation (PF1)	ABCOMS02
TRSF: APCOMS02 -> ABCOMS02 (PF1)	03T9WGR7O6G9Z91TP14IUHGMEOWHP160
MS: UPIS Stock Valuation (PF1)	ABCOMS02

The important point here is to normally, the cross system data (calculated in ABCOMS03) will be not loaded in this aDSO.

Particular shift of month definition:

Transaction ZBW_SHIFT_MONTH (linked with program ZBW_LOAD_FLAT_FILE_MODELS):

Shift Of Motnh - Load flat file

File to load

Preview

Check file

Load file

History

Exit

View Shift of Month

Shifts of month will be used in calculations views CV_FMCO_CO_MS_DBFIGL13_REFMONTH and CV_FMCO_CO_MS_APCOMS01_REFMONTH.

They are used to manage some exceptions when we define the month on which we will read the data to retrieve the data Transit and Logistic.

Flat file template (xls format):

Source system	GBU	Plant	Material	Shift of month logisitic	Shift of month Transit
WP1_400	CS		8058	124051	3
WP1_400	CS		8173	128230	3
WP1_400	CS		0279	124051	4
WP1_400	CS		8056	124051	4

Data in production:

"APCOMS03", List output

0LOGSYS	BFC GBU	C_MATNR2	Plant	C_SHIFTLO	C_SHIFTWC
WP1_400	CS	000000000000124051	0279	000004	000000
WP1_400	CS	000000000000124051	8056	000004	000000
WP1_400	CS	000000000000124051	8058	000003	000000
WP1_400	CS	000000000000128230	8173	000003	000000

At least Source system, GBU, shift of month Logistic and shift of month Transit are mandatory.

Procedure to use the transaction:

Dependencies with other applications

Mains data sources:

Logistic data: ADSO ABMMIC01 - "Material stock".

Transit data: DBFIGL13 - "IM from FIGL: Line Items for G/L Acct (S) - Rhodia Level 2".


Integrated Margin data: ODS_PCP4 - "CCR: Integrated margin".


Data loadings

Info providers and objects loaded

Process Chain - Technical Name	Process Chain - Description	Starter	Comment
PC_CO_MS_0006	MS: TD - M - Model S - Global	Event: Z_EVT_PC_CO_MS_0006 triggered in process chain PC_INT_MARGIN	Starts arround 3:30 AM during working day D+3.
PC_CO_MS_0008	MS: TD - M - Cross System Material	External start only (via API or metachain) Triggered in PC_CO_MS_0006	
PC_CO_MS_0002	MS: TD - M - Solvay UPIS Stock Valuation (Propagation Layer)	External start only (via API or metachain) Triggered in PC_CO_MS_0006	
PC_CO_MS_0007	MS: TD - M - Solvay UPIS (Business Layer)	External start only (via API or metachain) Triggered in PC_CO_MS_0006	
PC_CO_MS_0003	MS: TD - M - Model S Propagation APCOMS01	External start only (via API or metachain)	Load ADSO APCOMS01 with query BW_QRY_ABMMIC01_0001 in source.
PC_CO_MS_0004	MS: TD - M - Model S Propagation - APCOMS04	External start only (via API or metachain) Triggered in PC_CO_MS_0006	
PC_CO_MS_0005	MS: TD - M - Model S Businesss	External start only (via API or metachain) Triggered in PC_CO_MS_0006	Trigerred when PC_CO_MS_0005 AND PC_CO_MS_0007 are finished.
PC_CO_MS_0001	MS: TD - D - Shift of Months: Models S (Propagation Layer)	External start only (via API or metachain)	
PC_CO_MS_0009	MS - TD - M - Solvay UPIS - Monthly	Starts at 7:00 AM , 2:00 PM and 4:00 PM (french time) during working day D+3. The starter in defined at 7:00 AM and the job is job scheduling is repeated at 2:00 PM (see more details here). One more load added to start at 4:00 PM	Independant Process Chain, not in PC_CO_MS_0006. Used to take new lines crettaed in PF1 during the morning of working day D+3.

PC_CO_MS_0006 - MS: TD - M - Model S - Global:





Loading frequency

The loading is done after the process chain PC_INT_MARGIN - "Integrated Margin 2" normally once a month in the 3th workday.

Points to be careful during the loading:

- Be careful! ABCOMMIC01 has key figure in summation mode. If there is an error during the calculation of Model S and the issue not comes from stocks, don't re-execute all the process chain but just the part needed. For example just UPIS part & Model S propagation and the Model S business part.
- If there are errors during process chain integrated margin, the model s process chain will not starts, for example if PC_INT_MARGIN not scheduled (error in CPX system).
- Extraction of stock with query BW_QRY_ABMMIC01_0001 takes time.
- Infopackages to extract data from calculation view to load ADSO APCOMS04 can dump because of the calculation views which take too long or which have too large volumes. It's why there are several IP for logistic data. In case of errors it will be necessary to extract the data by smaller groups.

Average performance

The process chain PC_CO_MS_0006 takes 2 hours (including one hour and a half to charge the adso APCOMS01 (extraction of stock with query from adso ABMMIC01).

She starts around 3:30 am and finish at 5:30 am (French time)

Give details if any historisation is done, example: keep only data greater than beginning of Y-3 Record Keeping

Reporting

Queries End User Documentation

Main queries

BW_QRY_ABMMIC01_0001 - BW - Material Stock for extract model S (Core Query)

BW_QRY_CPCOMS01_0001 - Stock margin elimination report (Core Query)

BW_QRY_CPCOMS01_0002 - Stock Margin Elimination report 2 (Core Query)

Main functionalities

Broadcast

Maintenance

Known bugs

Recurring procedure

Planned Evolution

Query BW_QRY_ABMMIC01_0001 find a way to improve the loading time.