

# Follow-up of the PS modifications /\ Obsolete /\

- General presentation
  - Objective of the document
  - Usage information
- List of modifications
  - Loading of infocube CUB\_PS004 layed aside
    - Status Before
      - In PC 03a AP Complete Transactional - RPC\_FI\_AP
      - In PC 03a GL Complete Transactional - RSP\_FIGL\_DAILY\_DELTA
    - Status After
      - In PC 03a AP Complete Transactional - RPC\_FI\_AP
      - In PC 03a GL Complete Transactional - RSP\_FIGL\_DAILY\_DELTA
    - Points of Caution

## General presentation

### Objective of the document

The objective of this document is to identify the modifications made on the PS dataflow

### Usage information


This document list the status before and after the modifications

## List of modifications

### Loading of infocube CUB\_PS004 layed aside

#### Status Before


In PC 03a AP Complete Transactional - RPC\_FI\_AP



Loading of the infocube CUB\_PS004 through the following steps:

- Deletion of Indexes: ZDELETE\_CUB\_PS004
- DTP : DTP\_4EUSDTXRCVI8VGHUKUHF42GJ0
- Creation of Indexes: ZDELETE\_CUB\_PS004
- DB Statistics STAT\_CUB\_PS004\_10
- Adjust of BWA indexes: ZPV\_ROLLUP\_PS004
- Adjust of BWA indexes: ROLL\_UP\_CUB\_PS004\_2ND

In PC 03a GL Complete Transactional - RSP\_FIGL\_DAILY\_DELTA




Loading of the infocube CUB\_PS004 through the following steps:

- Deletion of Indexes: ZDELETE\_CUB\_PS004
- DTP : DTP\_4EUS18GXV8VMIPPM87MTC6CS
- Creation of Indexes: ZDELETE\_CUB\_PS004
- DB Statistics STAT\_CUB\_PS004\_10
- Adjust of BWA indexes: ZPV\_ROLLUP\_PS004
- Adjust of BWA indexes: ROLL\_UP\_CUB\_PS004\_2ND
- Abap Program (on KO):
  - Variant RSV\_FIGL\_LOADE100
  - Program Name: ZWBWD\_APPLOADSTATUS
  - Program Variant: V\_FIGL\_E25
- Abap Program (on OK):
  - Variant RSV\_FIGL\_LOADS100
  - Program Name: ZWBWD\_APPLOADSTATUS
  - Program Variant: V\_FIGL\_S25


## Status After

In PC 03a AP Complete Transactional - RPC\_FI\_AP



Deletion of the processes associated with the loading of the infocube

**In PC 03a GL Complete Transactional - RSP\_FIGL\_DAILY\_DELTA**



Deletion of the processes associated with the loading of the infocube

## Points of Caution

The variant for Creation of indexes creates indexes for both infocube CUB\_PS004 and CUB\_PS007. However the cube CUB\_PS007 is not used in these PC.