

# Transformation Rules - Working Capital

- 1.0 Access Management
- 2.0 DataFlow
  - 2.1 Overview
    - CRFIGL22
      - ZZF\_READ\_ZZF\_BSEG DPFIWC03
      - OFI\_GL\_4 CICC DPFIGL03
      - DPFIWC03 DPFIGL03
      - DPFIGL03 IB\_FIGL\_03
      - IB\_FIGL\_03 DBFIGL22
    - CRFIGL08
      - ZZF\_READ\_ZZF\_BSEG DPFIWC03
      - DPFIWC03 DPFIGL03
      - DPFIGL03 IB\_FIGL\_03
      - IB\_FIGL\_03 DBFIGL08
      - OFI\_GL\_4 -> ODSFIGL1
      - ODSFIGL1 -> ODSFIGL1
      - ODSFIGL1 -> ODSFIGL3
      - ODSFIGL3 DBFIGL02
    - CRFIGL05
      - DPFIGL02
      - DPFIGL02 IB\_FIGL\_02
      - IB\_FIGL\_02 DBFIGL05
    - CRFIGL21
      - ZZF\_READ\_ZZF\_BSEG CICC DPFIWC03
      - DPFIWC03 DPFIGL03
      - OFI\_GL\_4 CICC DPFIGL03
      - DPFIGL03 IB\_FIGL\_03
      - IB\_FIGL\_03 DBFIGL21
        - Start routine
        - Field routines
        - End routine
    - CRFIGL07
      - ZZF\_READ\_ZZF\_BSEG CICC DPFIWC03
      - DPFIWC03 DPFIGL03
      - OFI\_GL\_4 CICC DPFIGL03
      - DPFIGL03 IB\_FIGL\_03
      - IB\_FIGL\_03 DBFIGL07
        - Start routine
        - Field routines
    - CRFIGL01
      - ODSFIGL3 DBFIGL01
        - Start routine
        - Field routine
        - End routine
      - DPFIGL01 IB\_FIGL\_01 DBFIGL01
    - CRFIGL04
      - DPFIGL01 IB\_FIGL\_01 DBFIGL01
      - IB\_FIGL\_02 DBFIGL04
        - Star routine
        - Field routine
    - CRFIPA06
      - DTS\_FIAP\_THDR ODS\_FIIS
        - Start routine
        - Field routine
  - 2.2 Technical Rules on Workbench
  - 2.3 Dependencies with other applications
- 3.0 Data Loading
  - 3.1 Info Providers and objects loaded
- 4.0 Comments

## 1.0 Access Management

### Roles & Access

List of application role + menu role and explanation if we have several applications role with specials rules.

| Role Code | Role Description | Explanation |
|-----------|------------------|-------------|
|           |                  |             |

## Authorization Objects

List of authorization objects mandatory for the application.

| Authorization object | Explanation |
|----------------------|-------------|
|                      |             |

## 2.0 DataFlow


### 2.1 Overview

Multiprovider MVFIWC01 is composed by 32 cubes:

|           |  |
|-----------|--|
| CRFIGL22  | AP from FIGL by Affiliate - CICC                   |
| CRFIGL08  | AP from FIGL: Line Items - CICC                    |
| CRFIGL02  | AP from FIGL: Line Items - Rhodia                  |
| CRFIGL05  | AP from FIGL: Line Items - Solvay                  |
| CRFIGL21  | AR from FIGL by Affiliate - CICC                   |
| CRFIGL07  | AR from FIGL: Line Items - CICC                    |
| CRFIGL01  | AR from FIGL: Line Items - Rhodia                  |
| CRFIGL04  | AR from FIGL: Line Items - Solvay                  |
| CRFIPA06  | CAPEX Rhodia (Lease AP)                            |
| CRFIPA08  | CAPEX Rhodia (Lease AP) Factoring                  |
| CRFIPA01  | CAPEX Rhodia (Payables AP + GL)                    |
| CRFIPA04  | CAPEX Rhodia (Payables AP) Factoring               |
| CRFIPA07  | CAPEX Solvay (Lease AP)                            |
| CRFIPA09  | CAPEX Solvay (Lease AP) Factoring                  |
| CRFIPA02  | CAPEX Solvay (Payables AP + GL)                    |
| CRFIPA05  | CAPEX Solvay (Payables AP) Factoring               |
| CRFIAP03  | FIAP: Line Item with Delta - CICC                  |
| CRFIAP01  | FIAP: Line Item with Delta - Rhodia                |
| CRFIAP05  | FIAP: Line Item with Delta - Rhodia factoring      |
| CRFIAP02  | FIAP: Line Item with Delta - Solvay                |
| CRFIAP06  | FIAP: Line Item with Delta - Solvay Factoring      |
| CRFIAR03  | FIAR: Line Item with Delta - CICC                  |
| CRFIAR01  | FIAR: Line Item with Delta - Rhodia                |
| CRFIAR15  | FIAR: Line Item with Delta - Rhodia Factoring      |
| CRFIAR02  | FIAR: Line Item with Delta - Solvay                |
| CRFIAR16  | FIAR: Line Item with Delta - Solvay Factoring      |
| CUB_MAG01 | FISCA : Magnitude account data (cube)              |
| CRFIGL13  | IM from FIGL: Line Items for G/L Acct (S) - Rhodia |

|          |   |
|----------|---|
| CRFIGL14 | IM from FIGL: Line Items for G/L Acct (S) - Solvay  |
| CRFIGL03 | IM from FIGL: Line Items for Mat. Acct (M) - Rhodia |
| CRFIGL06 | IM from FIGL: Line Items for Mat. Acct (M) - Solvay |

## CRFIGL22



## ZZF\_READ\_ZZF\_BSEG DPFIWC03

### Start routine

Delete data where field "Info" is empty.

### Field routine

0FISCVARNT = K4.

## OFI\_GL\_4 CICC DPFIGL03

### Field routine

For REF\_DOC\_NO all characters equal to # or ! are replaced by space.

## DPFIWC03 DPFIGL03

### End routine

Search in DPFIGL03 if a record exist with same fields from data loaded (logsys, c\_compcode, ac\_doc\_no, fiscyear and item\_num).

If data loaded already exists in DPFIGL03, we update this record with the c\_cpprsaf (Affiliate PRS company code) from DPFIWC03 (Data from ZZF\_BSEG CICC table).

An error stack is updated if the line item in DPFIWC03 can't be found in DPFIGL03 => no update in DPFIGL03 but the record is put into the error stack to be reprocessed during the next process chain's run.

## DPFIGL03 IB\_FIGL\_03

### Start routine

Delete data if c\_compcde = 0001 or 6050.

For a document line item, if the last entry in a data package has recordmode "X", the recordmode is changed to "D" in order to delete the existing key in the target DSO. It is necessary to ensure there is no duplicated document in "normal" flows (DBFIGL07/08) and in the flows by Affiliate (DBFIGL21/22).

### Field routine

C\_COMPPRS comes from master data C\_COMPCDE.

For REF\_DOC\_NO and REF\_KEY3, all characters equal to # or ! are replaced by space.

### End routine

Field co\_area is determined in function of attribute co\_area from master data c\_compcde. If no correspondance found in c\_compcde, the default value is 'FINI'.

Last character for field bus\_area finish by default with "0".

Module function ZTRANSCO\_BUS\_AREA is used with with 0BUS\_AREA and C\_COMPCDE. This will read exception DSO (dbfiwc01) and apply value found into fields 0BUS\_AREA and C\_SUBACT2.

FIGL Domaine management (c\_figldom): Call function mode ZDETERMINE\_FIGL\_DOMAIN with 0CHRT\_ACCTS, 0ACCT\_TYPE and 0GL\_ACCOUNT. This will read 0GL\_ACCOUNT master data.

If gl\_type from gl\_account = 'RECEIVABLES', FIGL\_DOMAIN = 'AR'.

If gl\_type from gl\_account = 'PAYABLES', FIGL\_DOMAIN = 'AP'.

If gl\_type from gl\_account = 'INVENTORY', FIGL\_DOMAIN = 'IM'.

If gl\_type from gl\_account = 'ASSET', FIGL\_DOMAIN = 'AA'.

## IB\_FIGL\_03 DBFIGL22

### Start routine

Delete data if c\_figldom ( FIGL Domain ) <> 'AP' and <> 'AA'.

### End routine

With method "get\_landscape\_from\_comprs" and source field c\_cpprsaf ( PRS Company code - Affiliate ), we determine the lanscape associated from master data c\_comprs.

If a landscape is found:

With method " get\_aff\_compcde\_from\_comprs " and source field c\_cpprsaf ( PRS Company code - Affiliate ) and landscape founded previously, we determine the company code and losys associated and put them into fields c\_compcaf ( Company code - Affiliate ) & c\_lgsysaf ( Source System - Affiliate).

If c\_compcaf is empty and the landscape is in master data global filter:

| /BIC/C_STREAM | /BIC/C_RULE | /BIC/C_GLBFLT | OBJVERS | CHANGED | /BIC/C_DESC        | /BIC/C_SIGN | /BIC/C_OPTION | /BIC/C_I |
|---------------|-------------|---------------|---------|---------|--------------------|-------------|---------------|----------|
| CICC_AFF      | LANDSCAPE   |               | 001 A   |         | Landscapes managed | I           | EQ            | ERPRCS   |
| CICC_AFF      | LANDSCAPE   |               | 002 A   |         | Landscapes managed | I           | EQ            | ERPSOL   |
| CICC_AFF      | LANDSCAPE   |               | 003 A   |         | Landscapes managed | I           | EQ            | ERPRHO   |

There is no correspondance in c\_compcde

The line item is updated in target DSO but should be reprocessed we put in error stack the record.


If c\_lgsysaf is not empty and C\_PCPANLG (Partner Company - Legal) is not empty:

If c\_pcpanlg exist in master data c\_company then c\_pcpanaf (Partner Company - Affiliate) =c\_pcpanlg (Partner Company - Legal).

If landscape is empty:

The line item is updated in target DSO but should be reprocessed => put in error stack

## CRFIGL08



## ZZF\_READ\_ZZF\_BSEG DPFIWC03

### Start routine

Delete data where field "Info" is empty.

### Field routine

0FISCVARNT = K4.

## DPFIWC03 DPFIGL03

### End routine

Search in DPFIGL03 if a record exist with same fields from data loaded (logsys, c\_compcde, ac\_doc\_no, fiscyear and item\_num).

If data loaded already exists in DPFIGL03, we update this record with the c\_cpprsaf (Affiliate PRS company code) from DPFIWC03 (Data from ZZF\_BSEG CICC table).

An error stack is updated if the line item in DPFIWC03 can't be found in DPFIGL03 => no update in DPFIGL03 but the record is put into the error stack to be reprocessed during the next process chain's run.

## DPFIGL03 IB\_FIGL\_03

### Start routine

Delete data if c\_compcde = 0001 or 6050.

For a document line item, if the last entry in a data package has recordmode "X", the recordmode is changed to "D" in order to delete the existing key in the target DSO. It is necessary to ensure there is no duplicated document in "normal" flows (DBFIGL07/08) and in the flows by Affiliate (DBFIGL21/22).



## 0FI\_GL\_4 -> ODSFIGL1

### Start routine

Load documents from DSO\_FI11 (ZWFAT205 table for reclassification) into internal table itbh\_fi11.

Load profit center master data into internal table itb\_profit\_iecra.

Load GL accounts from Global filter master data into internal table it\_filter (stream = FI\_CUSACC and rule = GL\_ACC)

**Data Browser: Table /BIC/PC\_GLBFLT Select Entries 52**

Table: /BIC/PC\_GLBFLT

|  | /BIC/C_STREAM | /BIC/C_RULE | /BIC/C_GLBFLT | OBJVRS | CHANGED | /BIC/C_DESC                       | /BIC/C_SIGN | /BIC/C_OPTION | /BIC/C_LOW | /BIC/C_HIGH | /BIC/C_ACT |
|--|---------------|-------------|---------------|--------|---------|-----------------------------------|-------------|---------------|------------|-------------|------------|
|  | FI_CUSACC     | GL_ACC      | 001           | A      |         | GL ACCOUNTS FOR CUSTOMER ACCOUNTS | E           | EQ            | 0041100109 |             | Y          |
|  | FI_CUSACC     | GL_ACC      | 002           | A      |         | GL ACCOUNTS FOR CUSTOMER ACCOUNTS | E           | EQ            | 0041100209 |             | Y          |
|  | FI_CUSACC     | GL_ACC      | 003           | A      |         | GL ACCOUNTS FOR CUSTOMER ACCOUNTS | E           | EQ            | 0041100210 |             | Y          |
|  | FI_CUSACC     | GL_ACC      | 004           | A      |         | GL ACCOUNTS FOR CUSTOMER ACCOUNTS | E           | EQ            | 0041100301 |             | Y          |
|  | FI_CUSACC     | GL_ACC      | 005           | A      |         | GL ACCOUNTS FOR CUSTOMER ACCOUNTS | E           | EQ            | 0041100309 |             | Y          |

### Field routines

co\_area is determined in function of attribute co\_area from master data c\_compde.

OPROFIT\_CTR comes from internal table itbh\_fi11 (DSO\_FI11). If not found, keep initial value.

0G\_CWWE01: Get 0G\_CWWE01 from itbh\_fi11 (DSO\_FI11) when is not null. If he is not found and if HKONT is in internal table it\_filter and if OPROFIT\_CTR is not null, get 0G\_CWWE01 from Profit center master data (internal table itb\_profit\_iecra.)

## ODSFIGL1 -> ODSFIGL1

Same technical rules as 0FI\_GL\_4 ODSFIGL1.

## ODSFIGL1 -> ODSFIGL3

### Start routine

Load active data from ODSFIGL3 into internal table itb\_figl3.

Load data from ODSFIGL2 (ZWFAT123 for split) into internal table itb\_figl2.

Load data from DSO\_FI11 (ZWFAT205 for reclassification) into internal table itbh\_fiar11.

Load profit center master data in internal table itb\_profit.

Load GL accounts from Global filter master data in itb\_account.

Save in w\_full\_repair\_flag value from master data global filter to know if it's full repair or not. (stream = odsfigl3 and rule = FULLREPAIR)

Table: /BIC/PC\_GLBFLT

|  | /BIC/C_STREAM | /BIC/C_RULE | /BIC/C_GLBFLT | OBJVRS | CHANGED | /BIC/C_DESC                      | /BIC/C_SIGN | /BIC/C_OPTION | /BIC/C_LOW | /BIC/C_HIGH | /BIC/C_ACT |
|--|---------------|-------------|---------------|--------|---------|----------------------------------|-------------|---------------|------------|-------------|------------|
|  | ODSFIGL3      | FULLREPAIR  | 001           | A      |         | Flag for Full Repair in ODSFIGL3 | I           | EQ            | YES        |             |            |

Load GL accounts from Global filter master data into internal table it\_filter (stream = FI\_CUSACC and rule = GL\_ACC)

For records with recordmode X (record before image) or if w\_full\_repair\_flag = YES:

Add in source package records from internal table itb\_figl3 with record mode = D (must be deleted).

For records with recordmode <> X ((record before image) and <> D (must be deleted).

Search a correspondance in itbh\_fiar11 (dso DSO\_FI11).

If yes:

Fields profit\_ctr, co\_area and g\_cwwe01 come from DSO\_FI11.

If the source field gl\_account is in list it\_filter search and assign to source field g\_cwwe01 from internal table itb\_profit.

Record mode is put in N (New image counted as new line).

If no:

Take profit\_ctr, co\_area, deb\_cre\_dc and deb\_cre\_lc come from itb\_figl2 (dso ODSFIGL2)

Key figures are calculated in function of split according to ODSFIGL2 + reclassification of 0G\_CWWE01 + add record with recordmode N

### Field routines

gl\_account: If gl\_account <> '0040100349' we keep incoming values.

## ODSFIGL3 DBFIGL02

### Start routine

Load GL accounts from Global filter master data in ITB\_ACCOUNT:

|  | /BIC/C_STREA... | /BIC/C_RULE | /BIC/C_GLBFLT | OBJVRS | CHANGED | /BIC/C_DESC                            | /BIC/C_SIGN | /BIC/C_OPTION | /BIC/C_LOW     |
|--|-----------------|-------------|---------------|--------|---------|--|-------------|---------------|----------------|
|  | FI_VEDACC       | GL_ACC      | 001           | A      |         | Invoice entries assign by Vendor co... | I           | EQ            | Z0010040100380 |

chrt\_accts = the 4th firsts characters of C\_LOW field and gl\_account the next ten characters.

If field C\_CREDID is empty, check in internal table ITB\_ACCOUNT if source fields chrt\_accts and gl\_account are present, if yes, take ac\_doc\_no, comp\_code and fiscper from source package into internal table ITB\_COLLECT\_DOC.

For gl\_account 0040100310 and ac\_doc\_type WA, add in source fields C\_MATNR and C\_VENDOR the values from ODS\_IC01

Load C\_VENDID, C\_COMPCDE and C\_COMPPRS Master into internal tables ITB\_COMP, ITB\_VEND and ITB\_PCOMP.

Load active data from ODSFIGL3 into internal table ITB\_DOC if we have correspondance with internal table ITB\_COLLECT\_DOC for COMP\_CDE, FISCPER and AC\_DOC\_NO and where FISCVARNT = 'K4' and ACCT\_TYPE = 'K'.

### End routine

If c\_vendid and pcompany are not empty: take the c\_compprs from internal table ITB\_PCOMP (master data c\_compprs).


If value is found in internal table ITB\_ACCOUNT (in function of fields chrt\_accts and gl\_account)

Read internal table ITB\_DOC (dso ODSFIGL3) with help of fields c\_compcde, fiscper and ac\_doc\_no + acct\_type = 'K'.

If value is found in ITB\_DOC and C\_CREDID from ITB\_DOC is not empty:

Fields C\_VENDID and C\_VENDPRS = C\_CREDIT from ITB\_DOC (dso ODSFIGL").

## CRFIGL05



## DPFIGL02

Data loaded come from only from datasource OFI\_GL\_4 no specials rules.

## DPFIGL02 IB\_FIGL\_02

### Start routine

Load in internal table t\_gl\_account data from master data GL\_ACCOUNT where BAL\_FLAG = X.

Load in internal table t\_exception\_dso data from dso dbfiwc01.

Load in internal table t\_c\_compcde data from master data c\_compcde.

### Field routines

C\_VENDID: if c\_vendid is empty, take value from c\_vendpo.

C\_VENDPRS: comes from master data c\_vendid.

C\_COMPPRS: coms from master data c\_compcde.

### End routine

Determine 0CO\_AREA from C\_COMPCDE. If not found, constant value CHEF

If 0BUS\_AREA is not null, replace the last character by 0 -Use function module ZTRANSCO\_BUS\_AREA with 0BUS\_AREA and C\_COMPCDE. This will read exception DSO (dbfiwc01) and apply value found into fields 0BUS\_AREA and C\_SUBACT2.

FIGL Domaine management (c\_figldom): Call function mode ZDETERMINE\_FIGL\_DOMAIN with 0CHRT\_ACCTS, 0ACCT\_TYPE and 0GL\_ACCOUNT. This will read 0GL\_ACCOUNT master data.

If gl\_type from gl\_account = 'RECEIVABLES', FIGL\_DOMAIN = 'AR'.

If gl\_type from gl\_account = 'PAYABLES', FIGL\_DOMAIN = 'AP'.

If gl\_type from gl\_account = 'INVENTORY', FIGL\_DOMAIN = 'IM'.

If gl\_type from gl\_account = 'ASSET', FIGL\_DOMAIN = 'AA'.

## IB\_FIGL\_02 DBFIGL05

### Start routine


Delete data where c\_figldom <> 'AP' .

c\_wbs\_el2 and c\_coorder are changed in start routine (**to be more explained later**):

The first part of the determination for these fields is done in a loop to determine the values for /bic/c\_wbs\_el2 and /bic/c\_coorder based on certain conditions and using data from other tables like dso DPFIGL02 and GL\_ACCOUNT.

The second part of the determination for these fields, specifically for the case when /bic/c\_refprc = 'RMRP', is done In this section, another loop is performed to determine the values for /bic/c\_wbs\_el2 and /bic/c\_coorder based on additional conditions and using data from the table itb\_s\_MKPFDoctems (DPFIGL02).

## CRFIGL21



**ZZF\_READ\_ZZF\_BSEG CICC DPFIWC03**

**DPFIWC03 DPFIGL03**

**OFI\_GL\_4 CICC DPFIGL03**

**DPFIGL03 IB\_FIGL\_03**

**IB\_FIGL\_03 DBFIGL21**

Start routine

Delete data where C\_FIGLDOM (FIGL Domain) <> 'AR'

Field routines

0G\_CWWE01 (Sub activity): Remove leading zeros from C\_SUBACT2, for example from 0000001250 to 1250.

End routine

Store in internal table ITB\_G\_RG\_LANDSCAPE values from master data global filter (c\_glbfilt) with stream = CICC\_AFF and rule = LANDSCAPE.

| EX | /BIC/C_STREAM | /BIC/C_RULE | /BIC/C_GLBFLT | OBJVERS | CHANGED | /BIC/C_DESC        | /BIC/C_SIGN | /BIC/C_OPTION | /BIC/C_LOW |
|----|---------------|-------------|---------------|---------|---------|--------------------|-------------|---------------|------------|
|    | CICC_AFF      | LANDSCAPE   | 001           | A       |         | Landscapes managed | I           | EQ            | ERPRCS     |
|    | CICC_AFF      | LANDSCAPE   | 002           | A       |         | Landscapes managed | I           | EQ            | ERPSOLV    |
|    | CICC_AFF      | LANDSCAPE   | 003           | A       |         | Landscapes managed | I           | EQ            | ERPRHO     |

Store in internal table ITB\_COMPANY values from master data C\_COMPANY.

Fields C\_COMPCAF (Company code - Affiliate), C\_LGSYSAF (Source System - Affiliate) and C\_PCPANAF (Partner Company - Affiliate) are empty.

If C\_CPPRSAF (PRS Company code - Affiliate) is not empty find the landscape associated with method " get\_landscape\_from\_comprs".

If a landscape is found:

Determine ERP company code from PRS company code with method " get\_aff\_compcde\_from\_comprs" with help of the landscape determined previously + field C\_CPPRSAF (Affiliate PRS company code). Fields C\_COMPCAF and C\_LGSYSAF are updated.

If after that fields C\_COMPCAF is still empty and if the landscape from C\_CPPRSAF is present in internal table ITB\_G\_RG\_LANDSCAPE

The line item is updated in target DSO but should be reprocessed, we put in error stack the record.

If C\_LGSYSAF and C\_PCPANLG (Partner Company - Legal) are not empty:


If C\_PCPANLG exist in internal table ITB\_COMPANY (c\_company master data)

C\_PCANAF (Partner Company - Affiliate) = C\_PCPANLG (Partner Company - Legal) from result package.

If landscape is empty:

The line item is updated in target DSO but should be reprocessed => put in error stack.

**CRFIGL07**



**ZZF\_READ\_ZZF\_BSEG CICC DPFWCO3**

**DPFWCO3 DPFGL03**

**OFI\_GL\_4 CICC DPFGL03**

**DPFGL03 IB\_FIGL\_03**

**IB\_FIGL\_03 DBFIGL07**

Start routine


Delete data where C\_FIGLDOM (FIGL Domain) <> 'AR'.

Field routines

C\_PCOMPRS: take the last 4 characters from 0PCOMPANY.

OG\_CWWE01 (Sub activity): Remove leading zeros from C\_SUBACT2, for example from 0000001250 to 1250.

**CRFIGL01**



Same rules as CRFIGL02 for ODSFIGL1, DPFIGL01 a,d ODSFIGL3.

## ODSFIGL3 DBFIGL01

### Start routine

Determine the LOGSYS with help of module function Z\_WBW\_SOURCE\_SYSTEM for RCS search in master global filter for stream "LANDSCAPE" the logsys associated to "RCS".

Table: /BIC/PC\_GLBFLT

| ER | /BIC/C_STREA... | /BIC/C_RU... | /BIC/C_GLBFLT | OBJVRS | CHANGED | /BIC/C_DESC                     | /BIC/C_SIGN | /BIC/C_OPTION | /BIC/C_LOW | /BIC/C_HIGH |
|----|-----------------|--------------|---------------|--------|---------|---------------------------------|-------------|---------------|------------|-------------|
|    | LANDSCAPE       | RCS          | 001           | A      |         | Source system for Rhodia legacy | I           | EQ            | WBD        | WQ1_260     |
|    | LANDSCAPE       | RCS          | 002           | A      |         | Source system for Rhodia legacy | I           | EQ            | WBQ        | WQ1_400     |
|    | LANDSCAPE       | RCS          | 003           | A      |         | Source system for Rhodia legacy | I           | EQ            | WBP        | WP1_400     |
|    | LANDSCAPE       | RCS          | 004           | A      |         | Source system for Rhodia legacy | I           | EQ            | WBV        | WV1_400     |

In function of logsys determined previously and the company code present in source package, select in internal table ITB\_COMP company and company code prs from master data C\_COMPDE.

Select in internal table ITB\_PCOMP the company code PRS and Company code from matser data C\_COMPPRS.

Select in internal table ITB\_H\_GLACCT\_PAYABLES chrt\_accts and gl\_account from master data gl\_account (if there are present in source package) where gl\_type = 'PAYABLES'.

### Field routine

C\_COMPPRS and C\_PCOMP are empty (updated in end routine).

C\_SUBACT2: determined from internal table ITB\_H\_GLACCT\_PAYABLES (master dtaa GL\_ACCOUNT) with help of chrt\_accts and gl\_account.

### End routine

For each line from result package:

Assign to field C\_COMPPRS the C\_COMPPRS from internal table ITB\_PCOMP (master data c\_comprs) with help of logsys and company code (only if a result is found).


If C\_VENDID and C\_PCOMPAN are not empty:

Assign to field C\_PCOMPRS the C\_PCOMPRS from internal table ITB\_PCOMP (master data c\_comprs) with help of field C\_PCOMPAN.

### DPFIGL01 IB\_FIGL\_01 DBFIGL01

Not used, DPFIGL01 is empty.

### CRFIGL04



### DPFIGL01 IB\_FIGL\_01 DBFIGL01

From datasource to dso DPFIGL02 and infosource IB\_FIGL\_02 there are the same rules as CRFIGL05.

### IB\_FIGL\_02 DBFIGL04

Star routine

Data where field C\_FIGLDOM (FIGL domain) is different from 'AR' are deleted.

Field routine

C\_PCOMPRS: take the last 4 characters from 0PCOMPANY.

OG\_CWWE01 (Sub activity): Remove leading zeros from C\_SUBACT2, for example from 0000001250 to 1250.

### CRFIPA06



TRSF: ODSFIAP4 -> DBFIAP01 (Rhodia)

DPFIWC01 -> DBFIAP01

DPFIAP01 -> DBFIAP01

TRSF: ODSO DBFIAP01 -> ODSO DBFIPA10

ODS\_FIIS DPFIAP01

TRSF: DPFIAP01 -> DPFIAP01

ODSO DPFIAP01 -> TRCS IB\_FIAP\_01

TRCS IB\_FIAP\_01 -> ODSO DPFIAP01

TRSF: DPFIAP01 -> DBFIAP01 (Rhodia)

ODSO DBFIAP01 -> TRCS IB\_FIAP\_02

TRCS IB\_FIAP\_02 -> ODSO DBFIAP01


TRSF: ODSO DBFIAP01 -> ODSO DBFIPA10

TRSF: ODSO DBFIPA10 -> TRCS IB\_FIPA\_02


TRSF: TRCS IB\_FIPA\_02 -> ODSO DBFIPA10

TRSF: ODSO DBFIPA10 -> CUBE CRFIPA06


### CRFIPA08




### CRFIPA01




### CRFIPA04



CRFIPA07




CRFIPA09











CRFIAP02




CRFIAP06




CRFIAR03




CRFIAR01




CRFIAR15




CRFIAR02



CRFIAR16



CUB\_MAG01



CRFIGL13





|  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|

Open Hub

| Domain | OH | Name | Query | Target |
|--------|----|------|-------|--------|
|        |    |      |       |        |

## 3.0 Data Loading

### 3.1 Info Providers and objects loaded

*Detail of process chain, list + link between or special event done for the loading*

| Main Process Chain | Final Provider Loading | Frequency | Time start | Duration |
|--------------------|------------------------|-----------|------------|----------|
|--------------------|------------------------|-----------|------------|----------|

## 4.0 Comments