

# BW RTR - Costa - BW Level 5 integration in Anaplan

- 1 [Access Management](#)
- 2 [DataFlow](#)
  - 2.1 [Overview](#)
  - 2.2 [General presentation](#)
    - 2.2.1 [Objective of the application](#)
    - 2.2.2 [History](#)
  - 2.3 [Technical Rules on Workbench](#)
    - 2.3.1 [Level Rules definition](#)
    - 2.3.2 [Extraction rules](#)
  - 2.4 [Reporting](#)
  - 2.5 [Dependencies with other applications](#)
    - 2.5.1 [Open Hubs for Anaplan](#)
- 3 [Data loadings](#)
  - 3.1 [Loading frequency](#)
    - 3.1.1 A-1) The load of the cost center master data from PF1 :
    - 3.1.2 A-2) The load of the cost center master data from PI1 :
    - 3.1.3 A-3) The load of the cost center master data from WP1
    - 3.1.4 A-5) The load of the cost center master data from Non ERP flow
    - 3.1.5 B-1) Load of the hierarchy every days at 07:00pm (CET time) CO\_DAILY\_MASTER\_DATA (Daily Hierarchies CO 1/2)
    - 3.1.6 B-2) Load of the hierarchy every days at 07:00pm (CET time) CO\_DAILY\_MASTER\_DATA\_HY (Daily Hierarchies CO 2/2)
    - 3.1.7 C-1) Load of L5 fields on Cost center (C\_COSTCTR) BW master data :
- 4 [Data Quality Control](#)
- 5 [Operational Documentation](#)
  - 5.1 [Procedures](#)
  - 5.2 [Scheduling](#)
  - 5.3 [Monitoring](#)
  - 5.4 [Error Handling](#)
  - 5.5 [Known Bugs](#)
  - 5.6 [Roadmap](#)

## Access Management

### Roles & Access

List of application role + menu role and explanation if we have several applications role with specials rules.

Role Code	Role Description	Explanation

### Authorization Objects

List of authorization objects mandatory for the application.

Authorization object	Explanation


Link to the BW Catalog of role

[https://drive.google.com/open?id=10GEfKYqrT1eeTO\\_uHYAheL1GX7L5y\\_pvH0KQU64qh5I](https://drive.google.com/open?id=10GEfKYqrT1eeTO_uHYAheL1GX7L5y_pvH0KQU64qh5I)

## DataFlow

### Overview

The DSOS (AACOCT01 and AACOCT02) and InfoObjects (C\_LEVEL1, C\_LEVEL2, C\_LEVEL3, C\_LEVEL4 and C\_LEVEL5) from previous solution were reused.



## General presentation

### Objective of the application

New BW L5 hierarchy definition and integration to Anaplan.

Tool Leader: Charlotte Rollier

IT leader of the application: Guillaume Thevenet

### History

The L5 hierarchy was before defined with the steps below, coming from Anaplan to BW via flat files.

AS-IS : The management of the L5 Budget hierarchy is the following one :

1. The data are managed in many google spreadsheets (maintain by SU MAC Data team)
2. Anaplan admin team generated 2 files from the google spreadsheet one for L5 budget hierarchy detail with all the nodes L1 to L5 + attributes like BSA, GBU etc and second files with the link between L5 code and Cost center
3. Anaplan admin load these 2 files on F2G model
4. Automatic process generate 2 files from F2G model to AWS S3 bucket
5. Webmethods process in recurrent mode (several times per day) transfer the 2 files from AWS S3 Bucket to BW folder
6. A BW process chain uploads the data on BW objects (master data and ADSO)

In this new solution we define the Levels applying rules to the existing BW Cost Center data, then generate outbound files to Anaplan.

## Technical Rules on Workbench

### Level Rules definition

Levels of ZCB_GRP (target hierarchy)	Attributes of Cost Center C_COSTCTR sources and business rules	Rules for the descriptions (texts) of the levels
Level 1 ZCBS_GRP	IF GBU/Function (C_GBUFUCTION) = GRP_GBU then Level 1 = CPFCTR1_2 (BFC GBU code) Else GBU/Function (C_GBUFUCTION) (values = GRP_FUNCT or GRP_SBS)	For C_GBUFUCTION = GRP_GBU => name of the GBU else the description linked to C_GBUFUCTION
Level 2 ZCBS_GRP	IF GBU/Function (C_GBUFUCTION) = GRP_GBU then concatenation of Group Function (C_GRPFUCTION) & CPFCTR1_2 (BFC GBU code) with "_" as separator Else Group Function (C_GRPFUCTION)	No GBU in the description only the description linked to Group Function (C_GRPFUCTION)
Level 3 ZCBS_GRP	%case 1 : Function and SBS If C_GBUFUCTION= GRP_FUNCT or GRP_SBS Then Level 3 = value of 3 sub function (C_FUNCT_3)  %case 2 : C_FUNCT_2 Else IF C_FUNCT_2 = in the list EPRD ; ELOCO ; EMISC; ESTLO (Added in Global Filter) (global filter) THEN level 3 = concatenation of C_FUNCT_2 & Log Sys & Responsible Plant code of the CC and & CPFCTR1_2 (BFC GBU code) with "_" as separator  %case 3 :others cases  ELSE concatenation value of 3 sub function (C_FUNCT_3) & CPFCTR1_2 (BFC GBU code) with "_" as separator	%case 1 : Function and SBS Description linked to 3 sub function (C_FUNCT_3)  %case 2 : C_FUNCT_2 First the G_ZONE code from company code C_COMPCODE and code of the plant and description of the plant as space as separator  %case 3 :others cases Description linked to 3 sub function (C_FUNCT_3) no need GBU description
Level 4 ZCBS_GRP	%case 1 : Function and SBS If C_GBUFUCTION = GRP_FUNCT or GRP_SBS then Level 4 = 4 function (C_FUNCT_4)  %case 2 : C_FUNCT_2 Else IF C_FUNCT_2 = in the list EPRD ; ELOCO ; EMISC; ESTLO (Added in Global Filter) (global filter) THEN level 4 = concatenate 3 sub function (C_FUNCT_3) & log sys & responsible Plant code of the CC & CPFCTR1_2 (BFC GBU code) with "_" as separator  %case 3 : others cases  ELSE Level 4 = concatenation value of 4 function (C_FUNCT_4) & CPFCTR1_2 (BFC GBU code) of the CC with "_" as separator	%case 1 : Function and SBS 4 function (C_FUNCT_4) %case 2 : C_FUNCT_2 3 sub function (C_FUNCT_3) & '_' & Medium description of the plant (C_PLANT) %case 3 : others cases 4 function (C_FUNCT_4)

<p>Level 5 ZCBS_GRP</p>	<pre> %case 1 : Function  If C_GBUFUNCT = GRP_FUNCT  then Level 4 = 4 function (C_FUNCT_4) &amp; 4 function (C_FUNCT_4) with "_" as separator  %case 2 : SBS  Else IF GBU/Function = GRP_SBS*  THEN concatenate 4 function (C_FUNCT_4) &amp; Code country of the company  %case 3 : C_FUNCT_2  Else IF C_FUNCT_2 = in the list  EPRD ; ELOCO ; EMISC; ESTLO (Added in Global Filter)  (global filter)  THEN Level 4 = concatenate 3 sub function (C_FUNCT_3) &amp; 3 sub function (C_FUNCT_3) &amp; Log Sys &amp; Responsible Plant code of the  CC &amp; CPFCTR1_2 (BFC GBU code) with "_" as separator  %case 4 : Others cases  ELSE Level 4 = concatenation value of 4 function (C_FUNCT_4) &amp; 4 function (C_FUNCT_4)&amp; CPFCTR1_2 (BFC GBU code) of the CC  with "_" as separator </pre>	<pre> %case 1 : Function  4 function (C_FUNCT_4)  %case 2 : SBS  code country code + 4 function (C_FUNCT_4) space as separator  %case 3 : C_FUNCT_2  3 sub function (C_FUNCT_3) (if EPRD etc) &amp; '_' &amp; Medium description of the plant (C_PLANT)  %case 4 : Others cases  4 function (C_FUNCT_4) </pre>
-----------------------------	---	--

## Extraction rules

Extract from cost center master data (C\_COSTCTR) with the filters below :

- + C\_FGPTOB (Flag for Obsolete Object) = 0 (only active cost center have to be integrated in the scope)
- + OCO\_AREA (Controlling area) of the list below only :
  - + CHEF
  - + Z006
  - + Z013
  - + Z025
  - + Z026
  - + Z028

Only ECO and SCO scope data. (C\_COMPCODE-C\_SCOPE - 02 for ECO and 03 for SCO)

Remove records where Level 5 is empty or only "-".

Remove records where Level 1 is empty.

## Reporting

### Dependencies with other applications

Global Filter variables for the Level Exceptions, Controlling Areas, GBU Functions and Scopes.

Table: /BIC/PC\_GLBFILT

<input type="checkbox"/>	/BIC/C_STREAM	/BIC/C_RULE	/BIC/C_GLBFILT	OBJVERS	CHANGED	/BIC/C_DESC	/BIC/C_SIGN	/BIC/C_OPTION	/BIC/C_LOW	/BIC/C_HIGH	/BIC/C_ACTIVE
<input type="checkbox"/>	COSTA	L5_COAREA	000	A		Controlling Area	I	EQ	CHEF		Y
<input type="checkbox"/>	COSTA	L5_COAREA	001	A		Controlling Area	I	EQ	Z006		Y
<input type="checkbox"/>	COSTA	L5_COAREA	002	A		Controlling Area	I	EQ	Z013		Y
<input type="checkbox"/>	COSTA	L5_COAREA	003	A		Controlling Area	I	EQ	Z025		Y
<input type="checkbox"/>	COSTA	L5_COAREA	004	A		Controlling Area	I	EQ	Z026		Y
<input type="checkbox"/>	COSTA	L5_COAREA	005	A		Controlling Area	I	EQ	Z028		Y
<input type="checkbox"/>	COSTA	L5_GRP_FNC	000	A		GBU Funct: GRP_FUNCT	I	EQ	GRP_FUNCT		Y
<input type="checkbox"/>	COSTA	L5_GRP_GBU	000	A		GBU Funct: GRP_GBU	I	EQ	GRP_GBU		Y
<input type="checkbox"/>	COSTA	L5_GRP_SBS	000	A		GBU Funct: GRP_SBS	I	EQ	GRP_SBS		Y
<input type="checkbox"/>	COSTA	L5_HIER	000	A		Level Exception	I	EQ	EPRD		Y
<input type="checkbox"/>	COSTA	L5_HIER	001	A		Level Exception	I	EQ	ELOCO		Y
<input type="checkbox"/>	COSTA	L5_HIER	002	A		Level Exception	I	EQ	EMISC		Y
<input type="checkbox"/>	COSTA	L5_HIER	003	A		Level Exception	I	EQ	ESTLO		Y
<input type="checkbox"/>	COSTA	L5_SCP_ECO	000	A		Scope ECo = 02	I	EQ	02		Y
<input type="checkbox"/>	COSTA	L5_SCP_SCO	000	A		Scope SCo = 03	I	EQ	03		Y

## Open Hubs for Anaplan

BW folder for the files: /exploit/BW/Anaplan\_outbound

Format: in TXT, Unicode format and comma as separator.

Add " " for the descriptions fields as some of them could contain comma and raise issues in the Anaplan upload process.

Custom Program ZBW\_ANAPLAN\_OUTBOUND\_HEADER created to add the files header lines, this is the last step from Process Chain PC\_CT\_LEVEL5\_HIER2.

### OH\_COCT14 - F2G Anaplan - L5 Budget Hierarchy ECO

File name: L5\_budget\_hierarchy\_ECO.txt

Structure definition:

- L1 Code (mandatory) (extraction only L1 not empty)
- L1 Description (mandatory)
- L2 Code (mandatory)
- L2 Description (mandatory)
- L3 Code (mandatory)
- L3 Description (mandatory)
- L4 Code (mandatory)
- L4 Description (mandatory)
- L5 Code (mandatory)
- L5 Description (mandatory)
- Scope (mandatory)

Filter: Only Scope (C\_COMPCODE-C\_SCOPE = 02 - ECO)

### OH\_COCT15 - F2G Anaplan - L5 Link Cost Center ECO

File name: L5\_link\_cc\_ECO.txt

Structure definition:

- CC Code (mandatory)
- CC Description (mandatory)
- LVL5 Code (mandatory)

BSA (not mandatory)

Scope (mandatory)

Filter: Only Scope (C\_COMPCODE-C\_SCOPE = 02 - ECO)

### **OH\_COCT16 - F2G Anaplan - L5 Budget Hierarchy SCO**

File name: L5\_budget\_hierarchy\_SCO.txt

Structure definition:

L1 Code (mandatory) (extraction only L1 not empty)

L1 Description (mandatory)

L2 Code (mandatory)

L2 Description (mandatory)

L3 Code (mandatory)

L3 Description (mandatory)

L4 Code (mandatory)

L4 Description (mandatory)

L5 Code (mandatory)

L5 Description (mandatory)

Scope (mandatory)

Filter: Only Scope (C\_COMPCODE-C\_SCOPE = 03 - SCO)

### **OH\_COCT17 - F2G Anaplan - L5 Link Cost Center SCO**

File name: L5\_link\_cc\_SCO.txt

Structure definition:

CC Code (mandatory)

CC Description (mandatory)

LVL5 Code (mandatory)


BSA (not mandatory)

Scope (mandatory)

Filter: Only Scope (C\_COMPCODE-C\_SCOPE = 03 - SCO)

## **Data loadings**

Process Chain: PC\_CT\_LEVEL5\_HIER2 - COSTA - Hierarchy Level 5 from ECC



## Loading frequency

Daily at 10pm (Belgium calendar - not loaded on sunday & belgium bank holidays)

Note: the ZCBS hierarchy is loaded at 7pm. A cost center must be assigned to the correct ZCBS group in the ERP before 7pm in order to be included in the correct L5 group at 10pm

To allow the filling of the cost center master data BW attributes linked to L5 NASA Hierarchy, some pre-requisites are mandatory :

- A) loads of the attributes of the cost center from ERP's (WP1, PF1 and PI1) and transaction code ZBW\_CBS
- B) Load of the ZCBS hierarchies
- C) Load of L5 fields

### **A-1) The load of the cost center master data from PF1 :**

Process chain : RPC\_COOM\_MD\_PF1

Daily schedule at around 02:00am (CET Time)

Frozen period : period from end of December until around 20th of January which is not allow to reflect the update done in master data to not impact the end yearly closing period which should be done with th scope of the current year and not the future year)

- **Load during the frozen period :**

[blocked URL](#)

- **Load after frozen period :**

[blocked URL](#)

### **A-2) The load of the cost center master data from PI1 :**

Process chain : RPC\_COOM\_MD\_PI1

Daily schedule at around 02:00am (CET Time)

- **During the frozen period :**

[blocked URL](#)

- **Out of frozen period :**

[blocked URL](#)

### **A-3) The load of the cost center master data from WP1**

Process chain : ZPC\_MD\_ATTR\_RCS

Daily schedule at around 00:00am (CET Time)

- **During the frozen period :**

[blocked URL](#)

- **Out of frozen period :**

[blocked URL](#)

### **A-4) The load of the cost center master data from WP1 with process chain : FREQUENTLY\_LOAD\_MD**

Process chain : FREQUENTLY\_LOAD\_MD

Daily schedule (3 times a day and 6 times a day during closing)

- **During the frozen period :**

[blocked URL](#)

- **Out of frozen period :**

[blocked URL](#)

### **A-5) The load of the cost center master data from Non ERP flow**

Process chain : PC\_FC\_CYTEC\_001

Daily schedule: 5 times a day

- **During the frozen period :**

[blocked URL](#)

- **Out of frozen period :**

[blocked URL](#)

### **B-1) Load of the hierarchy every days at 07:00pm (CET time) CO\_DAILY\_MASTER\_DATA (Daily Hierarchies CO 1/2)**

For WP1 data :

Master process chain : DAILY\_PC\_HIER\_TXT

[blocked URL](#)

### **B-2) Load of the hierarchy every days at 07:00pm (CET time) CO\_DAILY\_MASTER\_DATA\_HY (Daily Hierarchies CO 2/2)**

For PF1 and PI1 data

Master process chain : DAILY\_PC\_HIER\_TXT

[blocked URL](#)

### **C-1) Load of L5 fields on Cost center (C COSTCTR) BW master data :**

L5 update with PC\_CT\_LEVEL5\_HIER\_02 every days at 10:00pm cet time BUT following the BE Factory calendar, so the process chain is not running during Belgium public holidays.

[blocked URL](#)

[blocked URL](#)

For example for 2024 :

[blocked URL](#)

## Data Quality Control

Data come from SAP system. To compare data between BW and sources systems, check propagation layers.

## Operational Documentation

### Procedures

<Describe the recurring procedures needed to operate the application (eg. start/pause/terminate/restart the app processes, data preparation, data ingestion, ETL, data visualization, data export, other manual activities)>

### Scheduling

<Describe the scheduling in place for the application (eg. existing jobs, trigger time/event based, dependencies)>

### Monitoring

<Describe the monitoring checks to confirm the application is performing well (eg. check the overall status, check performance metrics like runtime /data volume/memory/disk/CPU, maintain and react to alerts/notifications)>

### Error Handling

<Describe how to handle errors (eg. error codes, description and respective resolution, alert users)>

### Known Bugs

<List the existing bugs, its criticity, workarounds and resolution plan.>

### Roadmap