

Technical Documentation - Stock Margin elimination (Model S)

- 1 [Access Management](#)
- 2 [DataFlow](#)
 - 2.1 [Overview](#)
 - 2.2 [Technical Rules on Workbench](#)
 - 2.2.1 [Main steps:](#)
 - 2.2.2
 - 2.2.3
 - 2.2.4 [Particular shift of month definition:](#)
 - 2.3 [Intermediate Flag](#)
 - 2.4 [Reporting](#)
- 3 [Data Loading](#)
 - 3.1 [Info Providers and objects loaded](#)
 - 3.2 [Loading frequency](#)
 - 3.3 [Points to be careful during the loading:](#)
 - 3.4 [Average performance](#)
- 4 [Data Quality Control](#)
- 5 [Operational Documentation](#)
 - 5.1 [Procedures](#)
 - 5.2 [Scheduling](#)
 - 5.3 [Monitoring](#)
 - 5.4 [Error Handling](#)
 - 5.5 [Known Bugs](#)
 - 5.6 [Roadmap](#)

Access Management

Roles & Access

List of application role + menu role and explanation if we have several applications role with specials rules.

Role Code	Role Description	Explanation
ZR_RCS_CA_M69	MS - Model S	Role for queries and workbook
ZBI_RCS_MODS_A01	MS - Model S - End User role	Role application
ZBI_MODS	MS - Model S	Authorization object

Authorization Objects

List of authorization objects mandatory for the application.

Authorization object	Explanation
C_COMPCDE__C_AUTHMA	ZR_*_CA_P00
CPFCTR1_2	ZR_*_CA_P05
C_COMPCDE__C_MNGAREA	ZR_*_CA_P08
C_COMPPRS	ZR_*_CA_P07

DataFlow

Overview

Material stock - ABMMIC01 (WP1_400) data flow - **Be carrefull ABCOMMIC01 has key figure in summation mode.**

Model S data flow

Technical Rules on Workbench

Main steps:

1. Extract quantity total stock from ADSO ABMMIC01 in ADSO APCOMS01 with help of query BW_QRY_ABMMIC01_0001.

The principal thing to know here it's about the way to extract the data.

The goal is to extract and stock in APCOMS01 "Quantity Total Stock" 0TOTALSTCK from ABMMIC01. Info object 0TOTALSTCK is not physically stored in inventory DSO. The only way to extract the key figure is to use a query as datasource (BW_QRY_ABMMIC01_0001).

In query BW_QRY_ABMMIC01_0001 we used a variable "V_CALMONTH11" based on class ZCL_BIU001_V_0CALMONTH_0031.

The class determine the month to load from current date and more or less x month(s). To know the number of months to add or remove from current date, the class read master data global filter (C_GLBFLT) on stream "STOCK_LOG":

Data Browser: Table /BIC/PC_GLBFLT Select Entries 1						
Stream	Rule	Counter	V	Change flag (I inserted / D deleted)	Global Filter Descri	Sign/Option/ Low/High/Active
STOCK_LOG	MONTH_VAR	001	A		Month operator to have filter on BW_QRY_ABMMIC01_0001	I EQ - 1 Y

Normally, by default the month to load in ADSO APCOMS01 is current month - 1. To load other month it's necessary to change fields "low" and / or "high" in master data.

It's in ADSO APCOMS01 where we define by default C_SOURCE = LOGISTIC. We will use this field in filters to extract data from calculation views to separate LOGISTIC data and WORKING CAPITAL (equal TRANSIT) data.

2. Use calculation views to consolidate the different data sources.

a. See details on calculation views [here](#).

To use calculation views to load ADSO APCOMS04 we have eleven infopackages:

MS: Model S from Calc View	APCOMS04
TRSF DTS_CV_FMCO_CO_MS_IM_FINAL_01 (WBD_HANAIV) -> APCOMS04	0QQE5G02GEN8F3KA5UAYJKHRXMW537AQ
DTS_CV_FMCO_CO_MS_IM_FINAL_01	DTS_CV_FMCO_CO_MS_IM_FINAL_01
IP: DTS_CV_FMCO_CO_MS_IM_FINAL - Full - Logistic - Manual	ZPAK_5K2KJZYT3Z2I11KS0PF7BNOKQ
IP: DTS_CV_FMCO_CO_MS_IM_FINAL - Full - WC - Manual	ZPAK_5K2JNCQBZFG24G14XFUF5I15M
IP: DTS_CV_FMCO_CO_MS_IM_FINAL - Full -Logistic-Prev Month	ZPAK_5K0FTPY40VE83RCUVPY1XRMY
IP: DTS_CV_FMCO_CO_MS_IM_FINAL - Full -WC-LastDayPrevMonth	ZPAK_5K2J77IDFNWTL119ZWVF2VT4A
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant 0k-1k - PrevM	ZPAK_5KW2059Y32Q36CKIDOHFD525M
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant >9k - PrevM	ZPAK_5KT6AN6M4JD52Y4W7LOZ6OL62
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant repai - PrevM	ZPAK_5L2XG8IPUGTLDLP5BQIEM2T73
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant1k->2k - PrevM	ZPAK_5KSZU83EW5XZQ2R5ABTJ5S8Q2
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant2k->3k - PrevM	ZPAK_5KSF211OXS2DU49BKMEJBGH6
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant3k->4k - PrevM	ZPAK_5KSP01LY8H6X4ZLQVSD7YJOQ
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant4k->5k - PrevM	ZPAK_5KSP03QRI380B908I55S016UI
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant5k->6k - PrevM	ZPAK_5KSZURAQAO7SAFDJVH08XP162
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant6k->7k - PrevM	ZPAK_5KVR9BW6NTXC7RFYEXBLE4KKQ
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant7k->8k - PrevM	ZPAK_5KVHDTBCNNI1VGXUB7IRKUHBE
IP: DTS_CV_FMCO_CO_MS_IM_FINAL -Full-Log-Plant8k->9k - PrevM	ZPAK_5KSF29KY08PF2VQ7SZ81PI14A
Data Transfer Processes	APCOMS04

○ Ten infopackages to extract "logistic" data (filter on field C_SOURCE = LOGISTIC), each IP are in full mode for previous current month and splitted by plant range ([0-1000] - [1001-2000] - [2001-3000] etc...).

○ IP: DTS_CV_FMCO_CO_MS_IM_FINAL - Full -WC-LastDayPrevMonth filter on posting date to have by default the last day of previous month and filter on C_SOURCE to have only "WORKING CAPITAL" data (equal TRANSIT data, from DBFIGL13).

3. Cross System Material definition

We can have some cases called "cross system" when for a batch his source system is different of the source system from his manufacturing plant.

The goal is to determine the batch concerned and then for each material associated, find the associated material from the other system.

a. C_BATCH2 cross system

We determine if a batch is cross system or not.

We compare manufacturing plant from c_batch2 with plant "of c_plant and if we found a different source system, the batch is considered like a source system and we fill object C_FLGCROS "Flag Cross System" with X.

The definition of batch cross system is done during the daily delta loading for PF1 and WP1 system.

There is also a transformation from c_batch2 to c_batch2 to reload all batch2 and define the cross system (using only for historical batch).

In business aDSO ABMD001 we will have this result:

"ABMD001", List output					
OLOGSYS	C_MATNR2	C_FLM...	Material MPG	C_CROSSYS	Material Target MPG
PF1_020	000000000000030156	X	000000000000300001	WP1_400	000000000000139212
WP1_400	000000000000139212	X	000000000000300001	PF1_020	000000000000030156

When in table table Z4R_MDG_T_TARSSYS from MPG system we have only one line by MPG Material, it means there is no cross system.

- i. Flat file for manual update.

It's possible to update directly data in aDSO ABMD001 to force some cross system. It may be necessary in cases where master data c_batch2 is not well completed.

For that it's necessary to create a flat file (xls format) with this columns:

A	B	C	D
Source system	Material	Target ERP System	Target ERP Material Number
PF1_020	30156	WP1_400	139212
WP1_400	139212	PF1_020	139212

Load the file in aDSO APMD002 with help of Infopackage IP: DTS_APMD002_0001 - PC_FILE. Then load aDSO ABMD01.

c. Module Function

A module function exists to know if a material is cross system or not:

Z_CROSS_SYSTEM_MATERIAL

It's necessary to have in enter parameters the logsys and material and also the target system of the cross system. needed.

If there is a cross system associatem, the module function will find it and tell us the origin of the cross system (MPG, old material or flat file).

Test for function group	ZBW_CROSS_SYSTEM
Function module	Z_CROSS_SYSTEM_MATERIAL
Uppercase/Lowercase	☐
Runtime:	3.996 Microseconds
Import parameters	Value
I_P_LOGSYS	QF1_020
I_P_MATNR2	15589
I_P_LOGSYS_TARGET	WQ1_400
Export parameters	Value
LOGSYS_CROSS_SYST	WQ1_400
MATNR2_CROSS_SYST	139179
ORIGIN_CROSS_SYST	MPG

In case of multiple "origin" and the multiple cross system result, the priority is cross system from flat file, then from MPG system and at the end the cross system from old material number.

4. Load PF1 (UPIS) Data - Propagation - aDSO APCOMS02

MS: UPIS Stock Valuation (PF1)	APCOMS02
TRSF: DTS_Z1K_BATCH3 (PF1) -> APCOMS02	0SPFOBZXFGU7ZX8OKEVFXAHTFIN12HI2
UPIS Stock Valuation	DTS_Z1K_BATCH3
UPIS Stock Valuation - Full	ZPAK_5KY9PQR49SOJC3Q5QHXRQ00Q2
UPIS Stock Valuation - Full - M-1	ZPAK_5LUKOR2PSKBMV4IYOXNNCPYJU
UPIS Stock Valuation - Init -> delta	ZPAK_5JCN9K8AMXQI34HKL8ZS7XLPM

Extraction from PF1 system table Z1K_BATCH3 (normally once a month, extraction of previous month in full mode).

5. Calculate the cross sytem Model S - PF1 (UPIS data) - aDSO ABCOMS03

MS: UPIS Stock Valuation (PF1) Cross System	ABCOMS03
TRSF: IFS_APCOMS02_ABCOMS03 -> ABCOMS03	0T3JTC2GVIDGATAZYWFN4CY0EXG2RJFV
Infosource APCOMS02 -> ABCOMS03	IFS_APCOMS02_ABCOMS03
TRSF: APCOMS02 -> IFS_APCOMS02_ABCOMS03	0KS08P2JNH8BEW3VXU2P0MSNGMTVD3YC
MS: UPIS Stock Valuation (PF1)	APCOMS02

The goal in this aDSO is to have the data considered as cross system. If a line is cross system, it means we need to take the cost unit not from the source (PF1) but from the cross system source system, so WP1 (ODS_PCP4).

In transformation before the infosource, we will extract from aDSO APCOMS02 the data where the C_BATCH2 is considered like cross system (C_FLGCROS = X) , and where the module function Z_CROSS_SYSTEM_MATERIAL find a cross system material in result.

At this step, we have only data considered as cross system, we do a lookup in ods ODS_PCP4 with links:

WP1 data (ods_pcp4)		PF1 data (APCOMS02)
material	=	material cross system
plant	=	manufacturing plant cross system
costing date	=	first day calmonth UPIS
cost var	<>	ZIP

If we found a correspondance in ODS_PCP4 we can continue, if not, the records will be not loaded in this aDSO.

In the second transformation (after the infosource) we will convert in EUR the cost units WP1 collected from ODS_PCP4. And then we can calculate the Integrated Margin (CP, CNP, AMO, Duty and Freight):

IM = Sotck from PF1 * cost unit from WP1.

[Example File.](#)

6. Calculate the cross sytem Model S - WP1 (Logistic and Transit data) - aDSO ABCOMS04

MS: Model S - Business - Cross System	ABCOMS04
TRSF: APCOMS04 -> ABCOMS04 (cross system logistic)	0EHJ6ELADWTWL7J1D4A5B9GFOE5V2I67
MS: Model S from Calc View	APCOMS04

First, we need to define the records from APCOMS04 considered like cross system in function of C_BATCH2 (C_FLGCROS = X) and where the module function Z_CROSS_SYSTEM_MATERIAL return a valid result.

When we have a valid material cross system (PF1) we do a lookup in aDSO ABCOMS2 with links:

PF1 data (ABCOMS02)		WP1 data (APCOMS04)
material	=	material cross system
PLANT	=	manufacturing plant cross system
calmonth	=	Calmonth - 1

To take the stock and cost unit KPI from ABCOMS02 aggregated by Material, Plant and Month (if we don't find result, we don't load the record in ABCOMS04).

When it's done, we calculate the Integrated Margin KPI from PF1:

PF1_CP_IM = EUR_CONSO_VAR/ TOTQTY

PF1_CNP_IM =EUR_CONSO_FIX/ TOTQTY

PF1_AMO_IM = eur_CONSO_DEP / TOTQTY

PF1_FREIGHT_IM = EUR_DUTY / TOTQTY

PF1_DUTY_IM = EUR_TST / TOTQTY

Then, we can take the sotck from WP1 associated (with help of material cross system and manufacturing plant associated) to calculate the IM valuation:

Sotck from WP1 * IM from PF1.

[Example file.](#)

7. Load and calculate key figures for Model S - WP1 (Logistic and Transit data) - ADSO ABCOMS01.

Last step is to calculate all key figures for Model S report, It's done in transformation TRSF: APCOMS04 -> ADSO ABCOMS01.

Controlling - Model S: Business Transformation	IA_FMCO_CO_MS_BUSINESS_TRSF
MS: Model S - Business	ABCOMS01
TRSF: APCOMS04 -> ADSO ABCOMS01	0DHFH7ZIH15F093UX54B9I7P1FG5VAE
Data Transfer Processes	ABCOMS01
DTP: APCOMS04 -> ABCOMS01 - Delta	DTP_B1FNYSNDTMCTIA531QF3TZ2MX

In start routine, we delete some lines according to their company code or plant. Company code and plant to exclude are defined in master data global filter (C_GLBFLT) in stream "MODEL S" and rule "PLANT" or "COMPCDE":

Data Browser: Table /BIC/PC_GLBFLT Select Entries 2									
Stream	Rule	Counter	V	Change flag (I inserted / D deleted)	Global Filter Descri	Sign	Option	Low	Hight Active
MODEL S	COMPCDE	001	A		Company code to exclude for model s (ABCOMS01)	I	EQ	7735	Y
MODEL S	PLANT	001	A		Plant to exclude for model s (ABCOMS01)	I	EQ	7991	Y

During the loading, the transformation will convert the unit and currencies key figures with help of conversion type UOM_MATNR2 (units) and CTK_MODELS (currencies).

The important point here is to normally, the cross system data (calculated in ABCOMS04) will be not loaded in this aDSO.

8. Load and calculate key figures for Model S - PF1 - ADSO ABCOMS02.

MS: UPIS Stock Valuation (PF1)	ABCOMS02
TRSF: APCOMS02 -> ABCOMS02 (PF1)	03T9WGR7O6G9Z91TP14IUHGMEOWHP160
MS: UPIS Stock Valuation (PF1)	APCOMS02

The important point here is to normally, the cross system data (calculated in ABCOMS03) will be not loaded in this aDSO.

Particular shift of month definition:

Transaction ZBW_SHIFT_MONTH (linked with program ZBW_LOAD_FLAT_FILE_MODELS):

Shift Of Motnh - Load flat file

File to load

Preview

Check file

Load file

History

Exit

View Shift of Month

Shifts of month will be used in calculations views CV_FMCO_CO_MS_DBFIGL13_REFMONTH and CV_FMCO_CO_MS_APCOMS01_REFMONTH.

They are used to manage some exceptions when we define the month on which we will read the data to retrieve the data Transit and Logistic.

Flat file template (xls format):

Source system	GBU	Plant	Material	Shift of month logisitic	Shift of month Transit
WP1_400	CS		8058	124051	3
WP1_400	CS		8173	128230	3
WP1_400	CS		0279	124051	4
WP1_400	CS		8056	124051	4

Data in production:

"APCOMS03", List output						
0LOGSYS	BFC GBU	C_MATNR2	Plant	C_SHIFTLO	C_SHIFTWC	
WP1_400	CS	000000000000124051	0279	000004	000000	
WP1_400	CS	000000000000124051	8056	000004	000000	
WP1_400	CS	000000000000124051	8058	000003	000000	
WP1_400	CS	000000000000128230	8173	000003	000000	

At least Source system, GBU, shift of month Logistic and shift of month Transit are mandatory.

Procedure to use the transaction:

Intermediate Flag

An "intermediate flag" object was added in Model S data flow.

The goal is to from manufacturing plant / material and Reference Month Logistic or Reference Month Transit, search if the company code associated with manufacturing plant is different from at least one of company code of the plants from the BOM component.

If at least one component has a different company code compared to the finish material, intermediate flag = X.

For that, it's necessary to retrieve the BOM associated with the Material and Manufacturing plant from the Model S query.

The BOM information comes from provider ABPURM02.

Due to the rule to calculate the BOM explosion, there can be some case where component are not listed in ABPURM02, if no intermediate flag found when we used ABPURM02, we will read ODS_PCP1 for same material and plant for the lookup, and in addition where vendor is empty.

If in ODS_PCP1 we have for one finish material & plant, one component with empty vendor and with a company code different from the finish material, intermediate flag = X.

If in ODS_PCP1 we have for one finish material & plant, one component with empty vendor, but we don't find component different from the finish material, is not possible to know if we have intermediate flag, so we created field "potential intermediate flag" = X.

Quick explanation of intermediate flag calculation:

- Find the material, manufacturing plant and date to use to make the lookup.
 - Manufacturing plant: MANUFACTURING_PLANT
 - Material: C_MATNR2
 - Date: CALMON_SHI_L or CALMON_SHI_W (calmonth shift logistic or working cap, only one is filled, each time choose the one not empty).
- Convert CALMON_SHI_L or CALMON_SHI_W into fiscal period
- Select from BW BOM Table ABPURM02 records where
 - Source logsys = abpurm02 logsys
 - Source c_matnr2 = abpurm02 c_matnrp
 - Source manufacturing_plant <> abpurm02 c_rwplt2 (not necessary to take records with same plant, we want only records with not same plant companies codes, if plants are the same, companies will be the same)
 - Source manufacturing_plant = abpurm02 c_plantp
 - Source fiscper (calmon_shi_l or calmon_shi_w) = abpurm02 fiscper
- Find the company code associated to the source manufacturing plant and to the raw material plant (C_RWPLT2) from ABPURM02 table with C_PLANT master data information.
- Compare the companies found, if there are different, intermediate flag (C_INTM) = X.

We also take into account CPX intermediate with help of flat file transferred from CPX to OBP: ABBOMCX01 "Intermediates plants and companies from CPX".

In this table (loaded by flat file "OH_SME" in /exploit/bw/integrated_margin) we have the list of finish material, plant, manufacturing plant, and companies associated, and a field to know if the finish material in CPX contain component with different company code.

Data Browser: Table /BIC/AABBOMCX012 Select Entries 50.274

Table: /BIC/AABBOMCX012

LOGSYS	/BIC/C_MATNR2	/BIC/C_PLANTCX	DATEFROM	DATETO	/BIC/C_PLANT	/BIC/C_COMPDE	/BIC/C_COMPDCX	/BIC/C_F_COMP	RECORDMODE
WP2_400	000000000000157525	8347	18.08.2020	31.12.9999	8365	7772	7180	Y	N
WP2_400	000000000000157525	8347	27.10.2020	31.12.9999	8365	7772	7180	Y	N
WP2_400	000000000000157525	8347	04.11.2020	31.12.9999	8365	7772	7180	Y	N
WP2_400	000000000000157525	8347	15.01.2021	31.12.9999	8365	7772	7180	Y	N
WP2_400	000000000000157525	8347	13.01.2022	31.12.9999	8365	7772	7180	Y	N
WP2_400	000000000000157525	8347	06.11.2023	31.12.9999	8365	7772	7180	Y	N
WP2_400	000000000000157525	8347	09.11.2023	31.12.9999	8365	7772	7180	Y	N
WP2_400	000000000000157525	8347	28.10.2025	31.12.9999	8365	7772	7180	Y	N
WP2_400	000000000000157525	8364	22.04.2020	31.12.9999	8365	7180	7180	N	N
WP2_400	000000000000157525	8364	28.07.2020	31.12.9999	8365	7180	7180	N	N
WP2_400	000000000000157525	8364	19.03.2021	31.12.9999	8365	7180	7180	N	N
WP2_400	000000000000157525	8364	29.07.2022	31.12.9999	8365	7180	7180	N	N
WP2_400	000000000000157525	8364	14.10.2022	31.12.9999	8365	7180	7180	N	N
WP2_400	000000000000157525	8365	09.01.2020	31.12.9999	8365	7180	7180	N	N
WP2_400	000000000000157525	8365	02.08.2020	31.12.9999	8365	7180	7180	N	N

We also used this file, and if one finish material & manu plant are in this list + C_F_COMP = 'Y', then we put the intermediate flag = X.

Reporting

[BW_QRY_ABMMIC01_0001](#) - BW - Material Stock for extract model S (Core Query)

[BW_QRY_CPCOMS01_0001](#) - Stock margin elimination report (Core Query)

[BW_QRY_CPCOMS01_0002](#) - Stock Margin Elimination report 2 (Core Query)

Dependencies with other applications

Mains data sources:

Logistic data: ADSO ABMMIC01 - "Material stock".

Transit data: DBFIGL13 - "IM from FIGL: Line Items for G/L Acct (S) - Rhodia Level 2".

Integrated Margin data: ODS_PCP4 - "CCR: Integrated margin".


Data Loading


Info Providers and objects loaded

Process Chain - Technical Name	Process Chain - Description	Starter	Comment
PC_CO_MS_0006	MS: TD - M - Model S - Global	Event: Z_EVT_PC_CO_MS_0006 triggered in process chain PC_INT_MARGIN	Starts around 3:30 AM during working day D+3.
PC_CO_MS_0008	MS: TD - M - Cross System Material	External start only (via API or metachain) Triggered in PC_CO_MS_0006	
PC_CO_MS_0002	MS: TD - M - Solvay UPIS Stock Valuation (Propagation Layer)	External start only (via API or metachain) Triggered in PC_CO_MS_0006	
PC_CO_MS_0007	MS: TD - M - Solvay UPIS (Business Layer)	External start only (via API or metachain) Triggered in PC_CO_MS_0006	
PC_CO_MS_0003	MS: TD - M - Model S Propagation APCOMS01	External start only (via API or metachain)	Load ADSO APCOMS01 with query BW_QRY_ABMMIC01_0001 in source.

PC_CO_MS_0004	MS: TD - M - Model S Propagation - APCOMS04	External start only (via API or metachain) Triggered in PC_CO_MS_0006	
PC_CO_MS_0005	MS: TD - M - Model S Businesss	External start only (via API or metachain) Triggered in PC_CO_MS_0006	Trigerred when PC_CO_MS_0005 AND PC_CO_MS_0007 are finished.
PC_CO_MS_0001	MS: TD - D - Shift of Months: Models S (Propagation Layer)	External start only (via API or metachain)	
PC_CO_MS_0009	MS - TD - M - Solvay UPIS - Monthly	Starts at 7:00 AM , 2:00 PM and 4:00 PM (french time) during working day D+3. The starter in defined at 7:00 AM and the job is job scheduling is repeated at 2:00 PM (see more details here). One more load added to start at 4:00 PM	Independant Process Chain, not in PC_CO_MS_0006. Used to take new lines cretaed in PF1 during the morning of working day D+3.

PC_CO_MS_0006 - MS: TD - M - Model S - Global:





Loading frequency

The loading is done after the process chain PC_INT_MARGIN - "Integrated Margin 2" normally once a month in the 3th workday.

Points to be careful during the loading:

- **Be carrefull ABCOMMIC01 has key figure in summation mode. If there is an error during the calculation of Model S and the issue not comes from stocks, don't re-execute all the process chain but just the part needed. For example just UPIS part & Model S propagation and the Model S business part.**
- If there are errors during process chain integrated margin, the model s process chain will not starts, for example if PC_INT_MARGIN not scheduled (error in CPX system).
- Extraction of stock with query BW_QRY_ABMMIC01_0001 takes time.
- Infopackages to extract data from calculation view to load ADSO APCOMS04 can dump because of the calculation views which take too long or which have too large volumes. It's why there are several IP for logistic data. In case of errors it will be necessary to extract the data by smaller groups.

Average performance

The process chain PC_CO_MS_0006 tooks 2 hours (including one hour and a half to charge the adso APCOMS01 (extraction of stock with query from adso ABMMIC01).

She starts arround 3:30 am and finish at 5:30 am (French time)

Data Quality Control

Data come from SAP system. To compare data between BW and sources systems, check propagation layers.

Operational Documentation

Procedures

<Describe the recurring procedures needed to operate the application (eg. start/pause/terminate/restart the app processes, data preparation, data ingestion, ETL, data visualization, data export, other manual activities)>

Scheduling

<Describe the scheduling in place for the application (eg. existing jobs, trigger time/event based, dependencies)>

Monitoring

<Describe the monitoring checks to confirm the application is performing well (eg. check the overall status, check performance metrics like runtime /data volume/memory/disk/CPU, maintain and react to alerts/notifications)>

Error Handling

<Describe how to handle errors (eg. error codes, description and respective resolution, alert users)>

Known Bugs

<List the existing bugs, its criticality, workarounds and resolution plan.>

Roadmap

<List past & future evolutions for the application (including links to MED/FSD/TSD)>