

# COLMAR Investment Project Management

- Objectives
- Process
  - Process Overview
  - Process in detail
    - Step 1: Project Creation / WebDynpro ZWD\_INV\_PROJ
      - Main View V\_MAIN
        - Header part
        - Tabs
          - Tab 1: General attributes
          - Tab 2: Advanced attributes
          - Tab 3: Approval
          - Tab 4: Documentation
          - Tab 5: Capex excellence fields
      - Main Window W\_INV\_PROJ
      - Application ZWDA\_INV\_PROJ\_CREATE
    - Step 2: Project Update / Webdynpro ZWD\_INV\_PROJ\_MULTI
      - Main View V\_MAIN
        - Search Group
        - Investment project List Group
      - Main Window W\_INV\_PROJ\_MULTI
      - Application ZWDA\_INV\_PROJ\_MULTI
      - Specific treatments in update mode in component ZWD\_INV\_PROJ
        - First display
        - Project Copy
        - Enqueue / Dequeue
        - Display mode
        - Interactions with Forecast data entry part
          - Refresh data in Forecast entry part
          - Save data in Forecast entry part
          - Hide Forecast entry part
          - Update authorized amounts in attributes part
    - Step 3: Approval
    - Step 4: Authorized amounts and Forecast data entry
      - Portal Event management :
        - SCRIPT\_COMMON
        - SCRIPT\_ON\_REFRESH :
        - SCRIPT\_ON\_SAVE
        - SCRIPT\_ON\_HIDE
      - SCRIPT\_TOGGLE\_DISPLAY
      - SCRIPT\_RAISE\_SAVE
      - Group\_Item\_1: Authorized Amount data entry screen:
        - Analysis\_Item\_1:
        - Infield\_Item\_1:
        - Button\_group\_item\_1:
          - SAVE:
          - Refresh :
          - Reset Change:
          - Split authorized amounts:
          - Switch to edit mode and Switch to read only mode:
        - Button\_group\_item\_4
      - Group\_Item\_2: Forecast data entry screen:
        - Analysis\_Item\_3:
        - Analysis\_Item\_2:
        - Infield\_Item\_2:
        - Analysis\_Item\_4:
        - Button\_group\_item\_2:
          - SAVE:
          - Refresh :
          - Reset Changes:
          - VALIDATE & SAVE:
          - CAPEX Best Guess - Calculation:
          - Apply CAPEX Best Guess - Calculation:
      - Dataslice:
        - Authorized amounts:
        - Forecasts amounts:
  - Additional functionalities
    - Function 1: Assistance Class ZCL\_WDA\_INV\_PROJ
      - Method FILL\_PLANT\_ATTR, FILL\_GBU\_ATTR, FILL\_REASON\_ATTR, FILL\_FUNDMOD\_ATTR, FILL\_STAGE\_GATE, FILL\_STS\_DATES, FILL\_GENREA\_PER, FILL\_ENV\_ATTR, FILL\_DEFAULT\_VALUES, FILL\_CPX\_EXCL\_ATTR
      - GET\_MAPR\_LIST
      - GET\_APPROVER\_LIST
      - GET\_APPROV\_LIST
      - GET\_INV\_TYP\_LIST
      - CHECK\_AUTH

- CHECK\_BUNDLE\_TXT
- CHECK\_PS\_PROJ\_EXISTS, CHECK\_PS\_PROJ\_INV\_PR
- CHECK\_PS\_PROJ\_MODIFIED
- CHECK\_SUBAXE
- GET\_GBU
- GET\_PLANT\_VLSTRM, CHECK\_PLANT\_VLSTRM
- GET\_EMPTY\_BUNDLE
- GET\_BUNDLE\_TXT
- GET\_CURRENCY
- GET\_USER\_TYPE
- GET\_INTERM\_APPROV
- GET\_INTERM\_APPROV\_LIST
- GET\_PORTAL\_ADDR
- GET\_PROJ
- GET\_WBS
- GET\_WBS\_FROM\_PROJ2
- GET\_WBS\_LINKS
- GET\_WBS\_OVS
- IS\_APPROVER
- IS\_DATA\_FROZEN
- UPDATE\_LINKED\_PROJECTS
- Function 2: Assistance Class ZCL\_WDA\_MD\_TOOLS
  - GET\_COMP\_ROLE
  - GET\_TXT
  - SAVE\_DATA
  - CHECK\_ATTR
  - GET\_NEXT\_ID
  - GET\_TXT\_FOR\_TABLE / GET\_TXT\_FOR\_STRUC
  - ENQUEUE\_MD / DEQUEUE\_MD
  - SAVE\_TABLE\_DATA
  - CHECK\_MD
  - GET\_JOB\_REF
  - GET\_FIELDNM
  - GET\_TXTTAB
  - GET\_SIDTAB
  - GET\_JOB\_NM
  - GET\_DTELNM
  - GET\_TXTFIELD
  - GET\_AUTH\_VALUES
  - CREATE\_RANGE\_TABLE
  - GET\_VALUE\_LIST
  - SAVE\_IT\_DATA
  - DELETE\_BI\_DOC, READ\_BI\_DOC, WRITE\_BI\_DOC
  - GET\_ATTRLIST
  - GET\_DATE\_FORMAT
  - CHECK\_ATTR\_EXISTS
  - GET\_ATTRTAB
  - READ\_CUBE
  - EXEC\_PLSEQ
  - ENQUEUE\_IP / DEQUEUE\_IP
  - ENQUEUE\_MD / DEQUEUE\_MD
  - GET\_COMPLIST
  - RESET\_IPROV\_CACHE
  - UPDATE\_DSO / DELETE\_DSO
  - CONVERT\_FIELD
  - CONVERT\_AMOUNT\_CURR
  - CONVERT\_AMOUNT
  - UPDATE\_MD
  - GET\_TXTTAB\_CONTENT
  - GET\_KEY\_LENGTH
  - GET\_USER\_EMAIL
  - SEARCH\_LDAP
  - GET\_USER\_EMAIL\_FROM\_LDAP
  - IS\_AUTH\_RELEVANT
  - READ\_IP\_LOCKS
- Function 2: Class ZWCA\_CL\_LDAP
  - CONSTRUCTOR
  - CONNECT
  - READ\_ATTR
  - READ\_USER
  - DISCONNECT
- Main axis
  - Organisational axis
    - Plant axis :
    - GBU Axis :
    - Others organizational axes:
  - Time axis
  - Other axis
    - For Authorized amounts:

- For Forecasts amounts:
    - For Actual data :
    - COLMAR Info Object Catalog:
    - COLMAR – Capital Investment Fields:
  - Reporting :
  - Access Policy and Authorizations
    - Data restriction
      - Authorization management:
  - Data retention
    - Data availability
- Initialization procedure
- Data Model
  - Data Model Description
    - InfoCube, Multiprovider, Agregation levels
    - Estimated data volumes

Objectives

Process

Process Overview

Process in detail

Step 1: Project Creation / WebDynpro ZWD\_INV\_PROJ

Main View V\_MAIN

Header part

Tabs

Tab 1: General attributes

Tab 2: Advanced attributes

Tab 3: Approval

Tab 4: Documentation nt

Application ZWDA\_INV\_PROJ\_CREATE

Step 2: Project Update / Webdynpro ZWD\_INV\_PROJ\_MULTI

Main View V\_MAIN

Search Group

Investmet project List Group

Main Window W\_INV\_PROJ\_MULTI

Application ZWDA\_INV\_PROJ\_MULTI

Specific treatments in update mode in component ZWD\_INV\_PROJ

First display

Project Copy

Enqueue / Dequeue

Display mode

Interactions with Forecast data entry part

Refresh data in Forecast entry part

Save data in Forecast entry part

Hide Forecast entry part

Update authorized amounts in attributes part

Step 3: Approval

Step 4: Authorized amounts and Forecast data entry

Portal Event management :

SCRIPT\_COMMON

SCRIPT\_ON\_REFRESH :

SCRIPT\_ON\_SAVE

SCRIPT\_ON\_HIDE

SCRIPT\_TOGGLE\_DISPLAY

SCRIPT\_RAISE\_SAVE

Group\_Item\_1: Authorized Amount data entry screen:

Analysis\_Item\_1:

Infofield\_Item\_1:

Button\_group\_item\_1:

SAVE:

Refresh :

Reset Change:

Split authorized amounts:

Switch to edit mode and Switch to read only mode:

Button\_group\_item\_4

Group\_Item\_2: Forecast data entry screen:

Analysis\_Item\_3:

Analysis\_Item\_2:

Infofield\_Item\_2:

Analysis\_Item\_4:

Button\_group\_item\_2:

SAVE:

Refresh :

Reset Changes:

VALIDATE & SAVE:

CAPEX Best Guess - Calculation:

Apply CAPEX Best Guess - Calculation:

Dataslice:

Authorized amounts:

Forecasts amounts:

Additional functionalities

Function 1: Assistance Class ZCL\_WDA\_INV\_PROJ

Method FILL\_PLANT\_ATTR, FILL\_GBU\_ATTR, FILL\_REASON\_ATTR, FILL\_FUNDMOD\_ATTR, FILL\_STAGE\_GATE, FILL\_STS\_DATES, FILL\_GENREA\_PER, FILL\_ENV\_ATTR, FILL\_DEFAULT\_VALUES, FILL\_CPX\_EXCL\_ATTR

GET\_MAPR\_LIST

GET\_APPROVER\_LIST

GET\_APPROV\_LIST

GET\_INV\_TYP\_LIST

CHECK\_AUTH

CHECK\_BUNDLE\_TXT

CHECK\_PS\_PROJ\_EXISTS, CHECK\_PS\_PROJ\_INV\_PR

CHECK\_PS\_PROJ\_MODIFIED  
CHECK\_SUBAXE  
GET\_GBU  
GET\_PLANT\_VLSTRM, CHECK\_PLANT\_VLSTRM  
GET\_EMPTY\_BUNDLE  
GET\_BUNDLE\_TXT  
GET\_CURRENCY  
GET\_USER\_TYPE  
GET\_INTERM\_APPROV  
GET\_INTERM\_APPROV\_LIST  
GET\_PORTAL\_ADDR  
GET\_PROJ  
GET\_WBS  
GET\_WBS\_FROM\_PROJ2  
GET\_WBS\_LINKS  
GET\_WBS\_OVS  
IS\_APPROVER  
IS\_DATA\_FROZEN  
UPDATE\_LINKED\_PROJECTS  
Function 2: Assistance Class ZCL\_WDA\_MD\_TOOLS  
GET\_COMP\_ROLE  
GET\_TXT  
SAVE\_DATA  
CHECK\_ATTR  
GET\_NEXT\_ID  
GET\_TXT\_FOR\_TABLE / GET\_TXT\_FOR\_STRUC  
ENQUEUE\_MD / DEQUEUE\_MD  
SAVE\_TABLE\_DATA  
CHECK\_MD  
GET\_IOBJ\_REF  
GET\_FIELDNM  
GET\_TXTTAB  
GET\_SIDTAB  
GET\_IOBJNM  
GET\_DTELNM  
GET\_TXTFIELD  
GET\_AUTH\_VALUES  
CREATE\_RANGE\_TABLE  
GET\_VALUE\_LIST  
SAVE\_IT\_DATA

DELETE\_BI\_DOC, READ\_BI\_DOC, WRITE\_BI\_DOC

GET\_ATTRLIST

GET\_DATE\_FORMAT

CHECK\_ATTR\_EXISTS

GET\_ATTRTAB

READ\_CUBE

EXEC\_PLSEQ

ENQUEUE\_IP/ DEQUEUE\_IP

ENQUEUE\_MD/ DEQUEUE\_MD

GET\_COMPLIST

RESET\_IPROV\_CACHE

UPDATE\_DSO/ DELETE\_DSO

CONVERT\_FIELD

CONVERT\_AMOUNT\_CURR

CONVERT\_AMOUNT

UPDATE\_MD

GET\_TXTTAB\_CONTENT

GET\_KEY\_LENGTH

GET\_USER\_EMAIL

SEARCH\_LDAP

GET\_USER\_EMAIL\_FROM\_LDAP

IS\_AUTH\_RELEVANT

READ\_IP\_LOCKS

Function 2: Class ZWCA\_CL\_LDAP

CONSTRUCTOR

CONNECT

READ\_ATTR

READ\_USER

DISCONNECT

Main axis

Organisational axis

Plant axis :

GBU Axis :

Others organizational axes:

Time axis

Other axis

For Authorized amounts:

For Forecasts amounts:

For Actual data :

COLMAR Info Object Catalog:

COLMAR – Capital Investment Fields:

Reporting :

Access Policy and Authorizations

Data restriction

Authorization management:

Data retention

Data availability

Initialization procedure

Data Model

Data Model Description

InfoCube, Multiprovider, Agregation levels

Estimated data volumes

**ZWD\_INV\_PROJ:**

**ZWD\_INV\_PROJ\_MULTI:**

## • Objectives

Design/Implement an application that:

- Supports the capital investment planning, authorization, follow-up and forecasting process
- Supports the application of the CAPEX01 procedure
- Builds a Group-wide database of all capital investment projects (past, running, future) with information related to:
  - Quarterly amounts
  - Investment characteristics (plant, company, reason, financial return info, ...)
  - Status information (approval, stage gate)
  - Engineering information (stage gate, project manager)
- Lets sites, GBUs, Group Engineering & Construction add, modify, authorize projects at any time during the year
- Helps GBUs forecast their quarterly capital expenses
- Follows up projects from idea to realization (cradle to grave)
- Supports the investment authorization process according to the GBU scheme
- Makes the authorization auditable & provides summary, detailed reports and extractions

## • Process

- Process Overview
- Process in detail
- Step 1: Project Creation / WebDynpro ZWD\_INV\_PROJ

All common method with other application of the COLMAR project are written in the assistance class ZCL\_WDA\_INV\_PROJ that inherits from ZCL\_WDA\_MD\_TOOLS class, which is a toolbox for all webdynpro of all projects.

- Main View V\_MAIN

The Main view is organized in different sections:

- An header, that is shown when application start
- 6 Tabs to organise Project Attributes

First, the header is the only part visible, then when all mandatory attributes in the header are filled, the user can display all other attributes.

Finally, when the project is fully filled, the user can use the "create" button to save the project. At this moment, the forecast entry is shown in a second portal view in the same page.

- **Header part**

The Header contains main attributes of a project, and actions on this project.

These attributes are mandatory before showing the rest of the attributes.

At application opening, the button "VALIDATE" (method ONACTIONVALIDATE)

is the only one visible. This button:

- Checks the mandatory attributes and then shows the other attributes (method CHECK\_MANDATORY\_ATTR).
- Checks the PS Project ID does not already exists (method CHECK\_PS\_PROJ\_EXISTS)
- Shows all project attributes
- Updates value lists of all project investment attributes (method UPDATE\_VALUE\_LISTS)
- Shows project Bundle if needed (method SHOW\_MASTER)
- Update attributes of investment project that depend on header attributes (method UPDATE\_PLANT\_ATTR, UPDATE\_GBU\_ATTR, and UPDATE\_GENREA\_PER)
- Gets documents linked to a project (method GET\_DOCS)
- Initializes some default values (External cost percentage for instance)

GBU, Plant, Investment Type and Reason of investment dropdown list boxes and the Bundle checkbox execute the method REFRESH that update other attributes and value list.

- **Tabs**
- **Tab 1: General attributes**

General attributes are organized in 5 groups in the first TAB.

Some attributes are deduced from the header attributes, so they are not input-ready.

Some attributes depend from one another, so BFCA 2, Value stream, Family, Planned flag and Funding mode dropdowns execute the REFRESH method that filters value lists for each attribute (same as in header part),

In the Group MA\_PR\_GP, the project bundle attributes and the two CREATE\_MASTER and CHANGE\_MASTER buttons are displayed only if the checkbox is checked in the header part. That means that several project are bundled into one for forecast entry (see 2.1 section)

CREATE\_MASTER and CHANGE\_MASTER button open the window W\_POPUP\_MP to create or change the bundle and fill the external cost percentage (the POPUP\_CREATE method of V\_MAIN view manages the different popups of the application).

CREATE\_GROUP button opens the W\_POPUP\_PG window to create reporting group.

In other groups we have mais project attributes:

Some attributes are not modifiable because they are deduces from another:

- zone, country and company code are deduced from plant (method UPDATE\_PLANT\_ATTR)
- project type is deduced from funding mode (method UPDATE\_PROJ\_TYP)
- general reason of investment is deduced from reason of investment (method UPDATE\_REASON\_ATTR)

Project contributors attributes are email address. The search help (method ON\_OVS) is based on LDAP search. The input is also checks at saving to ensure that email address exists in LDAP (method CHECK\_LDAP and CHECK\_CONTRIBUTORS).

- **Tab 2: Advanced attributes**

Advanced attributes are relevant only for important projects, but are always shown.

The split percentage by general reason is also dynamic (method REFRESH and UPDATE\_GENREA\_PER)

- **Tab 3: Approval**

The approval tab contains the approval status of a project. The value list in the dropdown list box depends on user authorizations and in DSO DPIP05 (method GET\_APPROV\_LIST called in UPDATE\_VALUE\_LISTS).

The approver dropdown list content is also given by authorizations in DPIP05 (GET\_APPROVER\_LIST method called in UPDATE\_VALUE\_LISTS).

The user can send an email to the approver(s) with the button 'SEND\_NOTIF'. The 'mailto' command is refreshed each time the user makes modifications on the interface (action SEND\_NOTIF & method SEND\_APPR\_NOTIF). The mailto command is used with SOLIA url to enable SSO login on quality and production only. The distinction between the servers is made thanks to the SYSID field of SYST standard structure.

When the user changes the approval status to approved for basic or final approval, a popup will suggest to send an automatic approval email, or to open the email to modify it before sending it (method SEND\_AUTO\_NOTIF).

The Authorized amounts displayed in this tab are read in CRIP02 cube (method GET\_AUTH\_AMNT). This value is stored in the investment project master data when approval status is approved for basic or fully approved.

Old authorized amount is displayed when the status is "Reapproval needed" (ID of master data RB or RF). It displays the value stored in the master data.

The Authorized amount for BS can be changed by the user until basic study approval, and there is no link with CRIP02 cube data for this amount. To get the data in the cube, the method GET\_AUTH\_AMNT calls standard function module RSDRI\_INFOPROV\_READ

When the approver sets the status to "Approved for basic", if the field "basic study approver" is empty, it is filled with the email address of the connected user. The "BS approval date" is also filled with the current date if it is empty. The fields "basic study approver" and "BS approval date" are then in read only mode.

When the approver sets the status to "Fully Approved", if the field "final approver" is empty, it is filled with the email address of the connected user. The "final approval date" is also filled with the current date if it is empty. The fields "final approver" and "final approval date" are then in read only mode.

When the forecaster or the approver sets the status to "Reapproval needed" after "Approved for Basic" status, the fields "authorized amounts for BS", "basic study approver" and "BS approval date" are modifiable again.

When the forecaster or the approver sets the status to "Reapproval needed" after "Fully Approved" status, the fields "authorized amounts for BS", "basic study approver" and "BS approval date" are still in read-only mode, but the fields "final approver" and "final approval date" are modifiable again.

The user can also add intermediate approvers for different Domain. By default, the intermediate approvers in DPIP05 DSO are displayed here with their corresponding domain (method GET\_INTERM\_APPROV\_LIST of assistance class). Then the user can add other validation, and the list of intermediate validation are saved in DPIP02 DSO (method SAVE\_APPR).

A validation workflow has been set up and automatic notification are also sent when intermediate validation are done (method SEND\_AUTO\_NOTIF).

The Amounts group contains other amounts that are saved as project attributes.

- **Tab 4: Documentation**

The user can write some comment about the project (SUMMARY and HISTORY comments)

The user can also link document (DOCLIST part) or add link to document database (LINKLIST part)

All these comments and documents are saved into KM as master data documentation.

The method GET\_DOCS reads KM to get existing docs and update webdynpro context.

The method SAVE\_DOCS saves documents stored in webdynpro context into the KM directory.

The method ONACTIONDELETE deletes selected document.

The windows W\_POPUP\_FILE and W\_POPUP\_LINK are used to choose the file to upload or enter the link of the documentation in external database, in order to link the document to the project (method ONACTIONUPLOAD\_DOC and ONACTIONADD\_LINK).

A size limit has been set to avoid having too big files upload. This file limit is stored in TVARVC parameter Z\_MAX\_FILE\_SIZE and is read in WRITE\_BI\_DOC method of assistance class ZCL\_WDA\_MD\_TOOLS.

Standard method cl\_skwf\_namespace\_util=>url\_part\_valid is called in order to check if not allowed characters are in the filename. Not allowed characters are replaced by '\_' in the file name.

The document ID in BW is limited to 40 characters and it is deduced from filename, so if two filename are identical for the first 40 characters, the second file uploaded will have a generated ID (function module SDOK\_UNIQUE\_ID\_GET)

- **Tab 5: Capex excellence fields**

In this tab we have special attributes called "Capex Excellence fields.

Some are input-ready, others are deduced.

The rules for these determinations are contained in method UPDATE\_CPX\_EXCL\_ATTR which is calling method FILL\_CPX\_EXCL\_ATTR of the assistance class.

- **Tab 6: Approval status history**

Approval status history is stored as KM document (as the ones in Documentation tab).

Each time the approval status is changed, a automatic comment is stored here with user, date, time and approval status

If approval status is Approved for basic or fully approved, the amount in local currency is also stored here.

- **Main Window W\_INV\_PROJ**

The window manages the input and output with other application. In creation mode, the mode is set to 'C' in the application and the title is filled, the other parameters are not used.

- **Application ZWDA\_INV\_PROJ\_CREATE**

In creation mode, the mode is set to 'C' in the application and the title is filled, the other parameters are not used.

- **Step 2: Project Update / Webdynpro ZWD\_INV\_PROJ\_MULTI**

The update of a project is made through a project research interface. The webdynpro ZWD\_INV\_PROJ\_MULTI contains search criteria and an ALV table for the results. It handle the navigation to each project detail page and forecast entry part. The webdynpro component for the detail update is the same as in creation (ZWD\_INV\_PROJ).

- **Main View V\_MAIN**
- **Search Group**

The search criterion are listed here. All are input field with standard search helps. When the ID does not mean anything for the user, a textview element is inserted and filled automatically by method REFRESH\_TEXTS.

The user clicks on search button to get projets corresponding to the search criterion and corresponding to user's authorizations (method ONACTIONSEARCH). The projects with "deleted" status are not shown in the list. It also gets all description needed to output the project list in an understandable way for the user.

- **Investment project List Group**

The result of the search is displayed thanks to standard Webdynpro ALV component SALV\_WD\_TABLE. The configuration of this ALV is made in the method ONACTIONSEARCH.

The result also displays the authorized and forecast amounts in the table for each project (method GET\_AMOUNTS).

Then the user can select a single project (the method CHECK\_ONLY\_ONE\_SELECTED verify that only one line is selected) and either:

- Go to project details (method ONACTIONGOTO\_DETAIL): it make a modal navigation to webdynpro component ZWD\_INV\_PROJ in update mode (parameters: MODE = 'U' and PROJECT is filled with the project selected in the list, see parameter list in 2.2.1.2 section). It also shows the forecast entry part for the selected project (method FIRE\_REFRESH)
- Go to forecast entry (method ONACTIONGOTO\_FORECAST): it only shows the forecast entry part (method FIRE\_REFRESH)

When going to detail or forecast, IP locks are read in order to warn user if someone is on the same project (method READ\_IP\_LOCKS of assistance class called in FIRE\_REFRESH method of the view V\_MAIN. If IP lock is found, a popup is shown with email address of the user that locks the project (window W\_POPUP\_LOCK).

The user can also select one or several project and delete it. The method ONACTIONDELETE opens a popup to confirm the deletion. If the deletion is confirmed, the method ONACTIONDELETE\_PROJECT is executed and it runs SQ\_COLMAR\_019 planning sequence to delete forecast amounts and authorised amounts. The approval status in the master data is set to 'XX' in order to flag the project as deleted.

Special case of project bundle: if a linked project is deleted, but the bundle has other projects linked, the forecast amounts of project bundle is not deleted. If every linked project is deleted, the forecast amounts of the project bundle are also deleted. The method GET\_EMPTY\_BUNDLE of the assistance class handles this special case.

The forth button available to the user allows to cancel the selection made by the user.

The last button allows the user to make project attribute mass modification (method ONACTIONATTR\_CHANGE). The popup W\_POPUP\_ATTR is displayed with attributes that are available for mass modification. The user can make several modification at once with button "add modification" (method ONACTIONADD) When the user chooses the attribute to modify, the method ONACTIONUPDATE\_VALUES loads possible values of the attribute. The method ONACTIONUPDATE\_ATTR of V\_MAIN view is called at popup closing in order to validate and save projects attribute modifications.

- **Main Window W\_INV\_PROJ\_MULTI**

We can see here how the navigation between the webdynpro component is made:

- When the user clicks on "go to detail", it runs navigation to W\_INV\_PROJ window of ZWD\_INV\_PROJ webdynpro component thanks to GOTO\_DETAIL outbound plug of ZWD\_INV\_PROJ\_MULTI webdynpro component and DEFAULT inbound plug of ZWD\_INV\_PROJ webdynpro component.
- When the user comes back from ZWD\_INV\_PROJ webdynpro component, it raises BACK\_TO\_LIST outboug plug of ZWD\_INV\_PROJ webdynpro component (method ONACTIONBACK) and BACK\_FROM\_DETAIL inbound plug of ZWD\_INV\_PROJ\_MULTI webdynpro component.

- **Application ZWDA\_INV\_PROJ\_MULTI**

The only parameter here is the title of the application:

- **Specific treatments in update mode in component ZWD\_INV\_PROJ**
- [First display](#)

The method WDDOMODIFYVIEW shows directly all the attributes of the projects (method GET\_PROJ), hides the buttons VALIDATE and CREATE, update all value lists (UPDATE\_VALUE\_LISTS), and get documents (GET\_DOCS). It also displays the Forecast entry part if it is not yet displayed (FIRE\_PORTAL\_EVENT method).

- **Project Copy**

The user can copy a project to create a new project. First a popup with window V\_POPUP\_COPY is shown via method ONACTIONPOPUP\_CREATE and then the method ONACTIONCOPY is executed. It first checks than the project does not exist (method CHECK\_PS\_PROJ\_EXISTS) and then the new project is saved (method SAVE\_PROJ) and finally the forecast entry part is refreshed (method FIRE\_PORTAL\_EVENT).

- **Enqueue / Dequeue**

The project is enqueued (method ENQUEUE) to avoid having two users on the same project at the same time. The project is dequeued (method DEQUEUE) when the users goes back to project list

- **Display mode**

Depending on the authorisations (method CHECK\_AUTH that reads DPIPCO15 DSO), the project can be shown in display mode only, or in update mode. The Non-PS projects are always shown in display mode, the only way to update a non-PS project is the mass upload and the mass entry workbook.

- **Interactions with Forecast data entry part**

The interactions between Webdynpro application and Web Application are handles in FIRE\_PORTAL\_EVENT method. This uses portal eventing. Three different events are handled

- **Refresh data in Forecast entry part**

This event is triggered when:

- a project creation is done and the forecast part is not already shown (it means that no other creation was made before on the same screen)
- the user clicked on "Show forecast data" or "Go to project detail"
- a project copy is made

The parameters given to the application are:

- The project bundle ID (when a project is not linked to a bundle, the bundle ID is equal to the investment project ID)
- The display or update mode (D for display, X for update)
- The need to reload completely the forecast part (X for yes, blank for no): after a project copy, in order to update properly the forecast part, we have to reload it thanks to a "TRANSFER\_STATE" command in the WAD.
- The need to display "Colmar data frozen" warning (X for yes, blank for no)
- The project status (when status FA, TC, or CL, the authorized amount are not modifiable and the amount generation function is not executed)

- **Save data in Forecast entry part**

This event is triggered when

- The user saves a project in update mode.
- The user creates a project and the forecast part is already shown (it means that another creation was made before on the same screen)

The parameters given to the application are:

- The project bundle ID (when a project is not linked to a bundle, the bundle ID is equal to the investment project ID)
- The display or update mode (D for display, X for update)
- The need to reload completely the forecast part (X for yes, blank for no): if the user changed one of the key attributes of the investment project (project bundle, approval status, PS flag, Capex Auto flag), in order to update properly the forecast part, we have to reload it thanks to a "TRANSFER\_STATE" command in the WAD.
- The need to delete the forecast on the project (X for yes, blank for no). This is the case when an investment project was not linked to a bundle and the user decided to link it to a bundle
- The investment project ID for which the forecast has to be deleted

- **Hide Forecast entry part**

This event is triggered when the user comes back from project detail to project search screen. No parameter is needed here.

- **Update authorized amounts in attributes part**

This event is triggered when the user saves authorized amount or forecast data in the WAD. No parameter is needed here. The method SUBSCRIBE\_EVENT in the webdynpro subscribe the event and action REFRESH\_AUTHAMT is called when event is triggered.

- **Step 3: Approval**

When the user send an email to the approver (see 2.2.1.1.2.3), it contains a link to the portal page COLMAR\_INV\_PROJ\_VALID. It contains the application ZWDA\_INV\_PROJ\_VALID and the forecasts and authorized amounts in display mode. The approver can click on this link and reach directly the Approval tab with approval status and authorized amount. This is made thanks to the 'V' mode set in the application parameters:

- **Step 4: Authorized amounts and Forecast data entry**

The WAD used for Authorized amount sand Forecast data entry is **WT\_ENT\_COLMAR\_0001**.

This WAD is included in a Portal Page.

The Container Layout called "ALL" is hidden by default.

This container layout is set to Visible due to a Portal Event raised in the WebDynPro application and handled in the WAD application using Java Scripts (see script item SCRIPT\_ON\_REFRESH).

This WAD is divided into two tabs:

- authorized amount and forecast data entry. This tab is divided into two parts:
  - **GROUP\_ITEM\_1**: Group\_Item\_1 : for Authorized Amounts.
  - **GROUP\_ITEM\_2**: Group\_Item\_2 : for Forecast Data Entry.
- audit trail. This tab contains an analysis item showing modification log (DSO DPIP018)

- **Portal Event management :**

There are 3 Java Scripts in the WAD that receives the portal event from the WebDynPro application :

- **SCRIPT\_COMMON**

This script item contains common script functions that are called in other script item : Exec\_Save, Exec\_Validate and Exec\_Refresh.

Exec\_Refresh contains the following actions:

- If the input is in EUR, convert the data to local currency (sequence SQ\_COLMAR\_030)
- automatic best guess calculation (IP sequence SQ\_COLMAR\_020)
- Local currency to EUR conversion and JV computations (IP sequence SQ\_COLMAR\_021)
- Mass treatment Authorised Amount (SQ\_COLMAR\_006)

Exec\_Save contains the following actions:

- Exec\_Refresh function
- Save the user validation in DRIPCO01 DSO (planning sequence SQ\_COLMAR\_009)
- Save data

Exec\_Validate contains the following actions:

- SET\_DATA\_PROVIDER\_PARAMETERS on DP\_LAST\_VALID\_BY in order to refresh data)

- **SCRIPT\_ON\_REFRESH :**

This script item contains two functions: onRefresh and Exec\_Seq.

The function onRefresh get three parameters from the WebDynPro application to the WAD **WT\_ENT\_COLMAR\_0001** :

- Project Bundle selected: fills variable V\_C\_MA\_PR\_0001.
- Entry Mode : enable or disable data entry in WAD using SET\_DATA\_ENTRY\_MODE in JavaScript
- The need to do a TRANSFER\_STATE
- The need to show frozen data warning message (CONTAINER\_ITEM\_1)
- The project status (in order to know if we execute authorized data generation or not)

It calls function Exec\_Seq with those parameters and if DP\_LAST\_VALID\_BY is empty it calls toggleDisplay function in order to hide DP\_LAST\_VALID\_BY.

The function Exec\_Seq refreshes the WAD:

- TRANSFER\_STATE if needed
- show warning message if data frozen
- hide buttons if we are in display mode
- initialize data providers (SET\_DATA\_PROVIDER\_PARAMETERS)
  - DP\_AUTH\_AMOUNTS with query BW\_QRY\_ALIPCO01\_0001
  - DP\_FORECASTS with query BW\_QRY\_ALIPCO02\_0001
  - DP\_RESUME with query BW\_QRY\_MVIPCO19\_0001
  - DP\_LAST\_VALID\_BY with query BW\_QRY\_DRIPCO01\_0002
- Initialize variable V\_C\_MA\_PR\_0001 with parameter coming from webdynpro
- Set data entry mode to display on entry depending on parameter coming from webdynpro
- Execute planning function SQ\_COLMAR\_022 in order to initialize authorized amount if needed (depending on project status)

### • **SCRIPT\_ON\_SAVE**

This script item contains two functions : onSave and Exec\_Seq2.

The function onSave is used in order to launch the data save in the WAD when the user click on the "save" button in the WebDynPro application. It executes :

- Exec\_Save function
- Exec\_Seq2 function
- toggleDisplay function if DP\_LAST\_VALID\_BY is empty

The function Exec\_Seq2 inherits the webdynpro parameters:

- Project Bundle selected: fills variable V\_C\_MA\_PR\_0001.
- Entry Mode : enable or disable data entry in WAD using SET\_DATA\_ENTRY\_MODE in JavaScript
- The need to do a TRANSFER\_STATE
- The need to do a forecast deletion (IP sequence SQ\_COLMAR\_023)
- The project for which the forecast has to be deleted

This scripts executes:

- TRANSFER\_STATE if needed
- show container "ALL" (SET\_ITEM\_PARAMETERS)
- refresh data providers as in Exec\_Seq function
- set project variable V\_C\_MA\_PR\_0001 with parameter coming from webdynpro
- Set data entry mode to display on entry depending on parameter coming from webdynpro
- Delete forecast data if needed (IP sequence SQ\_COLMAR\_023)
- makes also the automatic best guess calculation (IP sequence SQ\_COLMAR\_020) and the EUR conversion and JV computations ((IP sequence SQ\_COLMAR\_021)
- Save data
- show or hide buttons

### • **SCRIPT\_ON\_HIDE**

This script is used in order to hide the WAD when the user clicks on the "Back To list" button in the WebDynPro application.

### • **SCRIPT\_TOGGLE\_DISPLAY**

This script hide DP\_LAST\_VALID\_BY when no data is available.

- **SCRIPT\_RAISE\_SAVE**

Depending on the currency choice (input in EUR or local currency) made with BUTTON\_GROUP\_ITEM\_4 or BUTTON\_GROUP\_ITEM\_5 actions, the refresh, save and validate buttons in BUTTON\_GROUP\_ITEM\_1 and BUTTON\_GROUP\_ITEM\_3 will react in a different way. There are six functions :

- execute\_SAVE\_and\_RAISE: executes Exec\_Save function and raise event to refresh webdynpro view
- execute\_SAVE\_and\_RAISE\_EUR: executes Exec\_Save function with "EUR" parameter and raise event to refresh webdynpro view
- execute\_REFRESH\_and\_RAISE: executes Exec\_Refresh and raise event to refresh webdynpro view
- execute\_REFRESH\_and\_RAISE\_EUR: executes Exec\_Refresh function with "EUR" parameter and raise event to refresh webdynpro view
- execute\_VALIDATE\_and\_RAISE: executes Exec\_Save function then Exec\_Validate event to refresh webdynpro view
- execute\_VALIDATE\_and\_RAISE\_EUR: executes Exec\_Save function with "EUR" parameter then Exec\_Validate event to refresh webdynpro view

- **Group\_Item\_1: Authorized Amount data entry screen:**

#### Authorized Amounts management part:

Authorized amount are entered in the system at the Investment Project level.

The GROUP\_ITEM\_1 contained a Container layout Item "Container\_layout\_2" which contained the following components:

- Analysis\_Item\_1 linked to data provider DP\_AUTH\_AMOUNTS.
- Button\_Group\_Item\_1.
- Info\_Field\_Item\_1 linked to data provider DP\_AUTH\_AMOUNTS.
- Button\_Group\_Item\_4.

- **Analysis\_Item\_1:**

The main Data Provider used for Authorized amounts is:

- DP\_AUTH\_AMOUNTS which is linked to the following query :
  - Query name: **BW\_QRY\_ALIPCO01\_0001**.
    - Filter used in this query : **F\_ALIPCO01\_001** .

The value of the variable **V\_C\_MA\_PR\_0001** is inherited from the parameters of the webdynpro application.

In case of a selection of a project that is included in a project bundle, the list of all the project linked to the bundle is determined by the variable **V\_C\_INV\_PR\_0001** .

The currency is determined by an exit variable that collect the currency from the Master Data Plant (Company currency) – **V\_OCURRENCY\_0001** .

- **Infofield\_Item\_1:**

The infofield item is filled by using the query filter for the project bundle (C\_INV\_PR\_C\_MA\_PR):

- **Button\_group\_item\_1:**

This button group contains the following component:

- **SAVE:**

Script function execute\_SAVE\_and\_RAISE or execute\_SAVE\_and\_RAISE\_EUR depending if the input is in EUR or local currency

- **Refresh :**

Script function execute\_REFRESH\_and\_RAISE or execute\_REFRESH\_and\_RAISE\_EUR depending if the input is in EUR or local currency

- **Reset Change:**

This button allows the user to get back to the last “Save” and discard all the changes done in the authorized amounts.

- **Split authorized amounts:**

The button “Split Authorized Amount” allow the user to split the data already entered at the Global level at the quarter / year level:

- This button launches the following sequence on the selected line: SQ\_COLMAR\_004.

Filter	Function	Description
F_ALIPCO04_001	PF_ALIPCO04_001	COLMAR - split auth amount on quarters
F_ALIPCO04_002	PF_ALIPCO04_003	COLMAR - copy data on quarter # for years >=Y+2
F_ALIPCO04_003	PF_ALIPCO04_004	COLMAR - delete auth amount data

- The following variables are needed :
- V\_C\_INV\_PR\_0002
- V\_OCURRENCY\_0002
- Another variable has to be fulfilled: V\_0CALQUARTER\_0004.

In the example below, the forecast value has been splitted to 11 quarters :

- 1000 / 11 = 90,91.

**Before :**

**After :**

This button does not save the data. This allows the user to get back if needed.

- **Switch to edit mode and Switch to read only mode:**

Allows the user to switch to read only mode and let another use to update amounts.

- **Button\_group\_item\_4**

These two buttons allow the user switching between entry in EUR of local currency. Data providers are updated with queries in EUR BW\_QRY\_ALIPCO01\_0003 and BW\_QRY\_ALIPCO02\_0006 or query in local currency BW\_QRY\_ALIPCO01\_0001 and BW\_QRY\_ALIPCO02\_0001. Buttons items are also updated because the save, refresh and validate action will react in a different way (see [SCRIPT\\_RAISE\\_SAVE](#) )

- **Group\_Item\_2: Forecast data entry screen:**

**Forecast Data entry management part:**

Forecast data are entered in the system at the Project Bundle level.

This means that in case of using a project bundle which contains several investment project, there are authorized amounts for each investment project and only one forecast for all the projects.

The GROUP\_ITEM\_2 contained a Container layout Item “Container\_layout\_item\_3” which contained the following components:

- Analysis\_item\_3 linked to data provider DP\_RESUME.

- Analysis\_Item\_2 linked to data provider DP\_FORECASTS.
- Info\_Field\_Item\_2 linked to data provider DP\_FORECASTS.
- Analysis\_item\_4 linked to data provider DP\_LAST\_VALID\_BY.
- Button\_group\_item\_3
- Button\_group\_item\_5

- **Analysis\_Item\_3:**

The Data Provider used for this analysis item :

- DP\_RESUME which is linked to the following query :
  - Query name: **BW\_QRY\_MVIPCO3\_0004**.
    - Filter used in this query : **F\_MVIPCO3\_002** .

The value of the variable **V\_C\_MA\_PR\_0001** is inherited from the parameters of the webdynpro application.

The currency is determined by an exit variable that collect the currency from the Master Data Plant (Company currency) – **V\_0CURRENCY\_0001** .

- **Analysis\_Item\_2:**

The Data Provider used for this analysis item:

- DP\_FORECASTS which is linked to the following query :
  - Query name: **BW\_QRY\_ALIPCO2\_0001**.
    - Filter used in this query : **F\_ALIPCO2\_001** .

The value of the variable **V\_C\_MA\_PR\_0001** is inherited from the parameters of the webdynpro application.

The currency is determined by an exit variable that collect the currency from the Master Data Plant (Company currency) – **V\_0CURRENCY\_0001** .

- **Infofield\_Item\_2:**

The infofield item is filled by using the query filter for the project bundle (C\_MA\_PR):

- **Analysis\_Item\_4:**

The Data Provider used for this analysis item:

- DP\_LAST\_VALID\_BY which is linked to the following query :
  - Query name: **BW\_QRY\_DRIPCO1\_0002**.
    - Filter used in this query :

The value of the variable **V\_C\_MA\_PR\_0001** is inherited from the parameters of the webdynpro application.

- **Button\_group\_item\_2:**

This button group contains the following components:

- **SAVE:**

Script function execute\_SAVE\_and\_RAISE or execute\_SAVE\_and\_RAISE\_EUR depending if the input is in EUR or local currency

- **Refresh :**

Script function execute\_REFRESH\_and\_RAISE or execute\_REFRESH\_and\_RAISE\_EUR depending if the input is in EUR or local currency

- **Reset Changes:**

This button allows the user to get back to the last “Save” and discard all the changes done in the authorized amounts.

- **VALIDATE & SAVE:**

Script function execute\_VALIDATE\_and\_RAISE or execute\_VALIDATE\_and\_RAISE\_EUR depending if the input is in EUR or local currency

- **CAPEX Best Guess - Calculation:**

The button “CAPEX Best Guess - Calculation” allows the user to launch the CAPEX Best Guess Calculation:

- This button launches the following sequence on the selected line: SQ\_COLMAR\_010.

Filter	Function	Description
F_ALIPCO07_001	PF_ALIPCO07_001	COLMAR – CAPEX Best Guess - Calculation

- The following variables are needed :

- V\_C\_MA\_PR\_0001

The sequence SQ\_COLMAR\_020 is executed as in “refresh” button.

- **Apply CAPEX Best Guess - Calculation:**

The button “Apply CAPEX Best Guess” allows the user to recover the CAPEX Best Guess Calculation for CAPEX Forecast:

- This button launches the following sequence on the selected line: SQ\_COLMAR\_011.

Filter	Function	Description
F_ALIPCO07_002	PF_ALIPCO07_003	COLMAR - Delete CAPEX data
F_ALIPCO07_002	PF_ALIPCO07_002	COLMAR - Apply Best Guess on CAPEX

- The following variables are needed :

- V\_C\_MA\_PR\_0001

- **Dataslice:**

- **Authorized amounts:**

The Authorized amounts process is linked to the Investment Project (C\_INV\_PR) status.

When the investment project has the status “Fully Approved”, the Authorized amounts for this project won’t be modified.

By using new exit variable process, an exit variable allows to set up the dataslice for the specific query mentioned above:

- Query name: **BW\_QRY\_ALIPCO01\_0001.**
- Class name for I\_STEP = 3 in exit variable: **ZCL\_COLMAR\_CHECK**
  - Method: **VALUE\_CHECK** .
- Exit variable for dataslice: **V\_C\_INV\_PR\_000** 5 linked with class **ZCL\_BIU001\_V\_C\_INV\_PR\_0005**

- **Forecasts amounts:**

The Forecast data entry process is not linked to the project status. It is linked to the real events on this project (Project Bundle – C\_MA\_PR).

The process allows modifying the forecasts data for the actual quarter and the futures quarters.

That's why a dataslice has been built in order to do not allow modification on Quarter - 1 and before.

By using new exit variable process, an exit variable allows to set up the dataslice for the specific query mentioned above:

- Query name: **BW\_QRY\_ALIPCO02\_0001.**
- Class name for I\_STEP = 3 in exit variable: **ZCL\_COLMAR\_CHECK**
  - Method: **VALUE\_CHECK .**
- Class name for dataslice: **ZCL\_COLMAR\_DATASLICE**
  - Method: **Forecast Dataslice .**

In order to determine the opened quarter, the program looks at the DSO DPIPCO07 – Pilot Table which could determine if the application is opened.

Then if yes, the quarter defined in this pilot table is used in order to determine the period locked and the period opened for data entry.

If not, everything is locked.

- **Additional fonctionnalities**

- **Function 1: Assistance Class ZCL\_WDA\_INV\_PROJ**

- **Method FILL\_PLANT\_ATTR, FILL\_GBU\_ATTR, FILL\_REASON\_ATTR, FILL\_FUNDMOD\_ATTR, FILL\_STAGE\_GATE, FILL\_STS\_DATES, FILL\_GENREA\_PER, FILL\_ENV\_ATTR, FILL\_DEFAULT\_VALUES, FILL\_CPX\_EXCL\_ATTR**

Fill dependant attributes of a project to ensure integrity with other master data.

- **GET\_MAPR\_LIST**

This method gives the list of project bundle available for a project. Project Bundle and project have common attributes, this method ensure the alignment between project and bundle.

- **GET\_APPROVER\_LIST**

Fill the approver dropdown thanks to authorization data in DPIPCO15.

- **GET\_APPROV\_LIST**

Fill the approval status dropdown thanks to DPIPCO05 DSO

- **GET\_INVTYP\_LIST**

Fill the Investment type dropdown thanks to authorization data in DPIPCO15

- **CHECK\_AUTH**

Check authorisations in DPIPCO15

- **CHECK\_BUNDLE\_TXT**

Check if Bundle description is already used by another bundle

- **CHECK\_PS\_PROJ\_EXISTS, CHECK\_PS\_PROJ\_INV\_PR**

Verify that the PS project exists in master data C\_INV\_PR

- **CHECK\_PS\_PROJ\_MODIFIED**

Checks if the PS project has been modified

- **CHECK\_SUBAXE**

Checks if GBU and Subaxe attributes are consistent

- **GET\_GBU**

Deduce GBU from BFCA 1 or 2 (useful for upload)

- **GET\_PLANT\_VLSTRM, CHECK\_PLANT\_VLSTRM**

Gets Plants/BFCA 2/Value stream from DSO DPIPCO02

- **GET\_EMPTY\_BUNDLE**

Check if the bundle linked to the projects in input of the method have still other non-deleted project linked. If it is not the case, the bundle is added to the list of the project to delete

- **GET\_BUNDLE\_TXT**

Get bundle description.

- **GET\_CURRENCY**

Gets currency from attribute C\_CPCRCY of C\_PLANT

- **GET\_USER\_TYPE**

This method determines if the user is an administrators of the application (users that have ZC\_RCS\_COL\_C01 or ZC\_RCS\_COL\_C02 PFCG role). These users can change everything on the screen.

- **GET\_INTERM\_APPROV**

This method get the list of intermediate approval saved for a project.

- **GET\_INTERM\_APPROV\_LIST**

This method get the default list of intermediate approval depending on the GBU, Plant, Zone and investment type.

- **GET\_PORTAL\_ADDR**

This method get the portal address from RSPOR\_T\_PORTAL table.

- **GET\_PROJ**

This method get the project attribute in C\_INV\_PR master data from PS project ID or Invesment project ID.

- **GET\_WBS**

This method get the list of WBS element in C\_WBS\_EL2 master data corresponding to a list of project.

- **GET\_WBS\_FROM\_PROJ2**

This method get the list of WBS element in C\_WBS\_EL2 master data corresponding to a list of project definitions.

- **GET\_WBS\_LINKS**

This method get the list of WBS element linked to a project saved in DPIPICO14 DSO.

- **GET\_WBS\_OVS**

This method get the list of WBS element in C\_WBS\_EL2 master data corresponding to a list of project definition, group, family or GBU. This method is used in webdynpro search help when the user makes manual links.

- **IS\_APPROVER**

Check in table DPIPICO15 if user is approver of not depending on the level in input (Intermediaite of final approver).

- **IS\_DATA\_FROZEN**

Check in table DPIPICO07 if data are frozen

- **UPDATE\_LINKED\_PROJECTS**

For attributes that are common to the bundle and all linked projects (C\_FORECAS, C\_CPXAUTO and K\_EXTCPER), this method align the master data. For example if the user change the forecaster on one project, this method will also update the project bundle and every project linked to it.

- **Function 2: Assistance Class ZCL\_WDA\_MD\_TOOLS**

- **GET\_COMP\_ROLE**

Get list of composite role for a user

- **GET\_TXT**

Fill the textview UI element thanks to data in input field. It uses webdynpro context nodes of ID and Texts

- **SAVE\_DATA**

Save data of a context node with cardinality 1..1 in BW master data

- **CHECK\_ATTR**

Check the values for attributes (no creation allowed on attributes)

- **GET\_NEXT\_ID**

Get the next ID in SNRO range. The link between SNRO ranges and infoobject is made in C\_IOBJNM infoobject.

- **GET\_TXT\_FOR\_TABLE / GET\_TXT\_FOR\_STRUC**

Same as GET\_TXT method but only of a table or a structure and not for a context node

- **ENQUEUE\_MD / DEQUEUE\_MD**

Magane locks for master data maintenance

- **SAVE\_TABLE\_DATA**

Same as SAVE\_DATA but for a context node with cardinality 1..n

- **CHECK\_MD**

Check that the ID exists in master data

- **GET\_IOBJ\_REF**

Get reference infoobject

- **GET\_FIELDNM**

Get fieldname from infoobject name

- **GET\_TXTTAB**

Get text table for an infoobject

- **GET\_SIDTAB**

Get SID table for an infoobject

- **GET\_IOBJNM**

Get Infoobject from fieldname

- **GET\_DTELNM**

Get data element from infoobject

- **GET\_TXTFIELD**

Get text field from infoobject

- **GET\_AUTH\_VALUES**

Read RSECADMIN thanks to standard function module RSSB\_GET\_AUTH\_FOR\_USER

- **CREATE\_RANGE\_TABLE**

Create a dynamic range table (useful in others method)

- **GET\_VALUE\_LIST**

Get value list available for an infoobject

- **SAVE\_IT\_DATA**

Same as SAVE\_TABLE\_DATA but for an internal table

- **DELETE\_BI\_DOC, READ\_BI\_DOC, WRITE\_BI\_DOC**

Manage KM Master data documents.

A size limit has been set to avoid having too big files upload. This file limit is stored in TVARVC parameter Z\_MAX\_FILE\_SIZE and is read in method WRITE\_BI\_DOC.

- **GET\_ATTRLIST**

Get list of attributes for an infoobject

- **GET\_DATE\_FORMAT**

Get date format for current user (useful in upload)

- **CHECK\_ATTR\_EXISTS**

Check that an attribute exists in an infoobject

- **GET\_ATTRTAB**

Get table of attributes

- **READ\_CUBE**

Read data in a cube

- **EXEC\_PLSEQ**

Execute an IP planning sequence

- **ENQUEUE\_IP/ DEQUEUE\_IP**

Manages IP locks

- **ENQUEUE\_MD/ DEQUEUE\_MD**

Manages MD locks

- **GET\_COMPLIST**

Get compounds attributes for an infoobject

- **RESET\_IPROV\_CACHE**

Reset cache for an infoprovider

- **UPDATE\_DSO/ DELETE\_DSO**

Update Direct input DSO

- **CONVERT\_FIELD**

Convert input field in internal format (useful in upload)

- **CONVERT\_AMOUNT\_CURR**

Convert amount with currency taking into account special decimals customizing in TCURX

- **CONVERT\_AMOUNT**

Convert amount in entry with special factor. For example when user uploads amounts in KEUR

- **UPDATE\_MD**

Update master data only for infoobjects without attributes.

- **GET\_TXTTAB\_CONTENT**

Get content of text table

- **GET\_KEY\_LENGTH**

Get length of master data key (infoobject + compounds)

- **GET\_USER\_EMAIL**

Reads USR21 and ADR6 tables to get email for a user

- **SEARCH\_LDAP**

Get LDAP server parameters in ZIP\_LDAP\_PARAM table and then uses ZWCA\_CL\_LDAP class to search emails in LDAP server

- **GET\_USER\_EMAIL\_FROM\_LDAP**

Get email in LDAP from username. This assumes that SAP username and LDAP username are the same.

- **IS\_AUTH\_RELEVANT**

Checks if infoobject is authorization relevant

- **READ\_IP\_LOCKS**

Checks if a cube is locked for an infoobject value.

- **Function 2: Class ZWCA\_CL\_LDAP**

This class provides the methods to search in LDAP server

- **CONSTRUCTOR**

Creates an instance with LDAP connexion parameters

- **CONNECT**

Connect to LDAP server with given parameters

- **READ\_ATTR**

Makes LDAP search and retrieve asked attributes for each entry corresponding to the filter in parameter.

- **READ\_USER**

Makes LDAP search with a filter on user name only.

- **DISCONNECT**

Disconnect from LDAP server

- **Main axis**

- **Organisational axis**

The two main organizational axes used in COLMAR application are Plant and GBU.

- **Plant axis :**

Master data for Plant axis is C\_PLANT (Compound with Source System – Log Sys.).

From Plant axis, the following organizational axis could be determined:

- Zone: C\_ZONE
- Country: 0COUNTRY.
- Company Code: C\_COMPCDE
- Site: C\_SITE.

All these axes are inherited from C\_PLANT master data as they are defined as Plant attributes.

The currency used for data entry is the Company currency which is also an attribute of the master data C\_PLANT : C\_CPCRCY.

- **GBU Axis :**

Master data for GBU axis is C\_BFCA\_4 (Compound with Source System – Log Sys.).

In order to not used the profit center hierarchy in order to read retrieve GBU information and related one, it was decided to derived new objects from the Profit Center Hierarchy:

- Activity 2 – CGU – C\_BFCA\_2 - File loading managed by COLMAR Lot 1 team.
- GBU – C\_BFCA\_4 - File loading managed by COLMAR Lot 1 team.
- Operating Segment - C\_OPSEGMT - File loading managed by COLMAR Lot 1 team.

From GBU axis selection, the following field are determined:

- Activity 2 – CGU – C\_BFCA\_2.
- Operating Segment - C\_OPSGMT.

- **Others organizational axes:**

Note that the following elements are also maintained in COLMAR application.

- Activity 1 – Magnitude Market – C\_BFCA\_1 – File loading managed by COLMAR Lot 1 team.
- Value Stream – C\_CVLSTR - which is maintained manually by the user using Master Data maintenance.
- Sub Axis 1 & Sub Axis 2 – C\_SUBAXE1 & C\_SUBAXE2 - which are also maintained manually by the COLMAR users using Master Data Maintenance.

A table is also maintained using the Master Data Maintenance in order to link the Activity 2 (CGU) to the value stream and the plant also : DPIP002.

This means that Plant selection is determined from the GBU selection also using Activity 2 link.

See below an example of filtering data in the interface:

[https://drive.google.com/file/d/14EaQOmLrXa\\_uC1kv921-bQ0MVPzQ1IBfyJt-j1rnMY0/view](https://drive.google.com/file/d/14EaQOmLrXa_uC1kv921-bQ0MVPzQ1IBfyJt-j1rnMY0/view)

- **Time axis**

The main time axis for COLMAR application is the quarter.

Quarter is available (displayed or for data entry) from Y-1 to Y+1 for Authorized amounts and Forecasts amounts.

From Y+2 to Y+6 and after, data are entered at year level.

For actual data, the time axis is the month. These data are aggregated by quarter.

- **Other axis**

Others main axes are the following:

- **For Authorized amounts:**

- C\_INV\_PR: Investment Project.
- C\_VERSN: Version.

- **For Forecasts amounts:**

- C\_MA\_PR : Project Bundle.
- C\_VERSN : Version.

- **For Actual data :**

- WBS Element and its attributes: C\_WBS\_EL2.
- Purchase order number: C\_REFBN.
- Cost Element Type: 0CSTELMNTYP.
- Supplier: C\_VENDOR2.
- Project definition : C\_PROJ\_2

On the WBS Element C\_WBS\_EL2, some attributes of Investment Project are shared in order to allow comparison between Forecast, Authorized Amounts and Actual data :

- C\_INV\_PR – Investment Project.
- C\_MA\_PR – Project Bundle.
- C\_FUND\_MOD – Funding Mode.
- C\_FORECUR – Currency for Forecasts.
- C\_PROJ\_TP – Project Type.
- C\_INV\_TYP – Investment Type.

- C\_FAMINPR – Family of Investment Project.
- C\_OPSEGMT – Operating Segment.
- C\_BFCA\_4 – GBU.
- C\_BFCA\_3 – Activity Group.
- C\_BFCA\_2 – Activity 2.
- C\_ZONE – Zone.
- C\_COUNTRY – Country.
- C\_SITE – Site.
- C\_GEN\_REA – General Reason.

- **COLMAR Info Object Catalog:**

[https://drive.google.com/file/d/1r4Wq4HD6KalHLuLGJjeK2YN1\\_S-Fx9AYA8AzSVBoZoo/view](https://drive.google.com/file/d/1r4Wq4HD6KalHLuLGJjeK2YN1_S-Fx9AYA8AzSVBoZoo/view)

- **COLMAR – Capital Investment Fields:**

[https://drive.google.com/file/d/1PooY0js9ij\\_iUilx1PJPE0Cf2tJwp4vt72VvneCpcFs/view](https://drive.google.com/file/d/1PooY0js9ij_iUilx1PJPE0Cf2tJwp4vt72VvneCpcFs/view)

- **Reporting :**

[https://docs.google.com/a/solvay.com/spreadsheets/ccc?key=0Ao0M56XnKcIndExITidrVldCMDN6ck1ta3lZeXgyeWc&usp=drive\\_web#gid=2](https://docs.google.com/a/solvay.com/spreadsheets/ccc?key=0Ao0M56XnKcIndExITidrVldCMDN6ck1ta3lZeXgyeWc&usp=drive_web#gid=2)

- **Access Policy and Authorizations**

- **Data restriction**

- **Authorization management:**

Please refer to the following documentation:

[https://drive.google.com/file/d/1Y6x9AucNxd2wPlgG7v90fy0Z1t9bHaPT8d\\_tW7cNVW8/view](https://drive.google.com/file/d/1Y6x9AucNxd2wPlgG7v90fy0Z1t9bHaPT8d_tW7cNVW8/view)

- **Data retention**

- **Data availability**

Refer to the Quick Sizer documentation:

<https://drive.google.com/file/d/1CBHDVL9HGyu44Qjnk65Xdmfif8OZuFzef9sLAZsf278/view>

- **Initialization procedure**

To initialize the COLMAR application, please refer to the following documentation: **Colmar Application Administrator Guide** .

- **Data Model**

- **Data Model Description**

- **InfoCube, Multiprovider, Agregation levels**

Refer to Data Model documentation:

[https://drive.google.com/file/d/1ve4nkCB\\_55syveONm7s\\_7UMHKztBNsyuRXDv6oQ69kc/view](https://drive.google.com/file/d/1ve4nkCB_55syveONm7s_7UMHKztBNsyuRXDv6oQ69kc/view)

- **Estimated data volumes**

Refer to the Quick Sizer documentation:

<https://drive.google.com/file/d/1CBHDVL9HGyu44Ojnk65Xdmlfi8OZuFzef9sLAZsf278/view>