

# CNV-3024 Vendor Hierarchy (not used)

Status	Approved
Owner	CELEDONIO-ext, Arnold
Stakeholders	

## Purpose

The purpose of this document is to define the conversion approach to create Vendor Hierarchy in S/4 HANA.

## Conversion Scope

The scope of this document covers the approach for converting active Vendor Hierarchy from Legacy Source Systems into S/4HANA following the Vendor Hierarchy Master Data Design Standard.

The data from legacy system includes:

1. Vendor classes used by active vendors with activities for the past 24 months according to Relevancy Criteria for Vendor in [CNV-3007 Business Partners - General \(Role 000000\)](#).

The data from legacy system excludes:

1. Vendors blocked or marked for deletion.
2. Vendors with extended only to purchasing organization not in scope
3. Inter-company Vendors
4. Duplicate vendors

List of source systems and approximate number of records

Source	Scope	Source Approx No. of Records	Target System	Target Approx No. of Records
WP2, PF2	Only active Vendors that are in-scope Extract from LFA1	40,000	S/4 Hana	<40,000
DCT	Data will be provided by business via excel upload to DCT	40,000	S/4 Hana	<40,000

## Additional Information

### Multi-language Requirement

### Document Management

### Legal Requirement

### Special Requirements

## Target Design

The technical design of the target for this conversion approach based on MDS , tab: Supplier Hierarchy Defn.

Table	Field	Data Element	Field Description	Data Type	Length	Requirement
BUT050	PARTNER1	BU_PARTNER	Business partner 1	CHAR	10	R
BUT050	RELNR	BU_RELNR	Business Partner Relationship Number	CHAR	12	R
BUT050	PARTNER2	BU_PARTNER	Business partner 2	CHAR	10	R
BUT050	DATE_FROM	DATS	Validity Date (Valid From)	DATS	10	R
BUT050	DATE_TO	DATS	Validity Date (Valid To)	DATS	10	R
BUT050	RELTYP	BU_RELTYP	Business Partner Relationship Category	CHAR	6	R

## Data Cleansing

No data cleansing is required for Vendor Hierarchy in the legacy system. If any cleansing is deemed necessary, it will be performed outside of the system.


As a result, the cleansed Vendor Hierarchy data will be populated directly in the Data Collection Template (DCT).

## Conversion Process

The high-level process is represented by the diagram below:

Collection will be done manually in the Data Collection Template for the following scenarios:

- For sites not on SAP-PF2 or WP2 systems
- For new vendors that need to be created to support the to-be design



## Data Privacy and Sensitivity

N/A

## Extraction

Extract data from a source into Syniti.

1. The data does not exist (or cannot be converted from its current state). The data is manually collected by the business directly in Syniti. This is to be conducted using DCT (Data Collection Template) in Syniti.

The agreed Relevancy criteria is applied to the extracted records to identify the records that are applicable for the Target loads

## Extraction Run Sheet

Req #	Requirement Description	Team Responsible
1	Extract data from source system based on relevancy rule	SyWay Data Team
2	Google Sheet report pre-populated with PF2 and WP2 information to be generated based on relevancy criteria.	SyWay Data Team
3	Business to create the vendor hierarchy using the extract from previous step.	S2P Business / Data Owner

## Selection Screen

Selection Ref Screen	Parameter Name	Selection Type	Requirement	Value to be entered/set
N/A				

## Data Collection Template (DCT)

Target Ready Data Collection Template will be created for Vendor Hierarchy data with exception of some fields which require transformation as mentioned in the transformation rule.

### DCT Rules

Field Name	Field Description	Rule
PARTNER1	Business partner 1	LIFNR should be in BUT000
RELNR	Business Partner Relationship Number	Internal
PARTNER2	Business partner 2	LIFNR should be in BUT000
DATE_FROM	Validity Date (Valid From)	2 years prior to cut-over or Loading date (YYYYMMDD)
DATE_TO	Validity Date (Valid To)	Default to 99991231
RELTYP	Business Partner Relationship Category	Default to BUR998 (Is Partner of)

## Extraction Dependencies

Item #	Step Description	Team Responsible
1	3007 Business Partners - General (Vendor Master)	S2P

## Transformation

The Target fields are mapped to the applicable Legacy field that will be its source, this is a 3-way activity involving the Business, Functional team and Data team. This identifies the transformation activity required to allow Syniti to make the data Target ready:

1. Perform value mapping and data transformation rules.
  - a. Legacy values are mapped to the to-be values (this could include a default value)
  - b. Values are transformed according to the rules defined in Syniti.
2. Prepare target-ready data in the structure and format that is required for loading via prescribed Load Tool. This step also produces the load data ready for business to perform Pre-load Data Validation

## Transformation Run Sheet

Item #	Step Description	Team Responsible
1	Obtain DCT Sign-off from Business	SyWay S2P Data Team

2	<Add steps from Syniti here> 1. Load the DCT data via Construct page. 2. Run the ETL for the object.	SyWay S2P Data Team
3	Review and Validate Error and Preload Reports	SyWay S2P Data Team
4	Generate Load Files	SyWay S2P Data Team

## Transformation Rules

Rule #	Source system	Source Table	Source Field	Source Description	Target System	Target Table	Target Field	Target Description	Transformation Logic
1	DCT		PARTNER1	Business partner 1	S/4 Hana	BUT050	PARTNER1	Business partner 1	Cross Reference
2	DCT		RELNR	Business Partner Relationship Number	S/4 Hana	BUT050	RELNR	Business Partner Relationship Number	Internal
3	DCT		PARTNER2	Business partner 2	S/4 Hana	BUT050	PARTNER2	Business partner 2	Cross Reference
4	DCT		DATE_FROM	Validity Date (Valid From)	S/4 Hana	BUT050	DATE_FROM	Validity Date (Valid From)	Direct Mapping
5	DCT		DATE_TO	Validity Date (Valid To)	S/4 Hana	BUT050	DATE_TO	Validity Date (Valid To)	Direct Mapping
6	DCT		RELTYP	Business Partner Relationship Category	S/4 Hana	BUT050	RELTYP	Business Partner Relationship Category	Direct Mapping

## Transformation Mapping

Mapping Table Name	Mapping Table Description
xtPARTNER	BP Cross Reference

## Transformation Dependencies

List the steps that need to occur before transformation can commence

Item #	Step Description	Team Responsible
1	Ensure DCT tables completeness	SyWay S2P Data Team

## Pre-Load Validation

### Project Team

### Completeness

Task	Action
Verify Record Count	SyWay S2P Data Team to verify that the total number of relevant records from the DCT is equal to the total number of records in the Preload and Load Sheets.

--	--

## Accuracy

Task	Action
Conversion Accuracy	SyWay S2P Data Team to verify that all fields below meet pass the checks: <ol style="list-style-type: none"> <li>1. Mandatory Fields</li> <li>2. Field and Value Mapping Correctness</li> <li>3. Null Checks</li> <li>4. Text Length Checks</li> </ol>
Review Error Reports	Review and correct the errors. Achieve a zero-error record count as much as possible. Raise defects for data remediated and requiring a correction in the source data.

## Business

### Completeness

Task	Action
Verify Record Count	Business Data Owner/s to verify that the total number of relevant records from the the DCT is equal to the total number of records in the Preload and Load Sheets.

### Accuracy

Task	Action
Conversion Accuracy	Business Data Owner/s to verify that all the data in the load table/file is accurate as per endorsed transformation/mapping rules (and signed-off DCT data).

## Load

The load process includes:

1. Execute the automated data load into target system using load tool or product the load file if the load must be done manually
2. Once the data is loaded to the target system, it will be extracted and prepared for Post Load Data Validation


### Load Run Sheet

Item #	Step Description	Team Responsible
1	Go to <Load Tool> (calling the function module <a href="#">BAPI_BUPR_RELATIONSHIP_CREATE</a> )	SyWay S2P Data Team
2	Load 3 records for "Create Vendor Relationship" function to validate if data is loaded successfully without errors	SyWay S2P Data Team
3	Validate few records loaded by accessing standard transactions from S/4HANA E.g. BP > Relationships	SyWay S2P Data Team

4	Generate post load report if step 3 is validated	SyWay S2P Data Team
---	--	---------------------

## Load Phase and Dependencies

### Configuration

Item #	Configuration Item (Standard)
1	TBZ9 - BP relationship categories (Confirm if activated for Vendor) <div style="border: 1px solid orange; padding: 5px; margin-top: 10px;">  PDM-624 - Jira project doesn't exist or you don't have permission to view it.           </div>

### Conversion Objects

Object #	Preceding Object Conversion Approach
1	3007 - BP General Vendor Master

### Error Handling

Error Type	Error Description	Action Taken
Configuration	Invalid relationship category Type	Engage Functional team to expedite and fix the error in the system

## Post-Load Validation

### Project Team

### Completeness

Task	Action
Verify Count	SyWay S2P Data Team to verify the record count created in target S/4 HANA by accessing post load reports in Syniti or standard reports from S/4 HANA.
Verify Logs	Check if there is data that failed to load and perform the necessary actions (e.g. register as post load issue or attempt to load the record again, etc.).

### Accuracy

Task	Action
Conversion Accuracy	Verify that the Characteristics data in target S/4 HANA were loaded correctly via Syniti post load reports or standard reports from S/4 HANA.

## Business

### Completeness

Task	Action
Verify Count	Download Post Load Reports from Syniti and verify that the record count loaded in the target S/4 HANA is the same count as of the endorsed load file.

### Accuracy

Task	Action
Conversion Accuracy	Verify that the Vendor Characteristics data in target S/4 HANA were loaded correctly via Syniti post load reports or standard reports from S/4 HANA

## Key Assumptions

- Master Data Standard is up to date as on the date of documenting this conversion approach and data load.
- is in scope based on data design and any exception requested by business.

## See also






## Change log

Version	Published	Changed By	Comment
<b>CURRENT (v. 10)</b>	<b>Mar 10, 2026 10:16</b>	<b>CELEDONIO-ext, Arnold</b>	Obsolete
v. 9	Oct 06, 2025 14:29	CELEDONIO-ext, Arnold	Update Transformation Run Sheet
v. 8	Sept 23, 2025 16:40	CELEDONIO-ext, Arnold	
v. 7	Sept 22, 2025 15:43	CELEDONIO-ext, Arnold	
v. 6	Sept 22, 2025 13:12	CELEDONIO-ext, Arnold	
v. 5	Sept 22, 2025 12:45	CELEDONIO-ext, Arnold	
v. 4	Sept 22, 2025 09:38	CELEDONIO-ext, Arnold	
v. 3	Sept 22, 2025 09:20	CELEDONIO-ext, Arnold	Updated Target/Mapping and Load Run Sheet

v. 2	Sept 09, 2025 16:24	<b>CELEDONIO-ext, Arnold</b>	Added Transformation rules and Preload/Postload approach
v. 1	Jul 22, 2025 10:41	<b>CHAN-ext, Beng Chee</b>	

## Workflow history

This view shows the 5 most recent entries. The complete workflow log is available from the 'Document Activity' menu item.

Mar 10, 2026	Actor	Type	Activity	Version
Approved	 CELEDONIO-ext, Arnold	Edit	updated the page at 10:16 am <i>Obsolete</i>	
<b>Oct 10, 2025</b>				
	 WILLIAMS-ext, Julie	State	changed state to <b>Approved</b> at 1:32 pm	v9
Lead Approval	 WILLIAMS-ext, Julie	State	gave <i>POD Lead Review</i> approval at 1:32 pm	
	 JAIN-ext, Gaurav	State	changed expiry date to '17 Oct, 2025 12:50 pm' at 12:50 pm	
		State	changed state to <b>Lead Approval</b> at 12:50 pm	v9
Tech Review	 JAIN-ext, Gaurav	State	gave <i>Tech Review</i> approval at 12:50 pm <i>Approved after Functional Lead review</i>	
		State	changed expiry date to '15 Oct, 2025 12:49 pm' at 12:49 pm	
		State	changed state to <b>Tech Review</b> at 12:49 pm	v9