

# CNV-1042 TM-Transportation Lanes

<b>Status</b>	Approved
<b>Owner</b>	TEE-ext, Paul
<b>Stakeholders</b>	

## Purpose

The purpose of this document is to define the conversion approach to create Notification in S/4 HANA.

Legacy Plant Maintenance Notification is using a diverse range of formats across the different systems. There are instances where the same Notification is duplicated within and across sources, with informal words. This results in data inconsistency. As per SyWay design, EAM Notification will be standardized.

## Conversion Scope

The scope of this document covers the approach for converting active Notification from Legacy Source Systems into S/4HANA.

In standard SAP functionality whenever an asset or its component is identified as having suffered a fault or malfunction, a *maintenance notification* is created to report the event and to request maintenance. The appropriate technical object (i.e. functional location or equipment) that represents the asset is referenced on that notification along with the suspected symptom and other information (e.g. priority, short / long description, date, reported by, breakdown indicator, etc.)

In general terms, a notification can be utilised in the following situations:

- Corrective Maintenance work identification - non-breakdown maintenance requests, in-service breakdowns, extra malfunctions uncovered during routine maintenance
- Activity reports during routine maintenance and inspections
- Work order execution and completion - recording of technical data such as failure/cause codes)
- Condition-based / predictive maintenance - creation of notifications when asset reaches an exceptional technical condition (e.g. measurements exceed or fall below a certain tolerance)

Besides capturing maintenance requests and providing a means to track outstanding faults/defects and their current rectification, notifications are also used to capture malfunction and failure data which is crucial for long-term asset reliability analysis.

The data from legacy system includes:

### Cleansing relevancy:

1. Open Notifications older than 6 months (based on Creation Date) with no Work Order assigned

### APM specific relevancy:

1. Open Notifications - Outstanding; In Process (Historical for Selected Equipment Type)
2. Historical Data for Completed/Closed Notifications for Active Functional Locations and Equipment with Item Codes for the past 3 years, limited to specific technical object types (list to be confirmed).

The data from legacy system excludes:

1. Open Notifications older than 3 months (based on Creation Date) with no Work Order assigned

List of source systems and approximate number of records

Source	Scope	Source Approx No. of Records	Target System	Target Approx No. of Records
PF2, WP2	An initial extract will be provided to business to evaluate.  Additional data/records may be required and these will be constructed via DCT.  Enrichment of in-scope data may be required and will be added via transformation rules (business/technical).	110,000	S/4HANA	110,000

## Additional Information

### Multi-language Requirement

Notification does not have multi language support. Notification text will be migrated using EN logon.

### Document Management

Long text and DIR are not covered in this document as they are defined as another data object.

### Legal Requirement

Not Applicable

### Special Requirements

Not Applicable

## Target Design

EAM Notification Data strictly adheres to the Master Data Standard. The complete information of the key fields that hold the Class information follows the Master Data Standard document that is located here [<include hyperlink>](#).

The technical design of the target for this conversion approach.

Table	Field	Data Element	Field Description	Data Type	Length	Requirement
QMEL	QMNUM		Notification Number	CHAR	12	System generated
QMEL	QMART		Notification Type	CHAR	2	
QMFE	ILART		Maintenance Activity Type	CHAR	3	
QMEL	SHN_EQUIPMENT		Equipment Number	CHAR	18	
QMEL	SHN_FUNCT_LOC		Functional Location	CHAR	30	
QMIH	BAUTL		Assembly	CHAR	40	
QMEL	SERIALNR		Serial Number	CHAR	18	
QMEL	MATNR		Material Number	CHAR	40	
QMEL	QMTXT		Short Text	CHAR	40	
STXH	LONG_TEXT		Long Text for Header	Text	unrestricted	
QMEL	PRIOK		Priority	CHAR	1	
QMEL	STRMN		Required Start Date	Date		
QMEL	STRUR		Required Start Time	Time		
QMEL	LTRMN		Required End Date	Date		
QMEL	LTRUR		Required End Time	Time		
QMEL	LACD_DATE		Final Due Date	Date		
QMEL	QMGRP		Code Group - Coding	CHAR	8	
QMEL	QMCOD		Coding	CHAR	4	
QMIH	AUSWK		Effect on Operation	Text	1	
QMEL	DETECTIONCODEGROUP		Detection Method Group	CHAR	8	
QMEL	DETECTIONCODE		Detection Method	CHAR	4	
QMEL	ARBPLWERK		Plant Associated with Main Work Center	CHAR	4	
QMEL	ARBPL		Work Center for Maintenance	NUMC	8	
QMIH	IWERK		Maintenance Planning Plant	CHAR	4	

QMIH	INGRP		Planner Group	CHAR	3	
QMIH	MSAUS		Breakdown Indicator	CHAR	1	
QMIH	AUSVN		Start of Malfunction (Date)	Date		
QMIH	AUZTV		Start of Malfunction (Time)	Time		
QMEL	QMNAM		Name of Person Reporting Notification	CHAR	12	
QMIH	AUSBS		End of Malfunction (Date)	Date		
QMIH	AUZTB		End of Malfunction (Time)	Time		
QMFE	WERKS		Maintenance Plant	CHAR	4	
QMIH	LOC_DESC		Asset Location	CHAR	50	

## Data Cleansing

ID	Criticality	Error Message/Report Description	Rule	Output	Source System
9004-001	C1	Invalid or Inactive Equipment or Functional Location linked to Notification	Notification as per Relevancy Criteria assigned with an Equipment / Functional which does not belong below: 1. Equipment as per Relevancy Criteria 2. Functional Location as per Relevancy Criteria	Equipment, Functional Location	PF2, WP1
9004-002	C1	Invalid or Inactive Business Partner (Customer) linked to Notification	Notification as per Relevancy Criteria assigned with a Business Partner (Customer) does not belong below: 1. Business Partner FLCU01 (SD) as per Relevancy Criteria	Business Partner (Customer)	PF2, WP1
9004-003	C1	Invalid or Inactive Catalog Code Groups & Code linked to Notification	Notification as per Relevancy Criteria assigned with a Catalog Code Groups & Code does not belong below: 1. Catalog Code Groups & Code as per Relevancy Criteria	Catalog Code Groups & Code	PF2, WP1
9004-004	C1	Invalid or Inactive Characteristics linked to Notification	Notification as per Relevancy Criteria assigned with a Characteristic does not belong below: 1. Characteristics as per Relevancy Criteria	Characteristic	PF2, WP1
9004-005	C1	Invalid or Inactive Class linked to Notification	Notification as per Relevancy Criteria assigned with a Class does not belong below: 1. Class as per Relevancy Criteria	Class	PF2, WP1
9004-006	C1	Invalid or Inactive Document Info Record linked to Notification	Notification as per Relevancy Criteria assigned with a Document Info Record does not belong below: 1. Document Info Record as per Relevancy Criteria	Document Info Record	PF2, WP1
9004-007	C1	Invalid or Inactive Maintenance Item linked to Notification	Notification as per Relevancy Criteria assigned with a Maintenance Plan and Item does not belong below: 1. Maintenance Plan and Item as per Relevancy Criteria	Maintenance Item	PF2, WP1
9004-008	C1	Invalid or Inactive Revision linked to Notification	Notification as per Relevancy Criteria assigned with a Revision does not belong below: 1. Revision as per Relevancy Criteria	Revision	PF2, WP1
9004-009	C1	Invalid or Inactive Work Centre linked to Notification	Notification as per Relevancy Criteria assigned with a Work Centre does not belong below: 1. Work Centre as per Relevancy Criteria	Work Centre	PF2, WP1
9004-010	C2	Open Notifications older than 6 months with No Work Order Assigned	Open Notifications older than 6 months with No Work Order Assigned* Status ORAS = Work Order Assigned	Notification Creation Date	PF2, WP1
9004-011	C1	Notification Company Code incorrect	Notifications per Relevancy Criteria with Invalid Company Code (T001)	Company Code, Company Code	PF2, WP1
9004-012	C1	Invalid or no Planner Group linked to Notification	Notification as per Relevancy Criteria with no Planner Group Assigned or Invalid Planner Group (T024I)	Planner Group	PF2, WP1
9004-013	C1	Notification Location incorrect.	Notification as per Relevancy Criteria with Invalid Location (T499S)	Location	PF2, WP1
9004-014	C2	Notification Planning Plant and Maintenance Plant are not the same.	Notification as per Relevancy Criteria with Planning Plant <> Maintenance Plant	Maintenance Plant, Planning Plant	PF2, WP1


### Informal Words \*\*

Group 1	Group 2	Group 3	Group 4	Group 5
*DNU	Delete	donot	Formerly	Old #

..	Deletion	DONT USE	From	Old[ ]
/	DELISTED	DON'T USE	Incorrect	PLEASE USE
?	Discontinued	Dup Use	Invalid	Pls Use
@	Disposable	DUPLICATE	New	Previously
^	DNU	-DUPLICATE	NOT ACTIVE	Replace
+	Do Not	DUPLICATION	not in use	Replaced
++	Do Not Re	Duplicidad	Not Used	RESERVED
£	Do Not Sell	Duplikat	NOT VALID	Retired
Defective	Do Not Use	Former	Obsolete	ZZDEL

## Conversion Process

The high-level process is represented by the diagram below:



## Data Privacy and Sensitivity

## Extraction

Extract data from a source into . There are 2 possibilities:

1. The data exists. connects to the source and loads the data into . There are 3 methods:
  - a. Perform full data extraction from relevant tables in the source system(s).
  - b. Perform extraction through the application layer.
  - c. Only if cannot connect to the source, data is loaded to the repository from the provided source system extract/report.
2. The data does not exist (or cannot be converted from its current state). The data is manually collected by the business directly in . This is to be conducted using DCT (Data Collection Template) in

The agreed Relevancy criteria is applied to the extracted records to identify the records that are applicable for the Target loads

## Extraction Run Sheet

Req #	Requirement Description	Team Responsible
1	Extract data from source system based on relevancy rule	SyWay Data Team

## Selection Screen

Selection Ref Screen	Parameter Name	Selection Type	Requirement	Value to be entered/set
Not Applicable				

## Data Collection Template (DCT)

DCT will not be necessary for Notification.

## Extraction Dependencies

Item #	Step Description	Team Responsible
1	Ensure that create, change and deletion of master data is freeze in legacy Production system	Legacy IT
2	Relevancy Criteria for Catalog Profile	SyWay A2D Data Team
3	Relevancy Criteria for Catalog Code Groups & Codes	SyWay A2D Data Team
4	Relevancy Criteria for Characteristics	SyWay A2D Data Team
5	Relevancy Criteria for Class	SyWay A2D Data Team
6	Relevancy Criteria for Construction Type	SyWay A2D Data Team
7	Relevancy Criteria for Document Info Record	SyWay A2D Data Team
8	Relevancy Criteria for Equipment	SyWay A2D Data Team
9	Relevancy Criteria for Functional Location	SyWay A2D Data Team
10	Relevancy Criteria for Maintenance Plan and Item	SyWay A2D Data Team
11	Relevancy Criteria for Revision	SyWay A2D Data Team
12	Relevancy Criteria for Task List	SyWay A2D Data Team
13	Relevancy Criteria for Work Centre	SyWay A2D Data Team
14	Relevancy Criteria for Cost Centre	SyWay A2D Data Team
15	Relevancy Criteria for Employee Master	SyWay A2D Data Team
16	Relevancy Criteria for Work Breakdown Structure	SyWay A2D Data Team
17	Relevancy Criteria for Material Master	SyWay A2D Data Team
18	Relevancy Criteria for Business Partner (Customer)	SyWay A2D Data Team

## Transformation

The Target fields are mapped to the applicable Legacy field that will be its source, this is a 3-way activity involving the Business, Functional team and Data team. This identifies the transformation activity required to allow Syniti Migrate to make the data Target ready:

1. Perform value mapping and data transformation rules.
  - a. Legacy values are mapped to the to-be values (this could include a default value)
  - b. Values are transformed according to the rules defined in Syniti Migrate
2. Prepare target-ready data in the structure and format that is required for loading via prescribed Load Tool. This step also produces the load data ready for business to perform Pre-load Data Validation

## Transformation Run Sheet

Item #	Step Description	Team Responsible
1	Ensure all mapping tables are up to date.	Syniti
2	In dspMigrate, select the wave –R3 S4/HANA – Plant Maintenance	Syniti
3	Go to Process Area Launch and Process the Object – Work Order	Syniti
4	Review and Validate Error and Preload Reports	Syniti
5	Execute the transformation to prepare the target tables	Syniti
6	Validate data from pre-load and invalid reports by region	Business/Data owner

7	Generate export(load) file (If load tool is not dspIntergrate)	SyWay A2D Data Team
---	--	---------------------

## Transformation Rules

Rule #	Source system	Source Table	Source Field	Source Description	Target System	Target Table	Target Field	Target Description	Transformation Logic
1	PF2, WP2	QMEL	QMNUM	Notification Number	S/4 HANA	QMEL	QMNUM	Notification Number	Notification will be created based on internal number. The load file will be blank but after loading, this number is retrieved for XREF generation.
2	PF2, WP2	QMEL	AUFNR	Order Number	S/4 HANA	QMEL	AUFNR	Order Number	Based on the design for load program, Notification creation is separate from the Work Order. To be updated.  Blank for Standalone Notification
3	PF2, WP2	QMEL	QMART	Notification Type	S/4 HANA	QMEL	QMART	Notification Type	If Notification is assigned to Work Order: Order PM01: Notification Type M1 if Breakdown Indicator is blank, Notification Type M2 if Breakdown Indicator is assigned Order PM02: M3 If Notification is not assigned to Work Order: Notification Type M1 if Breakdown Indicator is blank Notification Type M2 if Breakdown Indicator is assigned Only if notification does not exist for PM01 Work Order, default to: M1
4	PF2, WP2	QMEL	QMTXT	Short Text	S/4 HANA	QMEL	QMTXT	Short Text	Direct Mapping. Only if notification does not exist for PM01 Work Order, default to: Work Order Description
5	PF2, WP2	QMEL	EQUNR	Equipment Number	S/4 HANA	QMEL	EQUNR	Equipment Number	If not blank, Transform based on mapping table for Equipment / Functional Location Error if cannot be mapped. If blank, and if linked to Work Order, then use Work Order value.
6	PF2, WP2	QMEL	TPLNR	Functional Location Label	S/4 HANA	IFLO	-TPLNR	Functional Location Label	If not blank, Transform based on mapping table for Equipment / Functional Location Error if cannot be mapped. If blank OR INVALID / ERROR / CANNOT BE MAPPED,, and if linked to Work Order, then use Work Order value.  Transform to blank if Equipment is not blank  (Rationale – the FL will be defaulted from EQ during loading)
7	PF2, WP2	QMIH	INGRP	Planner Group	S/4 HANA	VIQM	L- INGRP	Planner Group	Transform based on mapping table Planner Group. Error if cannot be mapped. If blank OR INVALID / ERROR / CANNOT BE MAPPED,, and if linked to Work Order, then use Work Order value. For Turnaround Work Order, Planner Group to be assigned to "TA1" in Work Order and Assigned Notification
8	PF2, WP2	QMFE	IWERK	Maintenance Planning Plant	S/4 HANA	VIQM	L- WERK	Maintenance Planning Plant	Follow Planning Plant from reference technical object.
9	PF2, WP2	QMFE	ARBPL	Object ID for Work Centre	S/4 HANA			Object ID for Work Centre	This field is derived based on the ARBPL Object ID for the Work Centre. Perform the steps: Transform based on mapping table for Work Centre. Only map Main Work Centre. If blank or cannot be mapped, and if linked to Work Order, then use Work Order value. If not linked to Work Order, then derive the Main Work Centre from the first 4 character of the mapped work center. If error, then default to technical object Work Centre. Error if cannot be mapped.
10	PF2, WP2	CRHD	ARBPL	Work Centre	S/4 HANA	CRHD	ARBPL	Work Centre	Result of the Work Centre name based on S/4 HANA mapped value of ARBPL
11	PF2, WP2	CRHD	WERKS	Work Centre plant	S/4 HANA	CRHD	WERKS	Work Centre plant	Result of the Work Centre Plant based on S/4 HANA mapped value of ARBPL
12	PF2, WP2	QMEL	QMDAT	Notification Date	S/4 HANA	QMEL	QMDAT	Notification Date	Direct Mapping. Only if notification does not exist for PM01 Work Order, default to: Work Order Basic Start Date
13	PF2, WP2	QMEL	MZEIT	Notification Time	S/4 HANA	QMEL	MZEIT	Notification Time	Direct Mapping. Only if notification does not exist for PM01 Work Order, default to:00:00:00
14	PF2, WP2	QMEL	ERNAM	Reported By	S/4 HANA	QMEL	ERNAM	Reported By	Direct Mapping. Only if notification does not exist for PM01 Work Order, default to: Migration User ID (Name)

15	PF2, WP2	QMEL	STRMN	Required Start Date	S/4 HANA	QMEL	STRMN	Required Start Date	Direct Mapping. If blank, and if linked to Work Order, then use Work Order value for both start and end date If End Date is earlier than Start Date, then default both Start and End Date from Work Order. If Start Date is before 2 years prior to go live date, then default both Start and End Date from Work Order.
16	PF2, WP2	QMEL	LTRMN	Required End Date	S/4 HANA	QMEL	LTRMN	Required End Date	Direct Mapping. If blank, and if linked to Work Order, then use Work Order value for both start and end date If End Date is earlier than Start Date, then default both Start and End Date from Work Order-> If End Date is before 2 years prior to go live date, then default both Start and End Date from Work Order. If Blank and not linked to Work Order, copy Start Date into End Date. Validation: End Date cannot be earlier than start date
17	PF2, WP2	QMEL	PRIOK	Priority	S/4 HANA	QMEL	PRIOK	Priority	Transform based on mapping table Priority. Error if cannot be mapped. Only if notification does not exist for PM01 Work Order, default to: Low
18	PF2, WP2	QMEL	QMGRP	Code Group	S/4 HANA	QMEL	QMGRP	Code Group	For Notification Type - M1: Default to: PMOTH00 M2: Default to: PMBRD00 M3: Default to: PMOTH00
19	PF2, WP2	QMEL	QMCOD	Coding	S/4 HANA	QMEL	QMCOD	Coding	For Notification Type - M1: Default to: 0009 M2: Default to: 0099 M3: Default to: 0099
20	PF2, WP2	QMEL	RBNR	Catalog Profile	S/4 HANA	QMEL	RBNR	Catalog Profile	Catalogue Profile to be derived from the Functional Location
21	PF2, WP2	N/A	N/A	Issue Permit				Issue Permit	Transform – if Notification is assigned to Work Order, then "X".
22	PF2, WP2	QMIH	ILART	Maintenance Activity Type	S/4 HANA	QMIH	ILART	Maintenance Activity Type	Follow Work Order ILART. If blank, default to COR.
23	PF2, WP2	QMIH	REVN	Revision	S/4 HANA	QMIH	REVN	Revision	Do not transform – just display the legacy revision
24	PF2, WP2	QMIH	MSAUS	Breakdown Indicator	S/4 HANA			Breakdown Indicator	Direct Mapping.
25	PF2, WP2	QMIH	AUSVN	Malfunct. Start Date	S/4 HANA			Malfunct. Start Date	Direct Mapping.
26	PF2, WP2	QMIH	AUZTV	Malfunct. Start Time	S/4 HANA			Malfunct. Start Time	Direct Mapping.
27	PF2, WP2	QMIH	AUSBS	Malfunct. End Date	S/4 HANA			Malfunct. End Date	Direct Mapping.
28	PF2, WP2	QMIH	AUZTB	Malfunct. End Time	S/4 HANA			Malfunct. End Time	Direct Mapping.
29	PF2, WP2	QMIH	AUSZT	Breakdown Duration	S/4 HANA			Breakdown Duration	Direct Mapping.
30	PF2, WP2	QMIH	MAUEH	Breakdown Unit	S/4 HANA			Breakdown Unit	Direct Mapping.

## Transformation Mapping

Mapping Table Name	Mapping Table Description
xtAUFK	Cross Reference table for Work Order
Planner Group	Mapping table for Planner Group
Revision	Cross Reference table for Revision
Work Centre	Cross Reference table for Work Centre
Equipment	Cross Reference table for Equipment
Functional Location	Cross Reference table for Functional Location
WBS Element	Cross Reference table for WBS Element
Cost Centre	Cross Reference table for Cost Centre
Profit Centre	Cross Reference table for Profit Centre

Vendor	Cross Reference table for Vendor
xtMARA	Cross Reference table for Material
Assembly	Cross Reference table for Assembly
Outline Agreement	Cross Reference table for Outline Agreement
G/L Account	Cross Reference table for G/L Account
Info Record	Cross Reference table for Purchase Info Record

## Transformation Dependencies

List the steps that need to occur before transformation can commence

Item #	Step Description	Team Responsible
1	Ensure DCT tables completeness	SyWay A2D Data Team
2	All XREF tables specified in the mapping table section should be available.	SyWay A2D Data Team
3	AUFK - Work Order tables must be loaded	SyWay A2D Data Team
4	MKAL - Production Versions of Material table must be loaded	SyWay A2D Data Team
5	SAFK - CIM Resource - Entities details table must be loaded	SyWay A2D Data Team
6	MARA - General Material Data details table must be loaded	SyWay A2D Data Team
7	KNA1 - General Data in Customer Master details must be loaded	SyWay A2D Data Team
8	ONR00 - General Object Number details must be loaded	SyWay A2D Data Team
9	LFA1 - Vendor Master (General Section) details must be loaded	SyWay A2D Data Team
10	VBAK - Sales Document: Header Data details	SyWay A2D Data Team
11	QPGR - Inspection catalog code groups details	SyWay A2D Data Team
12	QALS - Inspection lot record details	SyWay A2D Data Team
13	EKKO - Purchasing Document Header details	SyWay A2D Data Team
14	EKPO - Purchasing Document Item details	SyWay A2D Data Team
15	VBAP - Sales Document: Item Data details	SyWay A2D Data Team
16	LIKP - SD Document: Delivery Header Data details	SyWay A2D Data Team
17	LIPS - SD document: Delivery: Item data details	SyWay A2D Data Team
18	CRID - CIM Resource - Entities details	SyWay A2D Data Team

## Pre-Load Validation

### Project Team

### Completeness

Task	Action
Verify Record Count	SyWay A2D Data Team to verify that the total number of relevant records from legacy systems and DCTs (if any) is equal to the total number of records in the Preload and Load Sheets.
Verify Data Integrity	SyWay A2D Data Team to verify that the total number of Operations per Work Oder header extracted from legacy systems and DCTs (if any) should be equal to the total number of operations identified in the Preload and Load Sheets

### Accuracy

Task	Action
Conversion Accuracy	SyWay A2D Data Team to verify that all fields below meet pass the checks: <ol style="list-style-type: none"> <li>1. Mandatory Fields</li> <li>2. Field and Value Mapping Correctness</li> <li>3. Null Checks</li> <li>4. Text Length Checks</li> </ol>
Review Error Reports	Review and correct the errors. Achieve a zero-error record count as much as possible. Raise defects for data remediated and requiring a correction in the source data.

## Business

### Completeness

Task	Action
Verify Record Count	Business Data Owner/s to verify that the total number of relevant records from legacy systems and DCTs (if any) is equal to the total number of records in the Preload and Load Sheets.

### Accuracy

Task	Action
Conversion Accuracy	Business Data Owner/s to verify that all fields below meet pass the checks: <ol style="list-style-type: none"> <li>1. Mandatory Fields</li> <li>2. Field and Value Mapping Correctness</li> <li>3. Null Checks</li> <li>4. Text Length Checks</li> </ol>

## Load

The load process includes:

1. Execute the automated data load into target system using load tool or product the load file if the load must be done manually
2. Once the data is loaded to the target system, it will be extracted and prepared for Post Load Data Validation

### Load Run Sheet

Item #	Step Description	Team Responsible
1	Syniti will provide load file	Syniti

## Load Phase and Dependencies

### Configuration

Item #	Configuration Item
1	TQ80 - Notification Types
2	MCH1 - Batches (if Batch Management Cross-Plant)
3	T001L - Storage Locations details

4	T001W - Plants/Branches details
5	T006 - Units of Measurement details
6	T023 - Material Groups details
7	T024 - Purchasing Groups details
8	T024E - Purchasing Organizations details
9	T179 - Materials: Product Hierarchies details
10	T352B - Technical report details
11	T356 - Priorities details
12	T356A - Priority type table details
13	TCURC - Currency Codes details
14	TQ15 - Inspection catalog type index details
15	TQ81 - Notification Scenario details
16	TQ81V - Usage of parts details
17	TQ86 - Report category for defects recording details
18	TSPA - Organizational Unit: Sales Divisions details
19	TTSEGTPH - Time Segment Template Header details
20	TTZZ - Time zones details
21	TVBVK - Organizational Unit: Sales Groups per Sales Office details
22	TVKBZ - Org.Unit: Sales Office: Assignment to Organizational Unit details
23	TVKO - Organizational Unit: Sales Organizations details
24	TVTWT - Organizational Unit: Distribution Channels details

## Conversion Objects

Object #	Preceding Object Conversion Approach
9003	Revision
1030	Work Centre
1002	Equipment
1003	Functional Location
1026/1027	WBS Element
1074	Cost Centre
1073	Profit Centre
3018	Vendor
2019	Material
1010	Assembly
	Outline Agreement
1094	Purchase Info Records (Including Pricing Conditions)
1067	GL Account
1078	Cost Element

## Error Handling

Error Type	Error Description	Action Taken
Invalid Data	Invalid data (Based on master data)	Check whether the master data is available in the system
Invalid Data	Invalid data (Based on non master data)	Review and analyses the errors. Take necessary action to correct the data if possible.
Configuration	Invalid Notification Type	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Batch	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Storage Locations	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Plant	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Units of Measurement	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Material Groups	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Purchasing Groups	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Purchasing Organizations	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Materials: Product Hierarchies	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Technical report	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Priorities	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Priority type table	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid- Currency Codes details	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Inspection catalog type index	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Notification Scenario	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Usage of parts	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Report category for defects recording	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Organizational Unit: Sales Divisions	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Time Segment Template Header	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Time zones	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Organizational Unit: Sales Groups per Sales Office	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Organizational Unit	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Organizational Unit: Sales Organizations	Engage Functional team to expedite and fix the error in the system
Configuration	Invalid Organizational Unit: Distribution Channels	Engage Functional team to expedite and fix the error in the system

## Post-Load Validation

### Project Team

#### Completeness

Task	Action
Verify Count	SyWay A2D Data Team to verify the record count created in target S/4 HANA by accessing post load reports in dspMigrate or standard reports from S/4 HANA.
Verify Logs	Check if there is data that failed to load and perform the necessary actions (e.g. register as post load issue or attempt to load the record again, etc.).

#### Accuracy

Task	Action
Conversion Accuracy	SyWay A2D Data Team to verify that the Notification data in target S/4 HANA were loaded correctly via dspMigrate post load reports or standard reports from S/4 HANA.

## Business

### Completeness

Task	Action
Verify Count	Download Post Load Reports from dspMigrate and verify that the record count loaded in the target S/4 HANA is the same count as of the endorsed load file.

### Accuracy

Task	Action
Conversion Accuracy	Verify that the Notification data in target S/4 HANA were loaded correctly via dspMigrate post load reports or standard reports from S/4 HANA.

## Key Assumptions

- Notification is in scope based on data design and any exception requested by business.
- Data cleansing has met the required percentage threshold for the specified mock cycle and all preparation activities have been completed.

## See also

## Change log

Version	Published	Changed By	Comment
<b>CURRENT (v. 38)</b>	<b>Dec 01, 2025 14:19</b>	<b>OMER-ext, Mohammed</b>	
v. 37	Sept 18, 2025 16:44	OMER-ext, Mohammed	
v. 36	Sept 05, 2025 10:47	OMER-ext, Mohammed	
v. 35	Sept 03, 2025 15:01	OMER-ext, Mohammed	
v. 34	Sept 03, 2025 14:55	OMER-ext, Mohammed	
v. 33	Sept 03, 2025 14:51	OMER-ext, Mohammed	
v. 32	Aug 21, 2025 12:13	OMER-ext, Mohammed	
v. 31	Aug 21, 2025 12:10	OMER-ext, Mohammed	
v. 30	Aug 19, 2025 17:30	OMER-ext, Mohammed	
v. 29	Aug 19, 2025 14:03	OMER-ext, Mohammed	


[Go to Page History](#)

## Workflow history

Title	Last Updated By	Updated	State	Status
CNV-1042 TM-Transportation Lanes	OMER-ext, Mohammed	Dec 01, 2025 14:19	Approved	Approved

## Workflow history

This view shows the 5 most recent entries. The complete workflow log is available from the 'Document Activity' menu item.

May 08, 2026	Actor	Type	Activity	Version
Approved	 MCARDLE-ext, Edward	State	changed state to <b>Approved</b> at 11:13 am	v38
Revision under Review	 MCARDLE-ext, Edward	State	gave <i>Minor change</i> approval at 11:13 am	
		State	changed state to <b>Revision under Review</b> at 11:13 am	v38
<b>Mar 18, 2026</b>				
Revision in Progress	 WENNINGER-ext, Sascha	State	changed state to <b>Revision in Progress</b> at 5:41 pm	v38
<b>Dec 01, 2025</b>				
Edited following Approval	 OMER-ext, Mohammed	Edit	updated the page at 2:19 pm	
		State	changed state to <b>Edited following Approval</b> at 1:19 pm	v38
<b>Nov 03, 2025</b>				
Approved	 MUTHUSAMY-ext, Kunalan	State	changed state to <b>Approved</b> at 10:23 am (State override)	v37
			<i>[PMO Comments] Conversion Spec completed as per CS register and functional review completed</i>	