

CNV-9109 TRM - Stocks

Status	100%
Owner	VIDWANS-ext, Sauradh
Stakeholders	PILLAY-ext, Lawrence

Purpose

The purpose of this document is to define the conversion approach to create Stock Transactions in S/4 HANA.

Stock are equity investments where the company acquires shares of entities. These entities can be either subsidiaries or external companies that are either listed on the stock exchange or closely held. Such investments will have an investment value as part of the Units or number of shares purchased at a given rate per share.

These instruments are create under a certain Product Type (Instrument Number) and a Transaction Type (Kind of action i.e. buying or selling) against a counterparty (BP Number) in a Company Code for a Security ID and held in a Security Account.

For loading Stocks, SAP has provided a standard BAPI which will have all the necessary fields for successful creation of Stocks. The said BAPI has various Sub-Sections which will form a Load Template and a mapping rule between the DCT and BAPI load format.

BAPI Name : BAPI_FTR_SECURITY_CREATE

Key Fields of the BAPI used in the DCT are as under:

Key Field	Description
COMPANY_CODE	Company Code in which this deal must be created.
PRODUCT_TYPE	This is the Product Type for which the deal needs to be created. For this instrument there is a default value for this field = "EAP" This is a configuration item.
TRANSACTION_T YPE	This is the action performed for this transaction i.e. Buy/Sell. For this instrument there is a default value for this field= "100" or "200"
PARTNER	This is the counterparty with which the deal is booked.
CONTRACT_DATE	This is the date when the deal is created. Data to be captured in the DCT in date format as "YYYYMMDD"
TRADER	This defines the trader who concluded the deal.
PORTFOLIO	This is a code to be used for bucketing these deals under the same kind of transactions. It is used for reporting purposes.
VALUATION_CLA SS	This defines the Valuation Class under which this deal needs to be Accounted for i.e. IFRS, US GAAP, etc.
SECURITY_ID	This is the name of Security in itself. In our Case it can be Stock Held External Companies or Stock held in subsidiaries. There will be separate Security Classes for this.
SECURITY_ACCO UNT	This is the Depository Account that will hold the equity shares for investment.
POSITION_VALUE _DATE	This is the Value Date on which the position is valued at
NOMINAL_AMOU NT	This is the Amount invested to buy the given Equity Shares of Entities.
NUMBER_UNITS	These are the number of shares held for investment in External Companies or Subsidiaries
PAYMENT_DATE	This is the date on which payment of Securities is due on.. For our case, it will be Data Load Date as these are legacy Stock Investments.

PAYMENT_AMOUNT	This is the payment amount which needs to be paid for making the investment in shares good.
EXCHANGE	This is the Exchange (if applicable) which has the invested Equity registered in.
Characteristics	This field will have information related to the legacy Quantum Contract Number.

Conversion Scope

The scope of this document covers the approach for converting active Stocks from Legacy Source System (Quantum) into S/4HANA. The relevancy criteria is not applicable for this object as the relevant data will be provided by business in a DCT (Data Collection Template). List of source systems and approximate number of records

List of source systems and approximate number of records

Source	Scope	Source Approx No. of Records	Target System	Target Approx No. of Records
Quantum	Active Stock Investment Contracts	100 <TBC>	S4HANA	100 <TBC>

Additional Information

Multi-language Requirement

Not Applicable

Document Management

Not Applicable

Legal Requirement

Not Applicable

Special Requirements

As the conversion involves a source system which is non-SAP, the below area needs special handling:

1. Extraction of Stock data from source system i.e. Quantum is to be done manually
2. Cleansing by business team in the source system (Quantum) to ensure that only active and in use records for Stocks are provided in DCT
3. The extracted records to be converted into a DCT and stored in the Syniti for Transformation
4. Below Configuration Check Tables needs to be referenced in Syniti to validate the data in the DCT:
 - a. Counterparty to Business Partner - BUT000
 - b. Company Code - T001
 - c. Product Type - TZPA
 - d. Transaction Type - AT10
 - e. Trader - TZDEA
 - f. Portfolio Code - TWPOB
 - g. General Valuation Class - TRGC_COM_VALCL
 - h. Security Account – TWD01
 - i. Security ID – VWPANLA
5. Amount and date format from source system to align with S4HANA
6. As the target structure in S4HANA involves dependency on various Configuration and BP Master Data objects (CNV 3040), all this data needs to be loaded before Transactions Data loads.

Target Design

For a Transaction Load DCT, since there are no standard LTMC objects that we can use for loading this data, we will be using BAPI's for this purpose. In a BAPI there are multiple fields, off which all are not necessary to be utilized as part of DCT.

In this section, we will see the full list of fields that are part of the BAPI and DCT. This section will also explain field by field mapping of the BAPI structure and where the data will come from for each field for the BAPI.

The technical design of the target for this conversion approach.

Table Name	Field	Field Description	Data Type	Length	Requirement
VTBFHA	BUKRS	COMPANY_CODE	CHAR	4	This is a Required Field
VTBFHA	SGSART	PRODUCT_TYPE	CHAR	3	This is a Required Field
VTBFHA	SFHAART	TRANSACTION_TYPE	CHAR	3	This is a Required Field
VTBFHA	KONTRH	PARTNER	CHAR	10	This is a Required Field
VTBFHA	DBLFZ	CONTRACT_DATE	DATS	8	This is a Required Field
VTBFHAZU	RDEALER	TRADER	CHAR	12	This is a Required Field
VTBFHA	RPORTB	PORTFOLIO	CHAR	10	This is a Required Field
VTBFHA	ZUOND	ASSIGNMENT	CHAR	18	This is Optional Field
VTBFHAZU	NORDEXT	EXTERNAL_REFERENCE	CHAR	16	This is Optional Field
VTBFHA	REFER	INTERNAL_REFERENCE	CHAR	16	This is Optional Field
VTBFHA	MERKM	CHARACTERISTICS	CHAR	25	This is Required Field
VTBFHA	FACILITYBUKRS	VALUATION_CLASS	NUMC	4	This is a Required Field
VTBFHA	RANL	SECURITY_ID	CHAR	13	This is a Required Field
VTBFHA	RLDEPO	SECURITY_ACCOUNT	CHAR	10	This is a Required Field
VTBFHAPO	DBESTAND	POSITION_VALUE_DATE	DATS	8	This is a Required Field
VTBFHAPO	BNWHR	NOMINAL_AMOUNT	DEC	23	This is a Required Field
VTBFHAPO	ASTUECK	NUMBER_UNITS	DEC	15	This is a Required Field
VTBFHAPO	WZBETR	PAYMENT_CURRENCY	CHAR	5	This is a Required Field
VTBFHAPO	DZTERM	PAYMENT_DATE	DATS	8	This is a Required Field
VTBFHAPO	BZBETR	PAYMENT_AMOUNT	DEC	23	This is a Required Field
VTBFHAPO	RHANDPL	EXCHANGE	CHAR	10	This is Optional Field
VTBFHA	TB_TVTRAB	CONTRACT_TIME	DEC	21	This is Optional Field
VTBFHA	TB_DGRDAT	ENTRY_DATE	DATS	8	This is Optional Field

The DCT Target fields are based on below main Treasury Tables:

1. VTBFHA
2. VTBFHAPO
3. VTBFHAZU

The primary linkage between the tables are Company Code and Deal Number (RFHA). In addition to this, Characteristics Field will be used to link up Quantum Data with SAP as a primary key. Each SAP deal will correspond to the Quantum Deal.

In the above table we saw fields in the DCT. Now we will check the fields in the BAPI and the data logic how it will correspond to the DCT.

The BAPI has 2 structures. Fields in each structure needs to be populated as under:

BAPI Main Flow Data Structure:

Field Name	Description	Mapping Logic
VVRANLW	SECURITY_ID	From DCT field "SECURITY_ID"
VRLEDEPO	SECURITY_ACCOUNT	From DCT field "SECURITY_ACCOUNT"
TB_DBESTAND	POSITION_VALUE_DATE	From DCT field "POSITION_VALUE_DATE"
DVALUT	CALCULATE_DATE	Keep Blank or Ignore the field
BAPITM_BNWHR	NOMINAL_AMOUNT	From DCT field "NOMINAL_AMOUNT"
TB_ASTUECK	NUMBER_UNITS	From DCT field "NUMBER_UNITS"
BAPITM_BUPRC	PRICE	Keep Blank or Ignore the field
TB_RUNIT	PRICE_UNIT	From DCT field "PRICE_UNIT"

ISOCOD	PAYMENT_CURRENCY_ISO	Keep Blank or Ignore the field
TB_WGSCHFT	PAYMENT_CURRENCY	Keep Blank or Ignore the field
DVALUT	PAYMENT_DATE	From DCT field "PAYMENT_DATE"
BAPITM_BZBETR	PAYMENT_AMOUNT	From DCT field "PAYMENT_AMOUNT"
VVRHANDPL	EXCHANGE	From DCT field "EXCHANGE"
VVSFLAT	TRADED_FLAT	Keep Blank or Ignore the field
VVSCOUPON	COUPON_INFO	Keep Blank or Ignore the field
SSTCKTG	ACC_INT_CALC_METHOD	Keep Blank or Ignore the field
TB_DORDER	ORDER_DATE	Keep Blank or Ignore the field
TB_SFHAZBA	BEWEG_ART	Keep Blank or Ignore the field
TPM_ROUNDING_RULE	ROUND_RULE	Keep Blank or Ignore the field
TB_SINCL_CHAR	INCLUSIVE_INDICATOR	Keep Blank or Ignore the field
BAPITM_HWBETR	LOCAL_AMOUNT	Keep Blank or Ignore the field
BAPITM_ORIG_BNWHR	NOMINAL_ORIG_AMT	Keep Blank or Ignore the field
BAPITM_BWBETR	POSITION_AMOUNT	Keep Blank or Ignore the field
TB_INDEX_PRICE	IND_PRICE_VALUE	Keep Blank or Ignore the field
TFMSKALIDWT	ACC_INT_CALC_CALENDAR	Keep Blank or Ignore the field
SEFFMETH_NEW	YIELD_METHOD	Keep Blank or Ignore the field
TB_SFHAZBA	PAYMENT_FLOWTYPE	Keep Blank or Ignore the field
TB_ZUOND	PAYMENT_ASSIGNMENT	Keep Blank or Ignore the field
TB_ZUOND	QUANTITY_ASSIGNMENT	Keep Blank or Ignore the field
TB_ASTUECK_L	NUMBER_UNITS_LONG	Keep Blank or Ignore the field
BAPITM_BUPRC_L	PRICE_LONG	Keep Blank or Ignore the field

BAPI General Data Structure:

Field Name	Description	Mapping Logic
BUKRS	COMPANY_CODE	From DCT field "COMPANY_CODE"
VVSART	PRODUCT_TYPE	From DCT field "PRODUCT_TYPE"
TB_SFHAART	TRANSACTION_TYPE	From DCT field "TRANSACTION_TYPE"
TB_RFHA	EXTERNAL_TRANSACTION_NUMBER	Keep Blank or Ignore the field
TB_KUNNR_NEW	PARTNER	From DCT field "PARTNER"
TB_DVTRAB	CONTRACT_DATE	From DCT field "CONTRACT_DATE"
TB_TVTRAB	CONTRACT_TIME	System Time at the time of Data Load
TB_GSPPART	CONTACT_PERSON	Keep Blank or Ignore the field
RDEALER	TRADER	From DCT field "TRADER"
RREFKONT_OBSOLETE	ACCT_ASSIGNMENT_REF	Keep Blank or Ignore the field
RPORTB	PORTFOLIO	From DCT field "PORTFOLIO"
TB_TFPROJ	FINANCE_PROJECT	Keep Blank or Ignore the field
TB_RGARANT_NEW	GUARANTOR	Keep Blank or Ignore the field

TB_RMAID	MASTER_AGREEMENT	Keep Blank or Ignore the field
TB_ZUOND	ASSIGNMENT	From DCT field "ASSIGNMENT"
TB_NORDEXT	EXTERNAL_REFERENCE	From DCT field "EXTERNAL_REFERENCE"
TB_REFER	INTERNAL_REFERENCE	From DCT field "INTERNAL_REFERENCE"
TB_MERKM	CHARACTERISTICS	From DCT field "CHARACTERISTICS"
TBEGRU	AUTH_GROUP	Keep Blank or Ignore the field
TB_CRUSER	CREATE_USER	Keep Blank or Ignore the field
TB_DCRDAT	ENTRY_DATE	Date on which the data is getting loaded.
TB_FACILITYNR	FACILITY	Keep Blank or Ignore the field
TB_FACILITYBUKRS	FACILITY_COMPANY_CODE	Keep Blank or Ignore the field
TPM_COM_VAL_CLASS	VALUATION_CLASS	From DCT field "VALUATION_CLASS"
FM_FUND	FUND	Keep Blank or Ignore the field
GM_GRANT_NBR	GRANT_NBR	Keep Blank or Ignore the field
TB_SPESEN	EXPENSE_KEY	Keep Blank or Ignore the field
TB_SANST	RESERV_REASON	Keep Blank or Ignore the field
TPM_TREA_CLEARING_OPT	CLEARING_OPTION	Keep Blank or Ignore the field
TPM_TREA_CLEARING_STATUS	CLEARING_STATUS	Keep Blank or Ignore the field
TPM_TREA_CLEARING_DATE	CLEARING_DATE	Keep Blank or Ignore the field
TPM_EXT_ACCOUNT	EXT_ACCOUNT	Keep Blank or Ignore the field
TPM_TREA_CLEARING_DATE_ACT	CLEAR_DATE_ACT	Keep Blank or Ignore the field
FTR_THRESHOLD_RISK_MITIGATING	RISK_MITIGATION	Keep Blank or Ignore the field
FTR_THRESHOLD_SCHEME	LEGAL_BASIS	Keep Blank or Ignore the field
FTR_TARO_TRADE_ID	EXTERNAL_TRADE_ID	Keep Blank or Ignore the field
PRCTR	PROFIT_CENTER	Keep Blank or Ignore the field
KOSTL	COST_CENTER	Keep Blank or Ignore the field
PS_PSP_PNR	WBS_ELEMENT	Keep Blank or Ignore the field
GSBER	BUSINESS_AREA	Keep Blank or Ignore the field
TOE_HEDGING_CLASSIFICATION_OLD	HEDGE_CLASSIFICATION	Keep Blank or Ignore the field
TRPA_INITIAL_STAGE	INIT_CLASSIFIER	Keep Blank or Ignore the field
LAND1	COUNTRY	Keep Blank or Ignore the field
INTCA	COUNTRY_ISO	Keep Blank or Ignore the field
FB_SEGMENT	SEGMENT	Keep Blank or Ignore the field
TRBA_BEHALF_OF_COMPANY	ON_BEHALF_OF_COMPANY	Keep Blank or Ignore the field
TOE_HEDGING_CLASSIFICATION	HEDGING_CLASSIFICATION	Keep Blank or Ignore the field
TOE_REQUEST_ID	HEDGE_REQUEST_ID	Keep Blank or Ignore the field
FTR_CFI_CODE	CFI_CODE	Keep Blank or Ignore the field
RANL_ISIN	ISIN	Keep Blank or Ignore the field
TBA_MIC	MIC	Keep Blank or Ignore the field
FTR_CONTRACT_TIMESTAMP_UTC	CONTRACT_TIMESTAMP_UTC	Keep Blank or Ignore the field
BUPLA	BUSINESS_PLACE	Keep Blank or Ignore the field
FKBER	FUNCTIONAL_AREA	Keep Blank or Ignore the field

TPM_CUST_DIFF_TERM_VALUE	CUSTOM_DIFF_TERM_1	Keep Blank or Ignore the field
TPM_CUST_DIFF_TERM_VALUE	CUSTOM_DIFF_TERM_2	Keep Blank or Ignore the field
TPM_CUST_DIFF_TERM_VALUE	CUSTOM_DIFF_TERM_3	Keep Blank or Ignore the field
TPM_CUST_DIFF_TERM_VALUE	CUSTOM_DIFF_TERM_4	Keep Blank or Ignore the field
TPM_CUST_DIFF_TERM_VALUE	CUSTOM_DIFF_TERM_5	Keep Blank or Ignore the field
TPM_CUST_DIFF_TERM_VALUE	CUSTOM_DIFF_TERM_5	Keep Blank or Ignore the field

This BAPI has a simulation run provision. As part of the Pre-Load check when all the Syniti ADMM checks are performed, before making the production run of all the Stocks, a simulation run should be performed and all the standard BAPI errors needs to be documented.

A custom report, if required needs to be created for this. The report needs to have row reference and display the standard BAPI return messages successful as well as failed. This will make sure all the deposits successfully pass all checks.

Note: It is also assumed that the DCT will not bring in Payment Details of Stocks. This information will be loaded as part of CNV 3040 – Business Partner Counterparty and CNV . Under this CNV1185 – Security Account, Payment SI details are created and assigned to this instrument. If this is done, once the BAPI is executed, it will automatically get assigned to the deal as part of Standard BAPI processing. A Data Pre-Validation check has been introduced for this step.

Data Cleansing

For the Object 9109 – Treasury Stocks no specific data cleansing is applicable due to below reasons/assumptions:

1. The Source System is Quantum and therefore it will be a manual extract of relevant data in a DCT form

Data- Pre Load Validation Report

However, for the purpose of the object 3040 - Business Partner Counterparty, below validations reports should be available in Syniti so that the data as provided in DCT is validated before generating the pre-load file.

Criticality	Error Message/Report Description	Rule	Output
High	Company Code is valid	Check if BUKRS is valid as per Company Codes created in the system in Table T001	Invalid Company Code
High	PRODUCT_TYPE	Check if VVSART is valid as per Product Types created in the system in Table TZPA. Value for Stock Product Type is "EAP". If this is not, then the validation should fail.	Invalid Product Type
High	TRANSACTION_TYPE	Check if SFHAART is valid as per Transaction Types created in the system in Table AT10	Invalid Transaction Type
High	PARTNER	Check if KUNNR is valid as per Business Partners created in the system under CNV 3040 Business Partner Counterparty	Invalid Partner
High	CONTRACT_DATE	Check if DVTRAB is valid in YYYYMMDD Format and is < or = Load Date	Contract Date greater than Load Date
High	TRADER	Check if RDEALER is valid as per Traders created in the system in Table TZDEA	Invalid Trader
High	PORTFOLIO	Check if RPORTB is valid as per Portfolio Code created in the system in Table TWPOB	Invalid Portfolio Code
High	VALUATION_CLASS	Check if TPM_COM_VAL_CLASS is valid as per Company Codes created in the system in Table TRGC_COM_VALCL	Invalid Valuation Class
High	SECURITY_ID	Check if VVRANLW is valid as per Security ID created in the system in Table VWPANLA	Invalid Security ID
High	SECURITY_ACCOUNT	Check if VRLDEPO is valid as per Security Account created in the system in Table TWD01	Invalid Security Account
High	POSITION_VALUE_DATE	Check if DBESTAND is valid in YYYYMMDD Format and is > or = Contract Date	Position Value date greater than Contract date
High	PAYMENT_DATE	Check if DVALUT is valid in YYYYMMDD Format and is > or = Contract Date	Payment date greater than Contract date

Apart from the above, a custom report is required to be created for this. The report needs to have row reference for each STOCK loaded under this CNV and display the standard BAPI return messages successful as well as failed. This will make sure all the deposits successfully pass all checks. An additional check is needed if

- All dates loaded are correctly transformed into the deals created

- Payment Details are not going blank and if yes, the BAPI will return a warning for the same. If this warning appears, it will signify the BP Master Maintenance has been missed. Such records must fail and the maintenance needs to be done at the BP Master.

Conversion Process

The generic high-level process steps for the conversion are as below:

1. Extraction:
 - a. Extract from the source systems: Apply the selection parameters and data relevancy as mentioned in this specification, from the relevant tables
 - b. DCT: The DCT to be prepared if the data to be transformed and is part of the load file is not available in the Source system
2. Transform
 - a. Transform fields by applying the fields and value mapping in the Syniti
 - b. Generate and validate Pre-load files
3. Load
 - a. Load the validated Pre-load file using SAP's LTMC or the custom upload program as applicable.

However, with respect to Object 9109 – Treasury Stocks DCT will be used for transformation and generation of the pre-load file.

Data Privacy and Sensitivity

Not Applicable

Extraction

Extract data from a source into . There are 2 possibilities:

1. The data exists. connects to the source and loads the data into . There are 3 methods:
 - a. Perform full data extraction from relevant tables in the source system(s).
 - b. Perform extraction through the application layer.
 - c. Only if ; cannot connect to the source, data is loaded to the repository from the provided source system extract/report.
2. The data does not exist (or cannot be converted from its current state). The data is manually collected by the business directly in . This is to be conducted using DCT (Data Collection Template) in

The agreed Relevancy criteria is applied to the extracted records to identify the records that are applicable for the Target loads

Extraction Run Sheet

Req #	Requirement Description	Team Responsible
01	Extract from relevant tables/reports from Quantum all relevant information required to populate the DCT for Treasury Stocks for relevant Company Codes. This extraction is dependent on the extraction, validation and load of Master Data Object CNV 3040 BP Master, CNV 1184 Security Class and CNV 1185 Security Account. It is also dependent on completion of configuration for items like Company Code, Product Type, Transaction Type, Portfolio Codes, General Valuation Class.	Business

Selection Screen

Not applicable as the extraction is manual activity to be performed by business in Quantum system.

Data Collection Template (DCT)

Target Ready Data Collection Template will be created for 9109 – Treasury Stocks with exception of some fields which require transformation as mentioned in the transformation rule.

9109 – Treasury Stocks DCT Rules

Field Name	Field Description	Rule
BUKRS	COMPANY_C	This is a Required field.

	ODE	This data will be captured by business. It is the Company Code under which a Stock is to be created. In DCT, S4HANA number to be populated based upon the list of Company Codes. This list needs to be provided to the Business Team who will be downloading data from Quantum System. Validation check needs to be done with check table T001
SGSART	PRODUCT_TYPE	This is a Required field. This data will be captured by business. It is the Product Type under which a Stock is to be created. In DCT, S4HANA number is defaulted to "EAP". Validation check needs to be done with check table TZPA
SFHART	TRANSACTION_TYPE	This is a Required field. This data will be captured by business. It is the Transaction Type under which a Stock is to be created. In DCT, S4HANA number is defaulted to "100". Validation check needs to be done with check table AT10
KONTRH	PARTNER	This is a Required field. This data will be captured by business for Counterparties. A validation is needed to check the BP number captured in the DCT is valid one and is present as per CNV 3040 - Business Partner Counterparty. Validation check needs to be done with check table BUT100
DBLFZ	CONTRACT_DATE	This is a Required field. Date format is YYYYMMDD. Contract Date will always be LESS Than the Load Date. This check needs to be implemented. Example: 99991231
RDEALER	TRADER	This is a Required field. This data will be captured by business. It is the Trader who concludes the Stock. In DCT, S4HANA Trader Code needs to be populated based upon the list of configured Traders. This list needs to be provided to the Business Team who will be downloading data from Quantum System. Validation check needs to be done with check table TZDEA
RPORTB	PORTFOLIO	This is a Required field. This data will be captured by business. It is the Portfolio Code to bucket all Stock under for reporting purposes. In DCT, S4HANA Portfolio Codes needs to be populated based upon the list of Portfolio's configured in the system. This list needs to be provided to the Business Team who will be downloading data from Quantum System. Validation check needs to be done with check table TWPOB
ZUOND	ASSIGNMENT	This is a Optional field. This is a freely maintainable field to capture additional data for the deal. No validations needed for this field.
NORDEXT	EXTERNAL_REFERENCE	This is a Optional field. This is a freely maintainable field to capture additional data for the deal. No validations needed for this field.
REFER	INTERNAL_REFERENCE	This is a Optional field. This is a freely maintainable field to capture additional data for the deal. No validations needed for this field.
MERKM	CHARACTERISTICS	This is a Required field. This field will have value for Legacy Quantum Contract Number.
FACILITYBOOKS	VALUATION_CLASS	This is a Required field. This data will be captured by business. It is the Valuation Class under which a Stock is to be accounted for. In DCT, S4HANA GVC number needs to be populated based upon the list of GVC's configured in the system. This list needs to be provided to the Business Team who will be downloading data from Quantum System.
RANL	SECURITY_ID	This is a Required field. This data will be captured by business for Security ID's. A validation is needed to check the Security ID number

		captured in the DCT is valid one and is present as per CNV 1184 - Securities Class. Validation check needs to be done with check table VWPANLA
RLDEPO	SECURITY_ACCOUNT	This is a Required field. This data will be captured by business for Security Accounts. A validation is needed to check the Security Account number captured in the DCT is valid one and is present as per CNV 1185 - Securities Account Validation check needs to be done with check table TWD01
DBEST AND	POSITION_VALUE_DATE	This is a Required field Date format is YYYYMMDD. Position Value Date will always be Greater Than the Contract Date. This check needs to be implemented. Example: 99991231
BNWHR	NOMINAL_AMOUNT	This is a Required field. This is the amount for which the Stock is created and needs to be provided by business. Amounts needs to be rounded to 2 decimal places. Standard BADI will automatically round it to 2 decimals. However the BAPI will fail if amount is with more than 5 decimals places. Hence a Pre Validation check needs to be created to check the decimal places are correct.
ASTUE CK	NUMBER_UNITS	This is a Required field. This is the number of shares held and needs to be provided by Business This field needs to be populated and the logic is value in this field should be > 0
WZBETR	PRICE_UNIT	This is a Required field. This data will be captured by business. It is the Currency of the Stock Currency Codes are ISO standards hence it will be same in all Treasury systems. Still a Validation check is needed in Syniti to check if a valid Currency Code is used in the DCT
DZTERM	PAYMENT_DATE	This is a Required field Date format is YYYYMMDD. Payment Date will always be Greater Than the Contract Date. This check needs to be implemented. Example: 99991231
BZBETR	PAYMENT_AMOUNT	This is a Required field. This is the amount for which Payment needs to be done and needs to be provided by business. Amounts needs to be rounded to 2 decimal places. Standard BADI will automatically round it to 2 decimals. However the BAPI will fail if amount is with more than 5 decimals places. Hence a Pre Validation check needs to be created to check the decimal places are correct.
RHAND PL	EXCHANGE	This is a Optional field. This is a freely maintainable field. No validations needed for this field.
TB_TV TRAB	Contract Time	This is a Optional field. This is defaulted to the Time when the data load program runs..
TB_DC RDAT	Entry Date	This is a Optional field. This is defaulted to Date when the Data Load program runs.

Extraction Dependencies

For object 9114- Treasury Stocks dependencies are applicable as under

Item #	Step Description	Team Responsible
0001	TRM Business Partner	Data Team/Functional Treasury Team
0002	TRM Security Class	Data Team/Functional Treasury Team
0003	TRM Security ID	Data Team/Functional Treasury Team

Transformation

The Target fields are mapped to the applicable Legacy field that will be its source, this is a 3-way activity involving the Business, Functional team and Data team. This identifies the transformation activity required to allow to make the data Target ready:

1. Perform value mapping and data transformation rules.
 - a. Legacy values are mapped to the to-be values (this could include a default value)
 - b. Values are transformed according to the rules defined in
2. Prepare target-ready data in the structure and format that is required for loading via prescribed Load Tool. This step also produces the load data ready for business to perform Pre-load Data Validation

Transformation Run Sheet

Item #	Step Description	Team Responsible
1	Ensure all the fields that require value mapping, as stipulated Mapping tables, have the latest signed-off mapping files imported into Syniti	Data team
2	Ensure that signed off value mappings have been maintained in the Syniti	Syniti team
3	Confirm the value mappings as maintained in the Syniti	Data team
4	Ensure that Signed off CONSTRUCT from business has been received and maintained in Syniti	Syniti/Data team
5	Execute transformation for the object	Syniti team
6	Monitor the transformation progress and ensure performance and completion is within allowed timeframe	Syniti/Data team
7.	Generate Pre-Load reports.	Syniti team
8.	Generate data load count.	Syniti team
9.	Log errors as defects, if any and address resolutions. Close defects.	Syniti/Data team
10.	Re-transform and re-validate the Pre-load reports if necessary.	Syniti/Data team
11.	Validate the transformed file as part of pre-load validation, raise data defects or provide the pre-load sign-off.	Business
12.	Analyse and resolve any pre-load defects logged by business.	Syniti/Data team
13.	Repeat steps 5 to 11 if necessary	Syniti/Data team
14.	Proceed to pre-load validations	Data team

Transformation Rules

As explained earlier, there are 2 subsections of the BAPI which needs to be loaded in the system. Below are the details how data from DCT correspond to the BAPI structure.

However, the transformation is also needed for the base DCT Fields which will have table details. In the below sections you will find 2 kinds of information i.e. the Value Fields in the BAPI and also the overall BAPI fields and how they are transformed.

Value Fields in the BAPI:

Rule #	Source system	Source Table	Source Field	Source Description	Target System	Target Table	Target Field	Target Description	Transformation Logic
1	NA	NA	NA	CONSTRUCT	S4HANA	VTBFHA	BUKRS	COMPANY_CODE	From DCT field "BUKRS"
2	NA	NA	NA	CONSTRUCT	S4HANA	VTBFHA	SGSART	PRODUCT_TYPE	From DCT field "SGSART"
3	NA	NA	NA	CONSTRUCT	S4HANA	VTBFHA	SFHAART	TRANSACTION_TYPE	From DCT field "SFHAART"
4	NA	NA	NA	CONSTRUCT	S4HANA	VTBFHA	KONTRH	PARTNER	XREF check against Business Partner
5	NA	NA	NA	CONSTRUCT	S4HANA	VTBFHA	DBLFZ	CONTRACT_DATE	From DCT field "DBLFZ"
6	NA	NA	NA	CONSTRUCT	S4HANA	VTBFHA	TB_TVTRAB	CONTRACT_TIME	System Time at the time of Data Load
7	NA	NA	NA	CONSTRUCT	S4HANA	VTBFHAZU	RDEALER	TRADER	From DCT field "RDEALER"

23	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TB_FACILITYBUKRS	FACILITY_COMPANY_CODE	Keep Blank or Ignore the field
24	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TPM_COM_VAL_CLASS	VALUATION_CLASS	From DCT field "FACILITYBUKRS"
25	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	FM_FUND	FUND	Keep Blank or Ignore the field
26	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	GM_GRANT_NBR	GRANT_NBR	Keep Blank or Ignore the field
27	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TB_SPESEN	EXPENSE_KEY	Keep Blank or Ignore the field
28	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TB_SANST	RESERV_REASON	Keep Blank or Ignore the field
29	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TPM_TREA_CLEARING_OPT	CLEARING_OPTION	Keep Blank or Ignore the field
30	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TPM_TREA_CLEARING_STATUS	CLEARING_STATUS	Keep Blank or Ignore the field
31	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TPM_TREA_CLEARING_DATE	CLEARING_DATE	Keep Blank or Ignore the field
32	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TPM_EXT_ACCOUNT	EXT_ACCOUNT	Keep Blank or Ignore the field
33	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TPM_TREA_CLEARING_DATE_ACT	CLEAR_DATE_ACT	Keep Blank or Ignore the field
34	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	FTR_THRESHOLD_RISK_MITIGATING	RISK_MITIGATION	Keep Blank or Ignore the field
35	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	FTR_THRESHOLD_SCHEME	LEGAL_BASIS	Keep Blank or Ignore the field
36	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	FTR_TARO_TRADE_ID	EXTERNAL_TRADE_ID	Keep Blank or Ignore the field
37	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	PRCTR	PROFIT_CENTER	Keep Blank or Ignore the field
38	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	KOSTL	COST_CENTER	Keep Blank or Ignore the field
39	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	PS_PSP_PNR	WBS_ELEMENT	Keep Blank or Ignore the field
40	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	GSBER	BUSINESS_AREA	Keep Blank or Ignore the field
41	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TOE_HEDGING_CLASSIFICATION_OLD	HEDGE_CLASSIFICATION	Keep Blank or Ignore the field
42	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TRPA_INITIAL_STAGE	INIT_CLASSIFIER	Keep Blank or Ignore the field
43	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	LAND1	COUNTRY	Keep Blank or Ignore the field
44	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	INTCA	COUNTRY_ISO	Keep Blank or Ignore the field
45	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	FB_SEGMENT	SEGMENT	Keep Blank or Ignore the field
46	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TRBA_BEHALF_OF_COMPANY	ON_BEHALF_OF_COMPANY	Keep Blank or Ignore the field
47	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TOE_HEDGING_CLASSIFICATION	HEDGING_CLASSIFICATION	Keep Blank or Ignore the field
48	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TOE_REQUEST_ID	HEDGE_REQUEST_ID	Keep Blank or Ignore the field
49	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	FTR_CFI_CODE	CFI_CODE	Keep Blank or Ignore the field
50	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	RANL_ISIN	ISIN	Keep Blank or Ignore the field
51	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TBA_MIC	MIC	Keep Blank or Ignore the field
52	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	FTR_CONTRACT_TIMESTAMP_UTC	CONTRACT_TIMESTAMP_UTC	Keep Blank or Ignore the field
53	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	BUPLA	BUSINESS_PLACE	Keep Blank or Ignore the field
54	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	FKBER	FUNCTIONAL_AREA	Keep Blank or Ignore the field
55	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TPM_CUST_DIFF_TERM_VALUE	CUSTOM_DIFF_TERM_1	Keep Blank or Ignore the field
56	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TPM_CUST_DIFF_TERM_VALUE	CUSTOM_DIFF_TERM_2	Keep Blank or Ignore the field
57	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TPM_CUST_DIFF_TERM_VALUE	CUSTOM_DIFF_TERM_3	Keep Blank or Ignore the field
58	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TPM_CUST_DIFF_TERM_VALUE	CUSTOM_DIFF_TERM_4	Keep Blank or Ignore the field

59	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TPM_CUST_DIFF_TERM_VALUE	CUSTOM_DIFF_TERM_5	Keep Blank or Ignore the field
60	NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_SECURITY_CREATE	TPM_CUST_DIFF_TERM_VALUE	CUSTOM_DIFF_TERM_5	Keep Blank or Ignore the field

BAPI Main Flow Data Structure:

Source system	Source Table	Source Field	Source Description	Target System	Target Table	Target Field	Target Description	Transformation Logic
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	VVRANLW	SECURITY_ID	From DCT field "RANL"
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	VRLDEPO	SECURITY_ACCOUNT	From DCT field "RLDEPO"
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	TB_DBESTAND	POSITION_VALUE_DATE	From DCT field "DBESTAND"
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	DVALUT	CALCULATE_DATE	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	BAPITM_BNWHR	NOMINAL_AMOUNT	From DCT field "BNWHR"
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	TB_ASTUECK	NUMBER_UNITS	From DCT field "ASTUECK"
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	BAPITM_BUPRC	PRICE	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	TB_RUNIT	PRICE_UNIT	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	ISOD	PAYMENT_CURRENCY_ISO	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	TB_WGSCHFT	PAYMENT_CURRENCY	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	DVALUT	PAYMENT_DATE	From DCT field "DZTERM"
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	BAPITM_BZBETR	PAYMENT_AMOUNT	From DCT field "BNWHR"
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	VVRHANDPL	EXCHANGE	From DCT field "RHANDPL"
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	VVSFLAT	TRADED_FLAT	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	VVSCOUPON	COUPON_INFO	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	SSTCKTG	ACC_INT_CALC_METHOD	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	TB_DORDER	ORDER_DATE	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	TB_SFHAZBA	BEWEG_ART	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	TPM_ROUNDING_RULE	ROUND_RULE	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	TB_SINCL_CHAR	INCLUSIVE_INDICATOR	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	BAPITM_HWBETR	LOCAL_AMOUNT	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	BAPITM_ORIG_BNWHR	NOMINAL_ORIG_AMT	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	BAPITM_BWBETR	POSITION_AMOUNT	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	TB_INDEX_PRICE	IND_PRICE_VALUE	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	TFMSKALIDWT	ACC_INT_CALC_CALENDAR	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	SEFFMETH_NEW	YIELD_METHOD	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	TB_SFHAZBA	PAYMENT_FLOWTYPE	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	TB_ZUOND	PAYMENT_ASSIGNMENT	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	TB_ZUOND	QUANTITY_ASSIGNMENT	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	TB_ASTUECK_L	NUMBER_UNITS_LONG	Keep Blank or Ignore the field
NA	NA	NA	CONSTRUCT	S4HANA	BAPI_FTR_FTD_CREATE	BAPITM_BUPRC_L	PRICE_LONG	Keep Blank or Ignore the field

				TE			field
--	--	--	--	----	--	--	-------

Transformation Mapping

Mapping Table Name	Mapping Table Description
Business Partner	Mapping Table for Quantum counterparty/partner code to S4HANA Business Partner
Security Class	Mapping Table for Quantum Security Numbers to S4HANA Security Class
Security Account	Mapping Table for Quantum Depository Account to S4HANA Security Account

Transformation Dependencies

List the steps that need to occur before transformation can commence

Item #	Step Description	Team Responsible
1	Ensure all the fields that require value mapping, as stipulated Mapping tables, have the latest signed-off mapping files imported into Syniti	Data team
2	Ensure that signed off value mappings have been maintained in the Syniti	Syniti team
3	Confirm the value mappings as maintained in the Syniti	Data team
4	Ensure that Signed off DCT from business has been received and maintained in Syniti	Syniti/Data team
5	Confirm on the extracted values	Syniti, Data and business

Pre-Load Validation

Project Team

The Pre Load validations are performed by Project Team

Completeness

Task	Action
Generation of Pre-load reports	<u>Mandatory field check.</u> - Company Code for which deal is created is part of the scope - The business partner is in the Counterparty role - Product Type, Transaction Type, Portfolio Code and General Valuation Class is matching the configuration check tables - The validity end date of the deal in the Pre-load file is not prior to cutover/go-live date - All other fields marked as Mandatory are not kept blank in the DCT File
Record Count	<u>Record Count</u> Confirm the record counts in preload summary report - Total Records: - Valid Records: - Invalid Records
Business Confirmation	Data team after the initial validation of Pre-Load validation based on the pre agreed validation checklist To send the Pre-Load file to the Business Representatives for all plants/valuation area in scope for conversion Business Representatives to validate the pre-load file Agree with data team on the next steps for erroneous records

Accuracy

Task	Action
Mandatory field mapping and transformation	Obtain a list of the fields to be populated with values from mapping files and ensure all these fields contain S/4HANA values. - Company Code, Product Type, Transaction Type, Portfolio Code and GVC in the DCT is matching with the Check Tables provided - Custom Table checks for Interest Calculation Method and Frequency are matched
Business Value Checks	All dates, Amount and Interest Rate for the Stocks are accurately populated in the deal as per DCT.
Records in Errors	Review and correct the errors. Achieve a zero-error record count as much as possible. Raise defects for data remediated and requiring a correction in the source data.

Business

The following pre-load validations will be performed by business.

Completeness

Task	Action
Check Data load register count	Business Data Owner/s to verify that the total number of relevant records to be converted as per DCT is equal to the total number of records in the Preload file.
Key Fields Check	Business to check some key fields such as validity end date, Start an End Date, Amount, Interest Rate, etc., are correctly populated against the DCT

Accuracy

Task	Action
Conversion accuracy	To check and validate the load files with all the transformation and mapping rules, to be signed off.

Load

The load process includes:

- Execute the automated data load into target system using "BAPI_FTR_SECURITY_CREATE" and use the DCT File vs structure section of this document to populate the BAPI details.
- Once the data is loaded to the target system, it will be extracted and prepared for Post Load Data Validation with side by side check of each fields in scope of the objects with fields to be displayed as XXXX_ECC, XXXX_S4HANA, XXXX_MATCH (As TRUE or FALSE) with an additional column denoting fields not matching and status of loading in S/4HANA as LOADED_IN_S4HANA (As TRUE or FALSE)

Load Run Sheet

Item #	Step Description	Team Responsible
01	Go to load file and pick 5 data records, load manually without any tool. See what happens. If all okay, proceed with the next step.	Data team
02	Go to load file and pick 10 records and load them with the tool. No action if the previous step has fallen. If not, then continue to load 10 records with the tool. Check if everything went okay.	Data team
03	Proceed with the full load if steps one and two were succeed else fix the issue with records	Data team
04	Validate few records loaded by accessing standard transactions from S/4HNA e.g. FTR_EDIT or check in the tables - VTBFHA, VTBFHAZU or VTBFHAPO	Data team
05	Generate post load report if step 5 is validated	Data team
06	Log errors as defects, if any and address resolutions. Close defects.	Data team

07	Resolve defects by reupload and re-generate post load reports if necessary.	Data team
08	Business to validate the post load files as part of post-load validation, raise data defects or provide the post-load sign-off.	Business
09	Repeat steps 1 to 5 if necessary.	Data team

Load Phase and Dependencies

The load phase for the object 9109-Treasury Stocks is **Pre-Cutover Phase 3**

Configuration

Item #	Configuration Item
01	Company Codes relevant for Treasury- Field BUKRS (Check Table: T001)
02	Treasury Business Partners - BUT100
03	House Bank Ids- Field HKTID (Check Table: T012K)
04	Payment Methods- Field ZLSCH (Check Table: T042Z)
05	Contract Type - Field RANTYP
06	Product Category- Field SANLF (Check Table: TZAF)
07	Product Type- Field SGSART (Check Table: TZPA)
08	Financial Transaction Types- Field SFHAART (Check Table: AT10)
09	Portfolio Code - Check Table: TWPOB
10	General Valuation Class - Check Table: TRGC_COM_VALCL
11	Security Class – Check Table : VWPANLA
12	Security Account – TWD01

Conversion Objects

Object #	Preceding Object Conversion Approach
CNV-3007	Business Partner - General Role
CNV-1083	Bank Master
CNV-1184	Security Class
CNV-1185	Security Account
CNV-3040	Business Partner - Counterparty
CNV-1203	Business Partner - Depository

Error Handling

The table below depicts some possible system errors for this data object during data load. All data load error is to be logged as defect and managed within the Defect Management

Error Type	Error Description	Action Taken
Valid Master	Business Partner is not having a valid treasury role i.e. TR0151	Ensure that Business Partner is updated with correct role
Invalid Company Code	Company Code in the DCT is invalid based on the check table T001	Ensure correct Company Code is supplied to the BAPI
Invalid Product Type	Product Type in the DCT is invalid based on the check table TZPA	Ensure correct Product Type is supplied to the BAPI

Invalid Transaction Type	Transaction Type in the DCT is invalid based on the check table AT10	Ensure correct Transaction Type is supplied to the BAPI
Invalid Trader	Trader in the DCT is invalid based on the check table TZDEA	Ensure correct Trader is supplied to the BAPI
Invalid Portfolio Code	Portfolio Code in the DCT is invalid based on the check table TWPOB	Ensure correct Portfolio Code is supplied to the BAPI
Invalid Interest Calculation Method	Interest Calculation Method is invalid as per the Custom Check Table	Ensure correct Interest Calculation method is supplied to the BAPI
Invalid Frequency Category	Frequency Category is invalid as per the Custom Check Table	Ensure correct Frequency Category is supplied to the BAPI

Post-Load Validation

Project Team

The following post load validations will be done by Project Team

Completeness

Task	Action
Reconciliation of Record Count	<u>Record Count</u> - Count and check how many records were loaded vs. Records in the load file (Each mock has it's own data record count) Check for logs from Load and fix erroneous records, if any.

Accuracy

Task	Action
Check values in key fields for accuracy	Post-load reports will have the same structure as the load file and some additional columns as required to facilitate the post load validation. Leverage on tool to create a Post Load report that reports S/4HANA loaded records along with the legacy values side-by-side to allow for 100% check of all these fields in the shortest possible time. <u>Any</u> mismatch will be reported under the Post Load - Error report.

Business

The following post load validations will be done by business.

Completeness

Task	Action
Record Count Check	Review the record count report from the Data Team and ensure it is correct by cross-checking with the record count confirmed during Pre-load Business Validations Business may also run transaction code FTR_EDIT to cross check the records created for Counterparties

Accuracy

Task	Action
Field Checks	Check key fields to ensure that Business Partner - Counterparty has been maintained with proper details such as • Right Amount is loaded in the created deal • Correct Payment Details are loaded in the deal • Ensure Correct Interest Rate is loaded in the deal

- Ensure correct Start and End Date are loaded in the created deal

Key Assumptions

- Master Data Standard is up to date as on the date of documenting this conversion approach and data load.
- All configuration items like Company Code, Product Type, Transaction Type, etc are approved by business and pre-configured before this data can be loaded
- All Bank Account information is approved by business and loaded in the system. Same are also created as SI details in BP master and assigned to the correct Product Type/Transaction Type combination in the BP master as these will be auto loaded in the deal and will not be part of the DCT.

See also

CNV-3007: Business Partner General - [CNV-3007 Business Partners - General \(Role 000000\) - SyWay Project - Syensqo - Wiki knowledge base](#)

CNV-3040: Business Partner Counterparty - [CNV-3040 Business Partners - Counterparty - SyWay Project - Syensqo - Wiki knowledge base](#)

CNV-1184: Security Class - [CNV-1184 Securities Class - SyWay Project - Syensqo - Wiki knowledge base](#)

CNV-1185: Security Account - [CNV-1185 Securities Account - SyWay Project - Syensqo - Wiki knowledge base](#)

CNV-1203: Business Partner Depository - [CNV-1203: Business Partner Depository - SyWay Project - Syensqo - Wiki knowledge base](#)

Change log

Version	Published	Changed By	Comment
CURRENT (v. 34)	Apr 13, 2026 06:24	VIDWANS-ext, Sauradh	
v. 33	Apr 13, 2026 06:21	VIDWANS-ext, Sauradh	
v. 32	Apr 13, 2026 06:17	VIDWANS-ext, Sauradh	
v. 31	Apr 08, 2026 09:05	VIDWANS-ext, Sauradh	
v. 30	Apr 08, 2026 08:40	VIDWANS-ext, Sauradh	
v. 29	Apr 08, 2026 08:33	VIDWANS-ext, Sauradh	
v. 28	Apr 07, 2026 13:22	VIDWANS-ext, Sauradh	
v. 27	Mar 23, 2026 07:04	VIDWANS-ext, Sauradh	
v. 26	Mar 23, 2026 06:43	VIDWANS-ext, Sauradh	
v. 25	Mar 23, 2026 05:45	VIDWANS-ext, Sauradh	

[Go to Page History](#)

Workflow history

This view shows the 5 most recent entries. The complete workflow log is available from the 'Document Activity' menu item.

From Mar 17, 2026 to Apr 13, 2026	Actor	Type	Activity	Version
Approved	 VIDWANS-ext, Sauradh	Edit	updated the page at 11:04 am	
Mar 11, 2026		State	changed state to Approved at 8:23 am (State override)	v18

 TAN-ext,
Charmaine

[PMO Comments] Conversion Spec completed as
per CS register and functional review completed

Lead Approval

 TAN-ext,
Charmaine

State gave *Minor change* approval at 8:23 am

[PMO Comments] Conversion Spec completed as
per CS register and functional review completed

Feb 18, 2026

 FANSALKAR
-ext, Ashish

State changed expiry date to '25 Feb, 2026 12:58 pm' at 12:58 pm

State changed state to [Lead Approval](#) at 12:58 pm

[v18](#)

Tech Review

 FANSALKAR
-ext, Ashish

State gave *Syniti Team Review* approval at 12:58 pm