



ERP-1499 System Interface - ScheduledReceiptWO.tab interface to Maestro

Status	Approved
Owner	BROWN-ext, Kevin
Stakeholders	NARAHARI-ext, Bhargavi GARG-ext, Praful
Jira Request ID	<div style="border: 1px solid orange; padding: 5px;">  ERP-1213 - Jira project doesn't exist or you don't have permission to view it. </div>
Jira Development ID	<div style="border: 1px solid orange; padding: 5px;">  ERP-1499 - Jira project doesn't exist or you don't have permission to view it. </div>

High- Level Specification

Implementing System	Kinaxis Maestro
Invoked by/Invokes	<div style="border: 1px solid orange; padding: 5px;">  ERP-1486 - Jira project doesn't exist or you don't have permission to view it. </div>
Business Process Reference	04.04.06.01. Data provisioning ERP to Maestro

Functional Overview


The Scheduled Receipt table contains open supply related information for a single part that has assigned due date. This is for Buy Parts and including external purchases, this file specifically looks at work orders.

Scope and Objectives

The scope of this interface is between Global Integration Suite and Maestro. This document includes details of the ScheduledReceiptWO.tab object.

The objective is to populate the ScheduledReceiptWO and it's referenced tables based on the file provided by Global Integration Suite.

Process Flow Diagram

 draw.io

Source page access restriction: Click the link below to check if the page is accessible.

</display/ER/ERP-1667+System+Interface+++ScheduledReceiptPO.tab+interface+to+Maestro>

Step	Description
------	-------------

1	Global Integration Suite transfers transformed Composites / Rest of World data from S/4, and performs some formatting, and sends the data to Maestro.
2	China Integration Suite transfers transformed China data from S/4, and performs some formatting, and sends the data to Maestro.
3	Transferred files will be sent to Maestro's Client SFTP server. This sits outside of the Maestro firewall and is accessible by client using a user id/ password. Files are transferred from this component to the Planning Server SFTP by a Kinaxis automatic process once the trigger file has been placed (see below)
4	Files are moved to this SFTP server automatically, where they await loading into Maestro.
5	Maestro uses the configured DSM (Data Sources and Mapping) setup to load the data into the ScheduledReceipt table, with the load initiated either manually or through a scheduled system task.
6	The Data Tables which store information in Maestro

Assumptions

- Two data sources are set up in Maestro
 - Global: Contains data provided by ROW Integration Suite
 - China: Contains data provided by China Integration Suite
- Each data source will provide a unique key. Therefore neither data source will overwrite data provided by the other.

Dependencies

- (SFTP) SFTP credentials needs to be set up, along with the file transfer mechanism.
- Integration suites should provide data in the format described by the Data Sources and Mapping section of this document.

Security, Integrity and Controls

See [Application Architecture Kinaxis Maestro](#) for security requirements for SFTP/REST based authentication and security.

Configuration Requirements

The Data Sources and Mapping for this interface should be configured once, according to the structure in the Data Structure section below.

The Data Model needs to be configured with the Syway-specific fields shown in the Data Model Custom Fields section below.

Special Requirements

None

Design Rationale

The base of this design has been taken from the existing Maestro implementation, as designed during the Advanced Planning System (APS) Project.

A fit-gap analysis was undertaken within Syway, and changes were identified which have been incorporated into the Syway spec as shown.

API Use

The data object provided by either Integration Suite will be **consumed** by Maestro.

For more information see the [Data Integration Document](#).

Data Structure

The following Maestro fields will be populated by the file provided by Integration Suite:

Column Number	Field Name	Technical Field Name	Data Type	Key	Field Type	Autocreate	Description
---------------	------------	----------------------	-----------	-----	------------	------------	-------------

0	SavedPriority	SavedPriority.Value	String	N	FixedValue	Default	Stored priority value used to preserve the original order priority before system recalculation.
0	OrderPriority	OrderPriority.Value	String	N	FixedValue	Default	The priority associated with the order
1	OrderId	Order.Id	String	Y	ExtractField	Default	Unique identifier of the order record.
2	OrderType	Order.Type.Value	Ref String	Y	ExtractField	Default	Order type
3	OrderSite	Order.Site.Value	Ref String	Y	ExtractField	Default	Site / plant where the order is created or managed.
3	SupplierId	Order.Supplier.Id	String	N	ExtractField	Default	Supplier identifier associated with the order (if externally sourced).
3	PartSite	Part.Site.Value	Ref String	N	ExtractField	Default	Site associated with the ordered part.
3	ProductionVersionPartSite	SYE::ProductionVersion.PartReference.Site.Value	Ref String	N	ExtractField	Default	Site of the production version reference part from SAP.
4	Line	Line	String	Y	ExtractField	Default	Line number uniquely identifying the order line within the order.
5	Status	Status.Value	Ref String	N	ExtractField	Default	Current planning status of the order within the system.
5	ERPStatus	SYE::ERPStatus.Value	Ref String	N	ExtractField	Default	Status of the order as received from the external ERP system.
6	PartName	Part.Name	String	N	ExtractField	Default	Identifier of the part associated with the order.
6	ProductionVersionPartName	SYE::ProductionVersion.PartReference.Name	String	N	ExtractField	Default	Production version part reference from SAP defining how the item is produced.
7	StartDate	StartDate	Date	N	ExtractField	Default	Planned start date of the order.
8	DueDate	DueDate	Date	N	ExtractField	Default	Required completion or delivery date of the order.
9	Quantity	Quantity	Quantity	N	ExtractField	Default	Order quantity for the specific line.
10	TotalQuantity	TotalQuantity	Quantity	N	ExtractField	Default	Total quantity associated with the full order or aggregated line.
11	BOMAlternate	BOMAlternate.Value	Ref String	N	ExtractField	Default	Alternate Bill of Material used for this order, if applicable.
12	RoutingId	Routing.Id	String	N	ExtractField	Default	Routing identifier defining the production steps associated with the order.
13	ProductionVersionId	SYE::ProductionVersion.Id	String	N	ExtractField	Default	Production Version identifier from SAP defining the method of production.
14	KinaxisId	SYE::KinaxisId	Quantity	N	ExtractField	Default	Used in the Master Production Scheduling when firming Planned Orders in Maestro to Firm Planned Orders. We will add a Kinaxis Id to the Firm Planned Orders before sending them to SAP in the closed loop.
15	SAP_Id	SAP_Id	String	N	ExtractField	Default	Field used for closed loop

File Formats

See *File Formats - SFTP* section in the [Data Integration Document](#).

Data Model ScheduledReceiptWO table settings:

Allow Data update to:		Currency		
Insert, Modify and Delete records	Insert and Modify records only	Allow automatic record creation	Determined by Maestro	Expression
Y	-	N	Y	-

Data Model ScheduledReceiptWO custom fields:

Field name	Description	Data type	Key
------------	-------------	-----------	-----

ProductionVersionId	Production Version identifier from SAP defining how the item is produced.	String	N
KinaxisId	Used in the Master Production Scheduling when firming Planned Orders in Maestro to Firm Planned Orders. We will add a Kinaxis Id to the Firm Planned Orders before sending them to SAP in the closed loop.	Quantity	N

Processing Logic

See *Processing Logic - SFTP* section in the [Data Integration Document](#).

Delta or Full Load Requirements

The preference is to do a full load.

For more information on the difference between Full and Delta loads, see the *Full Loads and Delta Loads - SFTP* section in the [Data Integration Document](#).

Interface Alert & Monitoring

See the *Interface Alert & Monitoring - SFTP* section in the [Data Integration Document](#),

Language Requirements

None

User Interface Requirements

Not required.

Sequencing

Reference tables to support ScheduledReceiptWO table data have to be either loaded manually before loading the ScheduledReceiptWO table or at the same time as the ScheduledReceiptWO table is loaded or set to be created automatically in data model or in DSM.

Below tables need to be taken into account before OnHand table data load:

Table	SyWay configuration
BOMAlternate	Set to allow automatic record creation
Routing	Set to allow automatic record creation
Part	To be loaded before or with
SupplyOrder	Control Table
SupplyStatus	Control Table

Volumetrics

Current APS Volume of ScheduledReceiptWO records is 17000.

This value is expected to grow by 1-2% per year.

Performance Consideration

N/A

Error Handling

See Interface Alert & Monitoring section.

Testing

How to Test

Testing of the interface consists of executing the data load into Maestro and validating the results using standard monitoring and validation tools. After each load, the **Data Import and Update** log is reviewed to confirm successful execution and to identify any errors or warnings generated during the load process.

Loaded data is then validated using a **Data Validation** workbook to ensure data completeness and correctness. Validation checks include confirming that required fields are populated, values are displayed in the correct format, and that data quality issues such as blank fields, incorrect quantities, or zero or invalid unit costs are not present. Additional checks may be performed to ensure consistency across key attributes such as part, location, and quantity.

Any errors or data issues identified during testing are documented in the agreed issue tracking mechanism (for example, in Jira or an action log). Most common error types are duplicate errors, missing references, junk values in input fields.

Duplicate errors need further investigation, in case valid data is flagged as duplicate by Maestro during data load and key field combinations have to be looked into for data uniqueness.

Missing references are to be resolved by either providing the missing data that is required to support the file upload (this could be in the form of a file or Maestro settings to allow for the data to be created automatically) or removing the references from the file.

Required corrections are implemented in the middleware (Integration Suite), and the data is reloaded. Validation steps are repeated until no errors are present (or reasons are fully understood).

Test Conditions and Expected Results

1	Data Load Successful	The Data in the data file matches the data in the Maestro table, and there are no errors.							
2	Data File contains 0 records	The Data Update should fail with a status of Pending.							
3	Data File contains invalid references (or other error)	<p>The Data Update should Fail, the invalid references should be visible in the error log and the records with the error are not loaded into Maestro, and an alert is sent to the Admin team <Or whatever action is needed></p> <p>Fields for ScheduledReceiptWO.tab which should be checked for invalid references are shown in the Data Structure table above as "Ref String" and are:</p> <table border="1"><tr><td>Order.Type.Value</td></tr><tr><td>Order.Site.Value</td></tr><tr><td>Part.Site.Value</td></tr><tr><td>SYE::ProductionVersion.PartReference.Site.Value</td></tr><tr><td>Status.Value</td></tr><tr><td>SYE::ERPStatus.Value</td></tr><tr><td>BOMAlternate.Value</td></tr></table>	Order.Type.Value	Order.Site.Value	Part.Site.Value	SYE::ProductionVersion.PartReference.Site.Value	Status.Value	SYE::ERPStatus.Value	BOMAlternate.Value
Order.Type.Value									
Order.Site.Value									
Part.Site.Value									
SYE::ProductionVersion.PartReference.Site.Value									
Status.Value									
SYE::ERPStatus.Value									
BOMAlternate.Value									
4	Data file contains duplicates	Duplicates for ScheduledReceiptWO.tab are permitted technically as there are no keys, so no duplicate errors should exist, but a manual comparison test should be performed to ensure that no 2 rows are the same.							

Test Considerations/Dependencies

Dependent files should already be loaded into Maestro for these tests to complete. See Sequencing section above.

Other Information

Development Details

Package

Package Name	Parent Package

Other Development Objects

Object Type	Object Name	Purpose/High Level Logic	Design Rationale Reference

Appendix

See also

File **Modified**


No files shared here yet.

Change log

Version	Published	Changed By	Comment
CURRENT (v. 9)	Apr 16, 2026 14:02	KAVLEKAR-ext, Nihaal	Updated the Data Structure section
v. 8	Apr 10, 2026 11:40	KAVLEKAR-ext, Nihaal	Updated the Data Structure section
v. 7	Apr 02, 2026 14:24	KAVLEKAR-ext, Nihaal	Updated the Delta or Full load Requirement section
v. 6	Mar 26, 2026 11:59	KAVLEKAR-ext, Nihaal	
v. 5	Mar 26, 2026 07:47	KAVLEKAR-ext, Nihaal	Added field SAP_Id to the Data Structure section
v. 4	Mar 12, 2026 09:38	KAVLEKAR-ext, Nihaal	
v. 3	Mar 03, 2026 18:16	MOHAMOUD-ext, Ahmed	
v. 2	Mar 03, 2026 18:16	MOHAMOUD-ext, Ahmed	
v. 1	Feb 11, 2026 16:23	MOHAMOUD-ext, Ahmed	

Workflow history

This view shows the 5 most recent entries. The complete workflow log is available from the 'Document Activity' menu item.

Apr 24, 2026	Actor	Type	Activity	Version
Approved	 NARAHARI-ext, Bhargavi	State	changed state to Approved at 6:21 pm	v9

Lead Approval	 NARAHARI-ext, Bhargavi	State	gave <i>POD Lead Review</i> approval at 6:20 pm	
Apr 20, 2026				
	 JAIN-ext, Dhiraj	State	changed expiry date to '27 Apr, 2026 12:24 pm' at 12:24 pm	
		State	changed state to Lead Approval at 12:24 pm	v9
Tech Review of Updates	 JAIN-ext, Dhiraj	State	gave <i>Minor change</i> approval at 12:24 pm	
Apr 16, 2026				
	 KAVLEKAR-ext, Nihaal	Edit	updated the page at 2:02 pm	
			<div style="border-left: 1px solid #ccc; padding-left: 10px; margin-left: 20px;"> <i>Updated the Data Structure section</i> </div>	